

# Green Stripe® Truck & Bus V-Belts Listed by Number

## Showing Our Belt Numbers with Corresponding Nominal Outside Lengths, Top Widths and Angles

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with  
"Vertical Flats"

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
TR20412	41 1/2 (1056)	5/8 (16)	36°	TR22588	59 3/8 (1509)	11/16 (17)	36°
TR20426	43 (1092)	5/8 (16)	36°	TR22607	61 1/4 (1557)	11/16 (17)	36°
TR20451	45 1/2 (1155)	5/8 (16)	36°	TR22625	63 1/8 (1602)	11/16 (17)	36°
TR20544	54 3/4 (1390)	5/8 (16)	36°	TR22635	64 1/8 (1627)	11/16 (17)	36°
TR20619	62 3/8 (1585)	5/8 (16)	36°	TR22648	65 1/4 (1658)	11/16 (17)	36°
TR22299	30 1/2 (774)	11/16 (17)	36°	TR22657	66 1/4 (1682)	11/16 (17)	36°
TR22322	32 3/4 (833)	11/16 (17)	36°	TR22664	67 (1703)	11/16 (17)	36°
TR22329	33 1/2 (850)	11/16 (17)	36°	TR22676	68 (1728)	11/16 (17)	36°
TR22336	34 1/8 (868)	11/16 (17)	36°	TR22692	69 3/4 (1773)	11/16 (17)	36°
TR22344	34 7/8 (886)	11/16 (17)	36°	TR22711	71 5/8 (1819)	11/16 (17)	36°
TR22350	35 5/8 (906)	11/16 (17)	36°	TR22720	72 5/8 (1844)	11/16 (17)	36°
TR22358	36 1/2 (926)	11/16 (17)	36°	TR22752	75 3/4 (1924)	11/16 (17)	36°
TR22363	36 7/8 (937)	11/16 (17)	36°	TR22770	77 5/8 (1971)	11/16 (17)	36°
TR22373	38 (964)	11/16 (17)	36°	TR22792	79 5/8 (2021)	11/16 (17)	36°
TR22380	38 5/8 (980)	11/16 (17)	36°	TR24281	28 5/8 (728)	3/4 (19)	36°
TR22386	39 1/8 (993)	11/16 (17)	36°	TR24308	31 1/2 (799)	3/4 (19)	36°
TR22392	39 3/4 (1010)	11/16 (17)	36°	TR24315	32 (812)	3/4 (19)	36°
TR22397	40 1/4 (1022)	11/16 (17)	36°	TR24355	36 1/8 (918)	3/4 (19)	36°
TR22401	40 5/8 (1031)	11/16 (17)	36°	TR24365	37 1/8 (943)	3/4 (19)	36°
TR22405	41 1/8 (1045)	11/16 (17)	36°	TR24379	38 3/8 (976)	3/4 (19)	36°
TR22410	41 5/8 (1056)	11/16 (17)	36°	TR24400	40 5/8 (1032)	3/4 (19)	36°
TR22416	42 1/4 (1073)	11/16 (17)	36°	TR24403	40 3/4 (1036)	3/4 (19)	36°
TR22425	43 1/8 (1095)	11/16 (17)	36°	TR24407	41 1/4 (1047)	3/4 (19)	36°
TR22434	44 (1117)	11/16 (17)	36°	TR24414	41 7/8 (1065)	3/4 (19)	36°
TR22443	44 7/8 (1139)	11/16 (17)	36°	TR24424	42 7/8 (1090)	3/4 (19)	36°
TR22448	45 3/8 (1151)	11/16 (17)	36°	TR24438	44 3/8 (1126)	3/4 (19)	36°
TR22455	46 1/8 (1171)	11/16 (17)	36°	TR24449	45 5/8 (1158)	3/4 (19)	36°
TR22461	46 5/8 (1184)	11/16 (17)	36°	TR24457	46 1/4 (1174)	3/4 (19)	36°
TR22474	47 7/8 (1218)	11/16 (17)	36°	TR24461	46 5/8 (1183)	3/4 (19)	36°
TR22485	49 1/8 (1247)	11/16 (17)	36°	TR24465	47 (1195)	3/4 (19)	36°
TR22495	50 1/8 (1273)	11/16 (17)	36°	TR24476	48 1/4 (1225)	3/4 (19)	36°
TR22508	51 3/8 (1306)	11/16 (17)	36°	TR24489	49 3/8 (1255)	3/4 (19)	36°
TR22514	51 7/8 (1319)	11/16 (17)	36°	TR24500	50 5/8 (1285)	3/4 (19)	36°
TR22517	52 3/8 (1332)	11/16 (17)	36°	TR24515	51 7/8 (1318)	3/4 (19)	36°
TR22525	53 1/8 (1349)	11/16 (17)	36°	TR24530	53 5/8 (1362)	3/4 (19)	36°
TR22534	53 7/8 (1369)	11/16 (17)	36°	TR24538	54 1/4 (1379)	3/4 (19)	36°
TR22545	55 1/8 (1399)	11/16 (17)	36°	TR24562	56 5/8 (1438)	3/4 (19)	36°
TR22553	55 7/8 (1420)	11/16 (17)	36°	TR24578	58 1/4 (1480)	3/4 (19)	36°
TR22570	57 5/8 (1462)	11/16 (17)	36°	TR24597	60 1/4 (1531)	3/4 (19)	36°
TR22578	58 1/4 (1479)	11/16 (17)	36°	TR24607	61 1/4 (1556)	3/4 (19)	36°

(mm) Millimeters

## Green Stripe® Truck & Bus V-Belts Listed by Number

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
TR24619	62 1/2 (1589)	3/4 (19)	36°	TR28628	63 3/8 (1609)	7/8 (22)	36°
TR24638	64 1/4 (1631)	3/4 (19)	36°	TR28649	65 1/2 (1663)	7/8 (22)	36°
TR24647	65 1/4 (1658)	3/4 (19)	36°	TR28657	66 1/4 (1684)	7/8 (22)	36°
TR24664	67 (1702)	3/4 (19)	37°	TR28666	67 1/4 (1710)	7/8 (22)	36°
TR24688	69 1/4 (1759)	3/4 (19)	36°	TR28680	68 5/8 (1744)	7/8 (22)	36°
TR24709	71 1/4 (1810)	3/4 (19)	36°	TR28693	69 7/8 (1774)	7/8 (22)	36°
TR26341	34 5/8 (879)	13/16 (21)	36°	TR28706	71 1/8 (1808)	7/8 (22)	36°
TR26353	36 (913)	13/16 (21)	36°	TR28733	73 7/8 (1875)	7/8 (22)	36°
TR26366	37 1/4 (947)	13/16 (21)	36°	TR28743	75 (1904)	7/8 (22)	36°
TR28333	33 7/8 (859)	7/8 (22)	36°	TR28786	79 1/8 (2009)	7/8 (22)	36°
TR28346	35 1/8 (892)	7/8 (22)	36°	TR30408	41 1/2 (1054)	15/16 (24)	36°
TR28376	38 1/8 (970)	7/8 (22)	36°	TR30428	43 1/2 (1104)	15/16 (24)	36°
TR28386	39 1/8 (995)	7/8 (22)	36°	TR30448	45 3/8 (1152)	15/16 (24)	36°
TR28390	39 5/8 (1007)	7/8 (22)	36°	TR30467	47 1/4 (1201)	15/16 (24)	36°
TR28400	40 5/8 (1032)	7/8 (22)	36°	TR30484	49 (1244)	15/16 (24)	36°
TR28406	41 1/8 (1046)	7/8 (22)	36°	TR30506	51 1/8 (1299)	15/16 (24)	36°
TR28412	41 7/8 (1062)	7/8 (22)	36°	TR30537	54 3/8 (1381)	15/16 (24)	36°
TR28423	42 7/8 (1088)	7/8 (22)	36°	TR30543	54 7/8 (1393)	15/16 (24)	36°
TR28429	43 1/2 (1105)	7/8 (22)	36°	TR30589	59 1/2 (1510)	15/16 (24)	36°
TR28437	44 1/4 (1125)	7/8 (22)	36°	TR30624	62 7/8 (1599)	15/16 (24)	36°
TR28445	45 1/8 (1145)	7/8 (22)	36°	TR30652	65 3/4 (1671)	15/16 (24)	36°
TR28454	45 7/8 (1166)	7/8 (22)	36°	TR30672	67 3/4 (1722)	15/16 (24)	36°
TR28463	46 7/8 (1190)	7/8 (22)	36°	TR30698	70 3/8 (1788)	15/16 (24)	36°
TR28473	47 7/8 (1216)	7/8 (22)	36°	TR30710	71 5/8 (1818)	15/16 (24)	36°
TR28480	48 5/8 (1236)	7/8 (22)	36°	TR30722	72 3/4 (1849)	15/16 (24)	36°
TR28483	48 7/8 (1240)	7/8 (22)	36°	TR30754	76 (1929)	15/16 (24)	36°
TR28492	49 3/4 (1265)	7/8 (22)	36°	TR30770	77 1/8 (1960)	15/16 (24)	36°
TR28498	50 1/4 (1277)	7/8 (22)	36°	TR30808	81 1/4 (2065)	15/16 (24)	36°
TR28501	50 7/8 (1291)	7/8 (22)	36°	TR32491	49 5/8 (1262)	1 (25)	36°
TR28510	51 5/8 (1312)	7/8 (22)	36°	TR32513	51 7/8 (1317)	1 (25)	36°
TR28514	52 (1320)	7/8 (22)	36°	TR32571	57 5/8 (1464)	1 (25)	36°
TR28522	52 7/8 (1342)	7/8 (22)	36°	TR34435	44 1/8 (1120)	1 1/16 (27)	36°
TR28545	55 1/8 (1401)	7/8 (22)	36°	TR34456	46 1/8 (1172)	1 1/16 (27)	36°
TR28550	55 5/8 (1413)	7/8 (22)	36°	TR34467	47 1/4 (1199)	1 1/16 (27)	36°
TR28557	56 1/4 (1430)	7/8 (22)	36°	TR34495	50 1/8 (1273)	1 1/16 (27)	36°
TR28565	57 1/8 (1451)	7/8 (22)	36°	TR34506	51 1/4 (1303)	1 1/16 (27)	36°
TR28570	57 5/8 (1464)	7/8 (22)	36°	TR34545	55 (1395)	1 1/16 (27)	36°
TR28575	58 1/8 (1477)	7/8 (22)	36°	TR34604	61 1/8 (1553)	1 1/16 (27)	36°
TR28583	58 7/8 (1494)	7/8 (22)	36°	TR34700	70 5/8 (1793)	1 1/16 (27)	36°
TR28596	60 1/4 (1530)	7/8 (22)	36°	TR34711	71 5/8 (1820)	1 1/16 (27)	36°
TR28616	62 1/8 (1578)	7/8 (22)	36°	TR34771	77 3/4 (1975)	1 1/16 (27)	36°

# Green Stripe® Truck & Bus V-Belts Listed by Width and Length

## Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with  
"Vertical Flats"

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>5/8" (16 mm) Top Width</b>			<b>11/16" (17 mm) Top Width - Continued</b>			<b>3/4" (19 mm) Top Width - Continued</b>		
41 1/2 (1056) .....	36°	TR20412	55 1/8 (1399) .....	36°	TR22545	48 1/4 (1225) .....	36°	TR24476
43 (1092) .....	36°	TR20426	55 7/8 (1420) .....	36°	TR22553	49 3/8 (1255) .....	36°	TR24489
45 1/2 (1155) .....	36°	TR20451	57 5/8 (1462) .....	36°	TR22570	50 5/8 (1285) .....	36°	TR24500
54 3/4 (1390) .....	36°	TR20544	58 1/4 (1479) .....	36°	TR22578	51 7/8 (1318) .....	36°	TR24515
62 3/8 (1585) .....	36°	TR20619	59 3/8 (1509) .....	36°	TR22588	53 5/8 (1362) .....	36°	TR24530
<b>11/16" (17 mm) Top Width</b>			61 1/4 (1557) .....	36°	TR22607	54 1/4 (1379) .....	36°	TR24538
30 1/2 (774) .....	36°	TR22299	63 1/8 (1602) .....	36°	TR22625	56 5/8 (1438) .....	36°	TR24562
32 3/4 (833) .....	36°	TR22322	64 1/8 (1627) .....	36°	TR22635	58 1/4 (1480) .....	36°	TR24578
33 1/2 (850) .....	36°	TR22329	65 1/4 (1658) .....	36°	TR22648	60 1/4 (1531) .....	36°	TR24597
34 1/8 (868) .....	36°	TR22336	66 1/4 (1682) .....	36°	TR22657	61 1/4 (1556) .....	36°	TR24607
34 7/8 (886) .....	36°	TR22344	67 (1703) .....	36°	TR22664	62 1/2 (1589) .....	36°	TR24619
35 5/8 (906) .....	36°	TR22350	68 (1728) .....	36°	TR22676	64 1/4 (1631) .....	36°	TR24638
36 1/2 (926) .....	36°	TR22358	69 3/4 (1773) .....	36°	TR22692	65 1/4 (1658) .....	36°	TR24647
36 7/8 (937) .....	36°	TR22363	71 5/8 (1819) .....	36°	TR22711	67 (1702) .....	37°	TR24664
38 (964) .....	36°	TR22373	72 5/8 (1844) .....	36°	TR22720	69 1/4 (1759) .....	36°	TR24688
38 5/8 (980) .....	36°	TR22380	75 3/4 (1924) .....	36°	TR22752	71 1/4 (1810) .....	36°	TR24709
39 1/8 (993) .....	36°	TR22386	77 5/8 (1971) .....	36°	TR22770	<b>13/16" (21 mm) Top Width</b>		
39 3/4 (1010) .....	36°	TR22392	79 5/8 (2021) .....	36°	TR22792	34 5/8 (879) .....	36°	TR26341
40 1/4 (1022) .....	36°	TR22397	<b>3/4" (19 mm) Top Width</b>			36 (913) .....	36°	TR26353
40 5/8 (1031) .....	36°	TR22401	28 5/8 (728) .....	36°	TR24281	37 1/4 (947) .....	36°	TR26366
41 1/8 (1045) .....	36°	TR22405	31 1/2 (799) .....	36°	TR24308	<b>7/8" (22 mm) Top Width</b>		
41 5/8 (1056) .....	36°	TR22410	32 (812) .....	36°	TR24315	33 7/8 (859) .....	36°	TR28333
42 1/4 (1073) .....	36°	TR22416	36 1/8 (918) .....	36°	TR24355	35 1/8 (892) .....	36°	TR28346
43 1/8 (1095) .....	36°	TR22425	37 1/8 (943) .....	36°	TR24365	38 1/8 (970) .....	36°	TR28376
44 (1117) .....	36°	TR22434	38 3/8 (976) .....	36°	TR24379	39 1/8 (995) .....	36°	TR28386
44 7/8 (1139) .....	36°	TR22443	40 5/8 (1032) .....	36°	TR24400	39 5/8 (1007) .....	36°	TR28390
45 3/8 (1151) .....	36°	TR22448	40 3/4 (1036) .....	36°	TR24403	40 5/8 (1032) .....	36°	TR28400
46 1/8 (1171) .....	36°	TR22455	41 1/4 (1047) .....	36°	TR24407	41 1/8 (1046) .....	36°	TR28406
46 5/8 (1184) .....	36°	TR22461	41 7/8 (1065) .....	36°	TR24414	41 7/8 (1062) .....	36°	TR28412
47 7/8 (1218) .....	36°	TR22474	42 7/8 (1090) .....	36°	TR24424	42 7/8 (1088) .....	36°	TR28423
49 1/8 (1247) .....	36°	TR22485	44 3/8 (1126) .....	36°	TR24438	43 1/2 (1105) .....	36°	TR28429
50 1/8 (1273) .....	36°	TR22495	45 5/8 (1158) .....	36°	TR24449	44 1/4 (1125) .....	36°	TR28437
51 3/8 (1306) .....	36°	TR22508	46 1/4 (1174) .....	36°	TR24457	45 1/8 (1145) .....	36°	TR28445
51 7/8 (1319) .....	36°	TR22514	46 5/8 (1183) .....	36°	TR24461			
52 3/8 (1332) .....	36°	TR22517	47 (1195) .....	36°	TR24465			
53 1/8 (1349) .....	36°	TR22525						
53 7/8 (1369) .....	36°	TR22534						

(mm) Millimeters


## Green Stripe® Truck & Bus V-Belts Listed by Width and Length

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>7/8" (22 mm) Top Width - Continued</b>			<b>7/8" (22 mm) Top Width - Continued</b>			<b>15/16" (24 mm) Top Width - Continued</b>		
45 7/8 (1166) .....	36°	TR28454	68 5/8 (1744) .....	36°	TR28680	75 3/4 (1925) .....	36°	TR30754
46 7/8 (1190) .....	36°	TR28463	69 7/8 (1774) .....	36°	TR28693	77 (1955) .....	36°	TR30770
47 7/8 (1216) .....	36°	TR28473	71 1/8 (1808) .....	36°	TR28706	81 1/8 (2060) .....	36°	TR30808
48 5/8 (1236) .....	36°	TR28480	73 7/8 (1875) .....	36°	TR28733	<b>1" (25 mm) Top Width</b>		
48 7/8 (1240) .....	36°	TR28483	75 (1904) .....	36°	TR28743	49 3/4 (1265) .....	36°	TR32491
49 3/4 (1265) .....	36°	TR28492	79 1/8 (2009) .....	36°	TR28786	51 7/8 (1320) .....	36°	TR32513
50 1/4 (1277) .....	36°	TR28498	<b>15/16" (24 mm) Top Width</b>			57 5/8 (1465) .....	36°	TR32571
50 7/8 (1291) .....	36°	TR28501	41 1/2 (1054) .....	36°	TR30408	<b>1 1/16" (27 mm) Top Width</b>		
51 5/8 (1312) .....	36°	TR28510	43 1/2 (1104) .....	36°	TR30428	43 7/8 (1115) .....	36°	TR34435
52 (1320) .....	36°	TR28514	45 3/8 (1152) .....	36°	TR30448	46 (1175) .....	36°	TR34456
52 7/8 (1342) .....	36°	TR28522	47 1/4 (1201) .....	36°	TR30467	47 (1195) .....	36°	TR34467
55 1/8 (1401) .....	36°	TR28545	49 (1244) .....	36°	TR30484	49 7/8 (1265) .....	36°	TR34495
55 5/8 (1413) .....	36°	TR28550	51 1/8 (1299) .....	36°	TR30506	51 1/8 (1300) .....	36°	TR34506
56 1/4 (1430) .....	36°	TR28557	54 3/8 (1381) .....	36°	TR30537	55 (1395) .....	36°	TR34545
57 1/8 (1451) .....	36°	TR28565	54 7/8 (1393) .....	36°	TR30543	60 7/8 (1545) .....	36°	TR34604
57 5/8 (1464) .....	36°	TR28570	59 1/2 (1510) .....	36°	TR30589	70 3/8 (1790) .....	36°	TR34700
58 1/8 (1477) .....	36°	TR28575	62 7/8 (1599) .....	36°	TR30624	71 1/2 (1815) .....	36°	TR34711
58 7/8 (1494) .....	36°	TR28583	65 3/4 (1671) .....	36°	TR30652	77 1/2 (1970) .....	36°	TR34771
60 1/4 (1530) .....	36°	TR28596	67 3/4 (1722) .....	36°	TR30672			
62 1/8 (1578) .....	36°	TR28616	70 3/8 (1790) .....	36°	TR30698			
63 3/8 (1609) .....	36°	TR28628	71 3/8 (1815) .....	36°	TR30710			
65 1/2 (1663) .....	36°	TR28649	72 3/4 (1850) .....	36°	TR30722			
66 1/4 (1684) .....	36°	TR28657						
67 1/4 (1710) .....	36°	TR28666						

# Green Stripe® Truck & Bus PowerBand® Belts Listed by Number

Showing Our Belt Numbers with  
Corresponding Nominal Outside Lengths,  
Top Widths and Template Color

IMPORTANT: When using PowerBand® belts, make sure that ALL pulleys within the drive can use a PowerBand® by using the appropriate PowerBand® belt template. The use of the correct template is essential for proper fit. The appropriate template for each belt can be determined from the size list below. Refer to the product page in the front of this catalog for detailed instructions on correct fit of the templates in the pulley grooves. The lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt.




Our Belt No.	Top Width Per Strand Inches (mm)	Length Inches (mm)	Template Color	Our Belt No.	Top Width Per Strand Inches (mm)	Length Inches (mm)	Template Color
2/9305PB	1/2 (12.7)	31 1/2 (799)	YELLOW	2/9660PB	1/2 (12.7)	66 7/8 (1698)	YELLOW
2/9313PB	1/2 (12.7)	32 1/8 (817)	YELLOW	2/9670PB	1/2 (12.7)	67 7/8 (1724)	YELLOW
2/9325PB	1/2 (12.7)	33 1/2 (852)	YELLOW	2/9690PB	1/2 (12.7)	70 (1778)	YELLOW
2/9430PB	1/2 (12.7)	43 7/8 (1116)	YELLOW	2/9700PB	1/2 (12.7)	70 7/8 (1800)	YELLOW
2/9435PB	1/2 (12.7)	44 3/8 (1128)	YELLOW	2/9710PB	1/2 (12.7)	71 7/8 (1825)	YELLOW
2/9447PB	1/2 (12.7)	45 3/8 (1154)	YELLOW	2/9720PB	1/2 (12.7)	72 7/8 (1850)	YELLOW
2/9451PB	1/2 (12.7)	45 7/8 (1164)	YELLOW	2/9730PB	1/2 (12.7)	74 (1879)	YELLOW
2/9463PB	1/2 (12.7)	47 (1195)	YELLOW	3/9470PB	1/2 (12.7)	47 7/8 (1217)	
2/9470PB	1/2 (12.7)	47 7/8 (1217)	YELLOW	3/9500PB	1/2 (12.7)	50 7/8 (1293)	
2/9476PB	1/2 (12.7)	48 3/8 (1230)	YELLOW	3/9525PB	1/2 (12.7)	53 1/4 (1354)	
2/9485FPB (FORD ONLY)	1/2 (12.7)	49 5/8 (1259)	PINK	3/9530PB	1/2 (12.7)	54 (1372)	
2/9490PB	1/2 (12.7)	50 (1270)	YELLOW	2/TR22517PB	11/16 (17)	52 5/8 (1338)	GREEN
2/9500PB	1/2 (12.7)	51 (1296)	YELLOW	2/TR22553PB	11/16 (17)	56 1/4 (1430)	GREEN
2/9510PB	1/2 (12.7)	52 (1321)	YELLOW	2/TR22570PB	11/16 (17)	58 (1472)	GREEN
2/9520PB	1/2 (12.7)	53 (1346)	YELLOW	2/TR28400PB	7/8 (22.23)	41 (1041)	RED
2/9530PB	1/2 (12.7)	54 (1373)	YELLOW	2/TR28411PB	7/8 (22.23)	42 1/8 (1070)	RED
2/9540PB	1/2 (12.7)	55 (1399)	YELLOW	2/TR28429PB	7/8 (22.23)	44 1/8 (1105)	RED
2/9545PB	1/2 (12.7)	55 3/8 (1405)	YELLOW	2/TR28437PB	7/8 (22.23)	44 5/8 (1125)	RED
2/9550PB	1/2 (12.7)	56 (1424)	YELLOW	2/TR28466PB	7/8 (22.23)	47 5/8 (1209)	RED
2/9555PB	1/2 (12.7)	56 5/8 (1438)	YELLOW	2/TR28473PB	7/8 (22.23)	48 1/4 (1226)	RED
2/9570PB	1/2 (12.7)	58 (1474)	YELLOW	2/TR28480PB	7/8 (22.23)	49 (1244)	RED
2/9590PB	1/2 (12.7)	59 7/8 (1521)	YELLOW	2/TR28483PB	7/8 (22.23)	49 1/8 (1248)	RED
2/9600PB	1/2 (12.7)	60 7/8 (1546)	YELLOW	2/TR28492PB	7/8 (22.23)	50 3/8 (1279)	RED
2/9610PB	1/2 (12.7)	61 7/8 (1571)	YELLOW	2/TR28501PB	7/8 (22.23)	51 1/8 (1299)	RED
2/9640PB	1/2 (12.7)	64 7/8 (1648)	YELLOW	2/TR28510PB	7/8 (22.23)	52 (1320)	RED
2/9650PB	1/2 (12.7)	65 7/8 (1673)	YELLOW				

# Green Stripe® Truck & Bus PowerBand® Belts Listed by Width and Length

**Showing Nominal Belt Top Widths, Outside Lengths and  
Template Color with Our Corresponding Belt Numbers**

IMPORTANT: When using PowerBand® belts, make sure that ALL pulleys within the drive can use a PowerBand® by using the appropriate PowerBand® belt template. The use of the correct template is essential for proper fit. The appropriate template for each belt can be determined from the size list below. Refer to the product page in the front of this catalog for detailed instructions on correct fit of the templates in the pulley grooves. The lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt.



Length Inches (mm)	Template Color	Our Belt No.	Length Inches (mm)	Template Color	Our Belt No.	Length Inches (mm)	Template Color	Our Belt No.
<b>1/2" (12.7 mm) Per Strand Top Width</b>			<b>1/2" (12.7 mm) Per Strand Top Width - Continued</b>			<b>11/16" (17 mm) Per Strand Top Width</b>		
31 1/2 (799).....	YELLOW	<b>2/9305PB</b>	54 (1372).....		<b>3/9530PB</b>	52 1/2 (1333).....	GREEN	<b>2/TR22517PB</b>
32 1/8 (817).....	YELLOW	<b>2/9313PB</b>	54 (1373).....	YELLOW	<b>2/9530PB</b>	56 (1425).....	GREEN	<b>2/TR22553PB</b>
33 1/2 (852).....	YELLOW	<b>2/9325PB</b>	55 (1399).....	YELLOW	<b>2/9540PB</b>	57 5/8 (1465).....	GREEN	<b>2/TR22570PB</b>
43 7/8 (1116).....	YELLOW	<b>2/9430PB</b>	55 3/8 (1405).....	YELLOW	<b>2/9545PB</b>	<b>7/8" (22.23 mm) Per Strand Top Width</b>		
44 3/8 (1128).....	YELLOW	<b>2/9435PB</b>	56 (1424).....	YELLOW	<b>2/9550PB</b>	40 1/2 (1030).....	RED	<b>2/TR28400PB</b>
45 3/8 (1154).....	YELLOW	<b>2/9447PB</b>	56 5/8 (1438).....	YELLOW	<b>2/9555PB</b>	41 7/8 (1061).....	RED	<b>2/TR28411PB</b>
45 7/8 (1164).....	YELLOW	<b>2/9451PB</b>	59 3/4 (1520).....	YELLOW	<b>2/9590PB</b>	43 1/2 (1105).....	RED	<b>2/TR28429PB</b>
47 (1195).....	YELLOW	<b>2/9463PB</b>	60 7/8 (1546).....	YELLOW	<b>2/9600PB</b>	44 1/4 (1125).....	RED	<b>2/TR28437PB</b>
47 7/8 (1217).....		<b>3/9470PB</b>	61 7/8 (1571).....	YELLOW	<b>2/9610PB</b>	47 1/8 (1198).....	RED	<b>2/TR28466PB</b>
47 7/8 (1217).....	YELLOW	<b>2/9470PB</b>	64 7/8 (1648).....	YELLOW	<b>2/9640PB</b>	47 7/8 (1215).....	RED	<b>2/TR28473PB</b>
48 3/8 (1230).....	YELLOW	<b>2/9476PB</b>	65 7/8 (1673).....	YELLOW	<b>2/9650PB</b>	48 5/8 (1235).....	RED	<b>2/TR28480PB</b>
49 5/8 (1259).....	PINK	<b>2/9485FPB</b>	66 7/8 (1698).....	YELLOW	<b>2/9660PB</b>	48 7/8 (1240).....	RED	<b>2/TR28483PB</b>
50 (1270).....	YELLOW	<b>2/9490PB</b>	67 7/8 (1724).....	YELLOW	<b>2/9670PB</b>	49 7/8 (1265).....	RED	<b>2/TR28492PB</b>
50 7/8 (1293).....		<b>3/9500PB</b>	70 (1778).....	YELLOW	<b>2/9690PB</b>	50 3/4 (1290).....	RED	<b>2/TR28501PB</b>
51 (1296).....	YELLOW	<b>2/9500PB</b>	70 7/8 (1800).....	YELLOW	<b>2/9700PB</b>	51 5/8 (1310).....	RED	<b>2/TR28510PB</b>
52 (1321).....	YELLOW	<b>2/9510PB</b>	71 7/8 (1825).....	YELLOW	<b>2/9710PB</b>			
53 (1346).....	YELLOW	<b>2/9520PB</b>	72 7/8 (1850).....	YELLOW	<b>2/9720PB</b>			
53 1/4 (1354).....		<b>3/9525PB</b>	74 (1879).....	YELLOW	<b>2/9730PB</b>			

# XL® Belts

## Listed by Number

### Showing Our Belt Numbers with Corresponding Nominal Outside Lengths, Top Widths and Angles

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with  
"Vertical Flats"

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
7208.....	▼21 1/4 (540)	13/32 (10)	36°	7363.....	36 3/4 (935)	1/4 (6)	38°
7215.....	▼22 1/8 (561)	13/32 (10)	36°	7365.....	▼37 1/8 (942)	13/32 (10)	36°
7228.....	23 (585)	5/16 (8)	36°	7369.....	37 1/4 (945)	5/16 (8)	38°
7234.....	23 3/4 (605)	5/16 (8)	38°	7370.....	▼37 5/8 (954)	13/32 (10)	36°
7240.....	▼24 5/8 (624)	13/32 (10)	36°	7374.....	37 3/4 (960)	5/16 (8)	38°
7250.....	▼25 5/8 (650)	13/32 (10)	36°	7375.....	▼38 1/8 (967)	13/32 (10)	36°
7255.....	▼26 1/8 (663)	13/32 (10)	36°	7379.....	38 1/4 (970)	5/16 (8)	38°
7260.....	▼26 5/8 (675)	13/32 (10)	36°	7380.....	▼38 5/8 (980)	13/32 (10)	36°
7261.....	26 1/4 (665)	1/4 (6)	36°	7381.....	38 1/4 (970)	1/4 (6)	38°
7265.....	▼27 1/8 (688)	13/32 (10)	36°	7384.....	38 3/4 (985)	5/16 (8)	38°
7270.....	▼27 5/8 (701)	13/32 (10)	36°	7385.....	▼39 1/8 (993)	13/32 (10)	36°
7274.....	27 1/4 (690)	5/16 (8)	38°	7388.....	39 1/4 (995)	1/4 (6)	38°
7279.....	28 1/4 (720)	1/4 (6)	36°	7389.....	39 1/4 (995)	5/16 (8)	38°
7280.....	▼28 5/8 (726)	13/32 (10)	36°	7390.....	▼39 5/8 (1005)	13/32 (10)	36°
7290.....	▼29 5/8 (751)	13/32 (10)	36°	7395.....	▼40 1/8 (1018)	13/32 (10)	36°
7292.....	▼29 7/8 (758)	13/32 (10)	36°	7400.....	▼40 5/8 (1031)	13/32 (10)	36°
7295.....	▼30 1/8 (764)	13/32 (10)	36°	7404.....	40 3/4 (1035)	5/16 (8)	38°
7298.....	30 1/4 (770)	1/4 (6)	38°	7405.....	▼41 1/8 (1044)	13/32 (10)	36°
7300.....	▼30 5/8 (777)	13/32 (10)	36°	7409.....	41 1/4 (1050)	1/4 (6)	38°
7304.....	30 3/4 (780)	5/16 (8)	36°	7410.....	▼41 5/8 (1056)	13/32 (10)	36°
7305.....	▼31 1/8 (792)	13/32 (10)	36°	7417.....	▼42 1/8 (1069)	13/32 (10)	36°
7309.....	31 1/4 (795)	1/4 (6)	38°	7419.....	42 1/4 (1075)	5/16 (8)	38°
7312.....	▼31 5/8 (802)	13/32 (10)	36°	7420.....	▼42 5/8 (1082)	13/32 (10)	36°
7315.....	▼32 1/8 (815)	13/32 (10)	36°	7425.....	▼43 1/8 (1095)	13/32 (10)	36°
7318.....	32 1/4 (820)	1/4 (6)	38°	7430.....	▼43 5/8 (1107)	13/32 (10)	36°
7320.....	▼32 5/8 (828)	13/32 (10)	36°	7435.....	▼44 1/8 (1120)	13/32 (10)	36°
7324.....	32 3/4 (830)	5/16 (8)	38°	7440.....	▼44 5/8 (1132)	13/32 (10)	36°
7325.....	▼33 1/8 (840)	13/32 (10)	36°	7444.....	44 3/4 (1135)	5/16 (8)	38°
7328.....	▼33 3/8 (847)	13/32 (10)	36°	7445.....	▼45 1/8 (1145)	13/32 (10)	36°
7329.....	33 1/4 (845)	1/4 (6)	38°	7448.....	▼45 3/8 (1151)	13/32 (10)	36°
7330.....	▼33 5/8 (853)	13/32 (10)	36°	7449.....	45 1/4 (1150)	5/16 (8)	38°
7333.....	34 1/4 (870)	1/4 (6)	38°	7450.....	▼45 5/8 (1158)	13/32 (10)	36°
7334.....	33 3/4 (855)	5/16 (8)	38°	7453.....	▼45 7/8 (1164)	13/32 (10)	36°
7335.....	▼34 1/8 (866)	13/32 (10)	36°	7455.....	▼46 1/8 (1171)	13/32 (10)	36°
7340.....	▼34 5/8 (878)	13/32 (10)	36°	7459.....	46 1/4 (1175)	5/16 (8)	38°
7343.....	34 1/4 (870)	5/16 (8)	38°	7460.....	▼46 5/8 (1183)	13/32 (10)	36°
7345.....	▼35 1/8 (891)	13/32 (10)	36°	7465.....	▼47 1/8 (1196)	13/32 (10)	36°
7348.....	35 1/4 (895)	1/4 (6)	38°	7470.....	▼47 5/8 (1209)	13/32 (10)	36°
7350.....	▼35 5/8 (904)	13/32 (10)	36°	7473.....	▼47 7/8 (1215)	13/32 (10)	36°
7355.....	▼36 1/8 (919)	13/32 (10)	36°	7475.....	▼48 1/8 (1221)	13/32 (10)	36°
7359.....	36 1/4 (920)	1/4 (6)	38°	7480.....	▼48 5/8 (1234)	13/32 (10)	36°
7360.....	▼36 5/8 (929)	13/32 (10)	36°	7483.....	▼48 7/8 (1242)	13/32 (10)	36°
7362.....	36 1/2 (925)	5/16 (8)	38°	7485.....	▼49 1/8 (1247)	13/32 (10)	36°

▼ Indicates Notched Belt.

(mm) Millimeters

# XL® Belts Listed by Number

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
7490.....	▼49 5/8 (1260)	13/32 (10)	36°	9390.....	▼39 3/8 (1000)	15/32 (12)	36°
7495.....	▼50 1/8 (1272)	13/32 (10)	36°	9395.....	▼39 7/8 (1013)	15/32 (12)	36°
7496.....	49 5/8 (1260)	5/16 (8)	38°	9400.....	▼40 3/8 (1026)	15/32 (12)	36°
7500.....	▼50 5/8 (1285)	13/32 (10)	36°	9403.....	▼40 5/8 (1032)	15/32 (12)	36°
7508.....	▼51 1/8 (1297)	13/32 (10)	36°	9405.....	▼40 7/8 (1038)	15/32 (12)	36°
7512.....	▼51 5/8 (1310)	13/32 (10)	36°	9412.....	▼41 3/8 (1051)	15/32 (12)	36°
7516.....	▼52 1/8 (1323)	13/32 (10)	36°	9415.....	▼41 7/8 (1064)	15/32 (12)	36°
7520.....	▼52 5/8 (1336)	13/32 (10)	36°	9420.....	▼42 3/8 (1076)	15/32 (12)	36°
7525.....	▼53 1/8 (1348)	13/32 (10)	36°	9425.....	▼42 7/8 (1089)	15/32 (12)	36°
7530.....	▼53 5/8 (1361)	13/32 (10)	36°	9430.....	▼43 3/8 (1102)	15/32 (12)	36°
7535.....	▼54 1/8 (1374)	13/32 (10)	36°	9435.....	▼43 7/8 (1114)	15/32 (12)	36°
7541.....	▼54 5/8 (1386)	13/32 (10)	36°	9440.....	▼44 3/8 (1127)	15/32 (12)	36°
7545.....	▼55 1/8 (1399)	13/32 (10)	36°	9447.....	▼44 7/8 (1140)	15/32 (12)	36°
7550.....	▼55 5/8 (1412)	13/32 (10)	36°	9451.....	▼45 3/8 (1153)	15/32 (12)	36°
7555.....	▼56 1/8 (1425)	13/32 (10)	36°	9455.....	▼45 7/8 (1165)	15/32 (12)	36°
7560.....	▼56 5/8 (1437)	13/32 (10)	36°	9463.....	▼46 3/8 (1178)	15/32 (12)	36°
7565.....	▼57 1/8 (1450)	13/32 (10)	36°	9465.....	▼46 7/8 (1191)	15/32 (12)	36°
7570.....	▼57 5/8 (1463)	13/32 (10)	36°	9470.....	▼47 3/8 (1203)	15/32 (12)	36°
7575.....	▼58 1/8 (1475)	13/32 (10)	36°	9476.....	▼47 7/8 (1216)	15/32 (12)	36°
7580.....	▼58 5/8 (1488)	13/32 (10)	36°	9480.....	▼48 3/8 (1229)	15/32 (12)	36°
7585.....	▼59 1/8 (1501)	13/32 (10)	36°	9485.....	▼48 7/8 (1241)	15/32 (12)	36°
7590.....	▼59 5/8 (1513)	13/32 (10)	36°	9490.....	▼49 3/8 (1254)	15/32 (12)	36°
7597.....	▼60 1/8 (1526)	13/32 (10)	36°	9495.....	▼49 7/8 (1267)	15/32 (12)	36°
7603.....	▼60 5/8 (1539)	13/32 (10)	36°	9500.....	▼50 3/8 (1280)	15/32 (12)	36°
7612.....	▼61 5/8 (1564)	13/32 (10)	36°	9505.....	▼50 7/8 (1292)	15/32 (12)	36°
7619.....	▼62 5/8 (1590)	13/32 (10)	36°	9510.....	▼51 3/8 (1305)	15/32 (12)	36°
7625.....	▼63 1/8 (1602)	13/32 (10)	36°	9520.....	▼52 3/8 (1330)	15/32 (12)	36°
7630.....	▼63 5/8 (1615)	13/32 (10)	36°	9525.....	▼52 7/8 (1343)	15/32 (12)	36°
7640.....	▼64 5/8 (1640)	13/32 (10)	36°	9530.....	▼53 3/8 (1356)	15/32 (12)	36°
7650.....	▼65 5/8 (1666)	13/32 (10)	36°	9540.....	▼54 3/8 (1381)	15/32 (12)	36°
7660.....	▼66 5/8 (1691)	13/32 (10)	36°	9545.....	▼54 7/8 (1394)	15/32 (12)	36°
7665.....	▼67 1/8 (1704)	13/32 (10)	36°	9550.....	▼55 3/8 (1407)	15/32 (12)	36°
7673.....	▼67 5/8 (1717)	13/32 (10)	36°	9555.....	▼55 7/8 (1418)	15/32 (12)	36°
7680.....	▼68 5/8 (1742)	13/32 (10)	36°	9560.....	▼56 3/8 (1432)	15/32 (12)	36°
7695.....	▼70 1/8 (1780)	13/32 (10)	36°	9565.....	▼56 7/8 (1445)	15/32 (12)	36°
7715.....	▼72 1/8 (1831)	13/32 (10)	36°	9570.....	▼57 3/8 (1457)	15/32 (12)	36°
7730.....	▼73 5/8 (1869)	13/32 (10)	36°	9580.....	▼58 3/8 (1483)	15/32 (12)	36°
7743.....	▼74 5/8 (1894)	13/32 (10)	36°	9585.....	▼58 7/8 (1495)	15/32 (12)	36°
7760.....	▼76 5/8 (1945)	13/32 (10)	36°	9590.....	▼59 3/8 (1508)	15/32 (12)	36°
7775.....	▼78 1/8 (1983)	13/32 (10)	36°	9600.....	▼60 3/8 (1534)	15/32 (12)	36°
9245.....	▼24 7/8 (632)	15/32 (12)	36°	9605.....	▼60 7/8 (1546)	15/32 (12)	36°
9255.....	▼25 7/8 (657)	15/32 (12)	36°	9610.....	▼61 3/8 (1559)	15/32 (12)	36°
9260.....	▼26 3/8 (670)	15/32 (12)	36°	9620.....	▼62 3/8 (1584)	15/32 (12)	36°
9265.....	▼26 7/8 (683)	15/32 (12)	36°	9625.....	▼62 7/8 (1597)	15/32 (12)	36°
9270.....	▼27 3/8 (695)	15/32 (12)	36°	9630.....	▼63 3/8 (1610)	15/32 (12)	36°
9279.....	▼28 1/4 (718)	15/32 (12)	36°	9635.....	▼63 7/8 (1622)	15/32 (12)	36°
9290.....	▼29 3/8 (746)	15/32 (12)	36°	9640.....	▼64 3/8 (1635)	15/32 (12)	36°
9295.....	▼29 7/8 (759)	15/32 (12)	36°	9650.....	▼65 3/8 (1661)	15/32 (12)	36°
9300.....	▼30 3/8 (772)	15/32 (12)	36°	9660.....	▼66 3/8 (1686)	15/32 (12)	36°
9305.....	▼30 7/8 (784)	15/32 (12)	36°	9670.....	▼67 3/8 (1711)	15/32 (12)	36°
9309.....	▼31 3/8 (797)	15/32 (12)	36°	9680.....	▼68 3/8 (1737)	15/32 (12)	36°
9313.....	▼31 7/8 (809)	15/32 (12)	36°	9690.....	▼69 3/8 (1762)	15/32 (12)	36°
9319.....	▼32 3/8 (822)	15/32 (12)	36°	9700.....	▼70 3/8 (1788)	15/32 (12)	36°
9325.....	▼32 7/8 (835)	15/32 (12)	36°	9710.....	▼71 3/8 (1813)	15/32 (12)	36°
9330.....	▼33 3/8 (848)	15/32 (12)	36°	9720.....	▼72 3/8 (1838)	15/32 (12)	36°
9335.....	▼33 7/8 (860)	15/32 (12)	36°	9730.....	▼73 3/8 (1864)	15/32 (12)	36°
9341.....	▼34 3/8 (873)	15/32 (12)	36°	9740.....	▼74 3/8 (1889)	15/32 (12)	36°
9345.....	▼34 7/8 (886)	15/32 (12)	36°	9745.....	▼74 7/8 (1902)	15/32 (12)	36°
9350.....	▼35 3/8 (899)	15/32 (12)	36°	9755.....	▼75 7/8 (1927)	15/32 (12)	36°
9355.....	▼35 7/8 (911)	15/32 (12)	36°	9765.....	▼76 7/8 (1953)	15/32 (12)	36°
9360.....	▼36 3/8 (924)	15/32 (12)	36°	9770.....	▼77 3/8 (1965)	15/32 (12)	36°
9365.....	▼36 7/8 (937)	15/32 (12)	36°	9775.....	▼77 7/8 (1978)	15/32 (12)	36°
9370.....	▼37 3/8 (949)	15/32 (12)	36°	9810.....	▼81 3/8 (2067)	15/32 (12)	36°
9375.....	▼37 7/8 (962)	15/32 (12)	36°	9820.....	▼82 3/8 (2092)	15/32 (12)	36°
9378.....	▼38 1/8 (968)	15/32 (12)	36°	9830.....	▼83 3/8 (2118)	15/32 (12)	36°
9380.....	▼38 3/8 (975)	15/32 (12)	36°	9840.....	▼84 3/8 (2143)	15/32 (12)	36°
9385.....	▼38 7/8 (987)	15/32 (12)	36°	9850.....	▼85 3/8 (2169)	15/32 (12)	36°



# XL® Belts

## Listed by Width and Length

### Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with "Vertical Flats"

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>1/4" (6 mm) Top Width (HC25)</b>			<b>13/32" (10 mm) Top Width (HC41)</b>			<b>13/32" (10 mm) Top Width (HC41) - Continued</b>		
26 1/4 (665)	36°	7261	21 1/4 (540)	36°	▼7208	44 5/8 (1132)	36°	▼7440
28 1/4 (720)	36°	7279	22 1/8 (561)	36°	▼7215	45 1/8 (1145)	36°	▼7445
30 1/4 (770)	38°	7298	24 5/8 (624)	36°	▼7240	45 3/8 (1151)	36°	▼7448
31 1/4 (795)	38°	7309	25 5/8 (650)	36°	▼7250	45 5/8 (1158)	36°	▼7450
32 1/4 (820)	38°	7318	26 1/8 (663)	36°	▼7255	45 7/8 (1164)	36°	▼7453
33 1/4 (845)	38°	7329	26 5/8 (675)	36°	▼7260	46 1/8 (1171)	36°	▼7455
34 1/4 (870)	38°	7333	27 1/8 (688)	36°	▼7265	46 5/8 (1183)	36°	▼7460
35 1/4 (895)	38°	7348	27 5/8 (701)	36°	▼7270	47 1/8 (1196)	36°	▼7465
36 1/4 (920)	38°	7359	28 5/8 (726)	36°	▼7280	47 5/8 (1209)	36°	▼7470
36 3/4 (935)	38°	7363	29 5/8 (751)	36°	▼7290	47 7/8 (1215)	36°	▼7473
38 1/4 (970)	38°	7381	29 7/8 (758)	36°	▼7292	48 1/8 (1221)	36°	▼7475
39 1/4 (995)	38°	7388	30 1/8 (764)	36°	▼7295	48 5/8 (1234)	36°	▼7480
41 1/4 (1050)	38°	7409	30 5/8 (777)	36°	▼7300	48 7/8 (1242)	36°	▼7483
<b>5/16" (8 mm) Top Width (HC31)</b>			31 1/8 (792)	36°	▼7305	49 1/8 (1247)	36°	▼7485
23 (585)	36°	7228	31 5/8 (802)	36°	▼7312	49 5/8 (1260)	36°	▼7490
23 3/4 (605)	38°	7234	32 1/8 (815)	36°	▼7315	50 1/8 (1272)	36°	▼7495
27 1/4 (690)	38°	7274	32 5/8 (828)	36°	▼7320	50 5/8 (1285)	36°	▼7500
30 3/4 (780)	36°	7304	33 1/8 (840)	36°	▼7325	51 1/8 (1297)	36°	▼7508
32 3/4 (830)	38°	7324	33 3/8 (847)	36°	▼7328	51 5/8 (1310)	36°	▼7512
33 3/4 (855)	38°	7334	33 5/8 (853)	36°	▼7330	52 1/8 (1323)	36°	▼7516
34 1/4 (870)	38°	7343	34 1/8 (866)	36°	▼7335	52 5/8 (1336)	36°	▼7520
36 1/2 (925)	38°	7362	34 5/8 (878)	36°	▼7340	53 1/8 (1348)	36°	▼7525
37 1/4 (945)	38°	7369	35 1/8 (891)	36°	▼7345	53 5/8 (1361)	36°	▼7530
37 3/4 (960)	38°	7374	35 5/8 (904)	36°	▼7350	54 1/8 (1374)	36°	▼7535
38 1/4 (970)	38°	7379	36 1/8 (919)	36°	▼7355	54 5/8 (1386)	36°	▼7541
38 3/4 (985)	38°	7384	36 5/8 (929)	36°	▼7360	55 1/8 (1399)	36°	▼7545
39 1/4 (995)	38°	7389	37 1/8 (942)	36°	▼7365	55 5/8 (1412)	36°	▼7550
40 3/4 (1035)	38°	7404	37 5/8 (954)	36°	▼7370	56 1/8 (1425)	36°	▼7555
42 1/4 (1075)	38°	7419	38 1/8 (967)	36°	▼7375	56 5/8 (1437)	36°	▼7560
44 3/4 (1135)	38°	7444	38 5/8 (980)	36°	▼7380	57 1/8 (1450)	36°	▼7565
45 1/4 (1150)	38°	7449	39 1/8 (993)	36°	▼7385	57 5/8 (1463)	36°	▼7570
46 1/4 (1175)	38°	7459	39 5/8 (1005)	36°	▼7390	58 1/8 (1475)	36°	▼7575
49 5/8 (1260)	38°	7496	40 1/8 (1018)	36°	▼7395	58 5/8 (1488)	36°	▼7580
			40 5/8 (1031)	36°	▼7400	59 1/8 (1501)	36°	▼7585
			41 1/8 (1044)	36°	▼7405	59 5/8 (1513)	36°	▼7590
			41 5/8 (1056)	36°	▼7410	60 1/8 (1526)	36°	▼7597
			42 1/8 (1069)	36°	▼7417	60 5/8 (1539)	36°	▼7603
			42 5/8 (1082)	36°	▼7420	61 5/8 (1564)	36°	▼7612
			43 1/8 (1095)	36°	▼7425	62 5/8 (1590)	36°	▼7619
			43 5/8 (1107)	36°	▼7430	63 1/8 (1602)	36°	▼7625
			44 1/8 (1120)	36°	▼7435	63 5/8 (1615)	36°	▼7630

▼ Indicates Notched Belt.

(mm) Millimeters

## XL® Belts Listed by Width and Length

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>13/32" (10 mm) Top Width (HC41) - Continued</b>			<b>15/32" (12 mm) Top Width (HC50) - Continued</b>			<b>15/32" (12 mm) Top Width (HC50) - Continued</b>		
64 5/8 (1640).....	36°	▼7640	36 3/8 (924).....	36°	▼9360	54 7/8 (1394).....	36°	▼9545
65 5/8 (1666).....	36°	▼7650	36 7/8 (937).....	36°	▼9365	55 3/8 (1407).....	36°	▼9550
66 5/8 (1691).....	36°	▼7660	37 3/8 (949).....	36°	▼9370	55 7/8 (1418).....	36°	▼9555
67 1/8 (1704).....	36°	▼7665	37 7/8 (962).....	36°	▼9375	56 3/8 (1432).....	36°	▼9560
67 5/8 (1717).....	36°	▼7673	38 1/8 (968).....	36°	▼9378	56 7/8 (1445).....	36°	▼9565
68 5/8 (1742).....	36°	▼7680	38 3/8 (975).....	36°	▼9380	57 3/8 (1457).....	36°	▼9570
70 1/8 (1780).....	36°	▼7695	38 7/8 (987).....	36°	▼9385	58 3/8 (1483).....	36°	▼9580
72 1/8 (1831).....	36°	▼7715	39 3/8 (1000).....	36°	▼9390	58 7/8 (1495).....	36°	▼9585
73 5/8 (1869).....	36°	▼7730	39 7/8 (1013).....	36°	▼9395	59 3/8 (1508).....	36°	▼9590
74 5/8 (1894).....	36°	▼7743	40 3/8 (1026).....	36°	▼9400	60 3/8 (1534).....	36°	▼9600
76 5/8 (1945).....	36°	▼7760	40 5/8 (1032).....	36°	▼9403	60 7/8 (1546).....	36°	▼9605
78 1/8 (1983).....	36°	▼7775	40 7/8 (1038).....	36°	▼9405	61 3/8 (1559).....	36°	▼9610
<b>15/32" (12 mm) Top Width (HC50)</b>			41 3/8 (1051).....	36°	▼9412	62 3/8 (1584).....	36°	▼9620
24 7/8 (632).....	36°	▼9245	41 7/8 (1064).....	36°	▼9415	62 7/8 (1597).....	36°	▼9625
25 7/8 (657).....	36°	▼9255	42 3/8 (1076).....	36°	▼9420	63 3/8 (1610).....	36°	▼9630
26 3/8 (670).....	36°	▼9260	42 7/8 (1089).....	36°	▼9425	63 7/8 (1622).....	36°	▼9635
26 7/8 (683).....	36°	▼9265	43 3/8 (1102).....	36°	▼9430	64 3/8 (1635).....	36°	▼9640
27 3/8 (695).....	36°	▼9270	43 7/8 (1114).....	36°	▼9435	65 3/8 (1661).....	36°	▼9650
28 1/4 (718).....	36°	▼9279	44 3/8 (1127).....	36°	▼9440	66 3/8 (1686).....	36°	▼9660
29 3/8 (746).....	36°	▼9290	44 7/8 (1140).....	36°	▼9447	67 3/8 (1711).....	36°	▼9670
29 7/8 (759).....	36°	▼9295	45 3/8 (1153).....	36°	▼9451	68 3/8 (1737).....	36°	▼9680
30 3/8 (772).....	36°	▼9300	45 7/8 (1165).....	36°	▼9455	69 3/8 (1762).....	36°	▼9690
30 7/8 (784).....	36°	▼9305	46 3/8 (1178).....	36°	▼9463	70 3/8 (1788).....	36°	▼9700
31 3/8 (797).....	36°	▼9309	46 7/8 (1191).....	36°	▼9465	71 3/8 (1813).....	36°	▼9710
31 7/8 (809).....	36°	▼9313	47 3/8 (1203).....	36°	▼9470	72 3/8 (1838).....	36°	▼9720
32 3/8 (822).....	36°	▼9319	47 7/8 (1216).....	36°	▼9476	73 3/8 (1864).....	36°	▼9730
32 7/8 (835).....	36°	▼9325	48 3/8 (1229).....	36°	▼9480	74 3/8 (1889).....	36°	▼9740
33 3/8 (848).....	36°	▼9330	48 7/8 (1241).....	36°	▼9485	74 7/8 (1902).....	36°	▼9745
33 7/8 (860).....	36°	▼9335	49 3/8 (1254).....	36°	▼9490	75 7/8 (1927).....	36°	▼9755
34 3/8 (873).....	36°	▼9341	49 7/8 (1267).....	36°	▼9495	76 7/8 (1953).....	36°	▼9765
34 7/8 (886).....	36°	▼9345	50 3/8 (1280).....	36°	▼9500	77 3/8 (1965).....	36°	▼9770
35 3/8 (899).....	36°	▼9350	50 7/8 (1292).....	36°	▼9505	77 7/8 (1978).....	36°	▼9775
35 7/8 (911).....	36°	▼9355	51 3/8 (1305).....	36°	▼9510	81 3/8 (2067).....	36°	▼9810
			52 3/8 (1330).....	36°	▼9520	82 3/8 (2092).....	36°	▼9820
			52 7/8 (1343).....	36°	▼9525	83 3/8 (2118).....	36°	▼9830
			53 3/8 (1356).....	36°	▼9530	84 3/8 (2143).....	36°	▼9840
			54 3/8 (1381).....	36°	▼9540	85 3/8 (2169).....	36°	▼9850

# FleetRunner® Heavy-Duty V-Belts Listed by Number

Showing Our Belt Numbers with Corresponding  
Nominal Outside Lengths, Top Widths and Angles

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
9290HD.....	▼29 3/8 (746)	1/2 (13)	38°	9495HD.....	▼49 29/32 (1268)	1/2 (13)	38°
9305HD.....	▼30 7/8 (784)	1/2 (13)	38°	9500HD.....	▼50 7/16 (1281)	1/2 (13)	38°
9313HD.....	▼31 7/8 (810)	1/2 (13)	38°	9505HD.....	▼50 7/8 (1292)	1/2 (13)	38°
9319HD.....	▼32 5/8 (830)	1/2 (13)	38°	9510HD.....	▼51 3/8 (1305)	1/2 (13)	38°
9325HD.....	▼32 7/8 (835)	1/2 (13)	38°	9520HD.....	▼52 7/16 (1332)	1/2 (13)	38°
9330HD.....	▼33 3/8 (848)	1/2 (13)	38°	9525HD.....	▼52 7/8 (1343)	1/2 (13)	38°
9335HD.....	▼33 29/32 (862)	1/2 (13)	38°	9530HD.....	▼53 7/16 (1357)	1/2 (13)	38°
9341HD.....	▼34 3/8 (873)	1/2 (13)	38°	9540HD.....	▼54 3/8 (1382)	1/2 (13)	38°
9345HD.....	▼34 7/8 (886)	1/2 (13)	38°	9545HD.....	▼54 27/32 (1393)	1/2 (13)	38°
9350HD.....	▼35 15/32 (901)	1/2 (13)	38°	9550HD.....	▼55 13/32 (1408)	1/2 (13)	38°
9360HD.....	▼36 3/8 (924)	1/2 (13)	38°	9555HD.....	▼55 27/32 (1418)	1/2 (13)	38°
9365HD.....	▼36 7/8 (936)	1/2 (13)	38°	9560HD.....	▼56 13/32 (1433)	1/2 (13)	38°
9370HD.....	▼37 3/8 (950)	1/2 (13)	38°	9565HD.....	▼56 27/32 (1443)	1/2 (13)	38°
9375HD.....	▼37 15/16 (963)	1/2 (13)	38°	9570HD.....	▼57 13/32 (1458)	1/2 (13)	38°
9380HD.....	▼38 3/8 (975)	1/2 (13)	38°	9580HD.....	▼58 3/8 (1483)	1/2 (13)	38°
9385HD.....	▼38 29/32 (989)	1/2 (13)	38°	9585HD.....	▼58 7/8 (1496)	1/2 (13)	38°
9390HD.....	▼39 3/8 (1000)	1/2 (13)	38°	9590HD.....	▼59 13/32 (1509)	1/2 (13)	38°
9395HD.....	▼39 29/32 (1013)	1/2 (13)	38°	9600HD.....	▼60 13/32 (1534)	1/2 (13)	38°
9400HD.....	▼40 3/8 (1026)	1/2 (13)	38°	9605HD.....	▼60 31/32 (1549)	1/2 (13)	38°
9403HD.....	▼40 5/8 (1032)	1/2 (13)	38°	9610HD.....	▼61 7/16 (1561)	1/2 (13)	38°
9405HD.....	▼40 27/32 (1038)	1/2 (13)	38°	9620HD.....	▼62 3/8 (1584)	1/2 (13)	38°
9412HD.....	▼41 3/8 (1051)	1/2 (13)	38°	9625HD.....	▼62 7/8 (1597)	1/2 (13)	38°
9415HD.....	▼41 29/32 (1065)	1/2 (13)	38°	9630HD.....	▼63 13/32 (1610)	1/2 (13)	38°
9420HD.....	▼42 11/32 (1075)	1/2 (13)	38°	9635HD.....	▼63 29/32 (1623)	1/2 (13)	38°
9425HD.....	▼42 27/32 (1088)	1/2 (13)	38°	9640HD.....	▼64 3/8 (1635)	1/2 (13)	38°
9430HD.....	▼43 7/16 (1103)	1/2 (13)	38°	9650HD.....	▼65 3/8 (1661)	1/2 (13)	38°
9435HD.....	▼43 7/8 (1115)	1/2 (13)	38°	9660HD.....	▼66 3/8 (1686)	1/2 (13)	38°
9440HD.....	▼44 3/8 (1127)	1/2 (13)	38°	9670HD.....	▼67 3/8 (1712)	1/2 (13)	38°
9447HD.....	▼44 27/32 (1139)	1/2 (13)	38°	9680HD.....	▼68 3/8 (1737)	1/2 (13)	38°
9451HD.....	▼45 7/16 (1154)	1/2 (13)	38°	9690HD.....	▼69 3/8 (1762)	1/2 (13)	38°
9455HD.....	▼45 27/32 (1165)	1/2 (13)	38°	9700HD.....	▼70 3/8 (1788)	1/2 (13)	38°
9463HD.....	▼46 3/8 (1178)	1/2 (13)	38°	9710HD.....	▼71 3/8 (1813)	1/2 (13)	38°
9465HD.....	▼46 27/32 (1190)	1/2 (13)	38°	9720HD.....	▼72 3/8 (1838)	1/2 (13)	38°
9470HD.....	▼47 3/8 (1203)	1/2 (13)	38°	9730HD.....	▼73 11/32 (1863)	1/2 (13)	38°
9476HD.....	▼47 15/16 (1218)	1/2 (13)	38°	9740HD.....	▼74 7/8 (1901)	1/2 (13)	38°
9480HD.....	▼48 15/32 (1231)	1/2 (13)	38°	9745HD.....	▼74 7/8 (1900)	1/2 (13)	38°
9485HD.....	▼48 27/32 (1240)	1/2 (13)	38°	9755HD.....	▼75 15/16 (1929)	1/2 (13)	38°
9490HD.....	▼49 3/8 (1254)	1/2 (13)	38°				

▼ Indicates Notched Belt.

(mm) Millimeters

# FleetRunner® Heavy-Duty V-Belts

## Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>1/2" (13 mm) Top Width (HC50)</b>			<b>1/2" (13 mm) Top Width (HC50) - Continued</b>			<b>1/2" (13 mm) Top Width (HC50) - Continued</b>		
29 3/8 (746) .....	38°	▼9290HD	43 7/16 (1103) .....	38°	▼9430HD	56 27/32 (1443) .....	38°	▼9565HD
30 7/8 (784) .....	38°	▼9305HD	43 7/8 (1115) .....	38°	▼9435HD	57 13/32 (1458) .....	38°	▼9570HD
31 7/8 (810) .....	38°	▼9313HD	44 3/8 (1127) .....	38°	▼9440HD	58 3/8 (1483) .....	38°	▼9580HD
32 5/8 (830) .....	38°	▼9319HD	44 27/32 (1139) .....	38°	▼9447HD	58 7/8 (1496) .....	38°	▼9585HD
32 7/8 (835) .....	38°	▼9325HD	45 7/16 (1154) .....	38°	▼9451HD	59 13/32 (1509) .....	38°	▼9590HD
33 3/8 (848) .....	38°	▼9330HD	45 27/32 (1165) .....	38°	▼9455HD	60 13/32 (1534) .....	38°	▼9600HD
33 29/32 (862) .....	38°	▼9335HD	46 3/8 (1178) .....	38°	▼9463HD	60 31/32 (1549) .....	38°	▼9605HD
34 3/8 (873) .....	38°	▼9341HD	46 27/32 (1190) .....	38°	▼9465HD	61 7/16 (1561) .....	38°	▼9610HD
34 7/8 (886) .....	38°	▼9345HD	47 3/8 (1203) .....	38°	▼9470HD	62 3/8 (1584) .....	38°	▼9620HD
35 15/32 (901) .....	38°	▼9350HD	47 15/16 (1218) .....	38°	▼9476HD	62 7/8 (1597) .....	38°	▼9625HD
36 3/8 (924) .....	38°	▼9360HD	48 15/32 (1231) .....	38°	▼9480HD	63 13/32 (1610) .....	38°	▼9630HD
36 7/8 (936) .....	38°	▼9365HD	48 27/32 (1240) .....	38°	▼9485HD	63 29/32 (1623) .....	38°	▼9635HD
37 3/8 (950) .....	38°	▼9370HD	49 3/8 (1254) .....	38°	▼9490HD	64 3/8 (1635) .....	38°	▼9640HD
37 15/16 (963) .....	38°	▼9375HD	49 29/32 (1268) .....	38°	▼9495HD	65 3/8 (1661) .....	38°	▼9650HD
38 3/8 (975) .....	38°	▼9380HD	50 7/16 (1281) .....	38°	▼9500HD	66 3/8 (1686) .....	38°	▼9660HD
38 29/32 (989) .....	38°	▼9385HD	50 7/8 (1292) .....	38°	▼9505HD	67 3/8 (1712) .....	38°	▼9670HD
39 3/8 (1000) .....	38°	▼9390HD	51 3/8 (1305) .....	38°	▼9510HD	68 3/8 (1737) .....	38°	▼9680HD
39 29/32 (1013) .....	38°	▼9395HD	52 7/16 (1332) .....	38°	▼9520HD	69 3/8 (1762) .....	38°	▼9690HD
40 3/8 (1026) .....	38°	▼9400HD	52 7/8 (1343) .....	38°	▼9525HD	70 3/8 (1788) .....	38°	▼9700HD
40 5/8 (1032) .....	38°	▼9403HD	53 7/16 (1357) .....	38°	▼9530HD	71 3/8 (1813) .....	38°	▼9710HD
40 27/32 (1038) .....	38°	▼9405HD	54 3/8 (1382) .....	38°	▼9540HD	72 3/8 (1838) .....	38°	▼9720HD
41 3/8 (1051) .....	38°	▼9412HD	54 27/32 (1393) .....	38°	▼9545HD	73 11/32 (1863) .....	38°	▼9730HD
41 29/32 (1065) .....	38°	▼9415HD	55 13/32 (1408) .....	38°	▼9550HD	74 7/8 (1900) .....	38°	▼9745HD
42 11/32 (1075) .....	38°	▼9420HD	55 27/32 (1418) .....	38°	▼9555HD	74 7/8 (1901) .....	38°	▼9740HD
42 27/32 (1088) .....	38°	▼9425HD	56 13/32 (1433) .....	38°	▼9560HD	75 15/16 (1929) .....	38°	▼9755HD

# Micro-V® Belts

## Listed by Number

Showing Our Belt Numbers with Corresponding  
Nominal Outside Lengths, Top Widths and Angles

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
2PJ800	31 7/8 (810)	3/16 (4.7)		K040345	35 (889)	9/16 (14)	40°
2PJ836	33 1/4 (846)	3/16 (4.7)		K040346	35 1/4 (894)	9/16 (14)	40°
2PJ845	33 5/8 (855)	3/16 (4.7)		K040347	35 3/8 (897)	9/16 (14)	40°
2PJ860	34 1/4 (870)	3/16 (4.7)		K040350	35 5/8 (906)	9/16 (14)	40°
2PJ905	36 (915)	3/16 (4.7)		K040353	35 7/8 (912)	9/16 (14)	40°
DK050565	*57 3/4 (1468)	21/32 (17)	40°	K040355	36 1/8 (918)	9/16 (14)	40°
DK050610	*62 1/8 (1579)	21/32 (17)	40°	K040358	36 3/8 (924)	9/16 (14)	40°
DK060472	*47 5/8 (1210)	27/32 (21)	40°	K040360	36 3/4 (932)	9/16 (14)	40°
DK060519	*52 9/16 (1335)	27/32 (21)	40°	K040365	37 1/8 (943)	9/16 (14)	40°
DK060674	*68 1/2 (1741)	13/16 (20)	40°	K040370	37 1/2 (954)	9/16 (14)	40°
DK060702	*71 1/4 (1811)	13/16 (20)	40°	K040372	38 (964)	9/16 (14)	40°
DK060718	*72 1/4 (1835)	27/32 (21)	40°	K040378	38 1/2 (977)	9/16 (14)	40°
DK060725	*72 3/4 (1848)	27/32 (21)	40°	K040382	38 3/4 (983)	9/16 (14)	40°
DK060729	*73 11/32 (1863)	27/32 (21)	40°	K040384	39 (990)	9/16 (14)	40°
DK060791	*80 1/4 (2040)	13/16 (20)	40°	K040385	39 1/8 (993)	9/16 (14)	40°
DK060956	*96 3/4 (2457)	13/16 (20)	40°	K040388	39 3/8 (999)	9/16 (14)	40°
DK070536	*54 1/16 (1373)	1 (25)	40°	K040390	39 3/4 (1008)	9/16 (14)	40°
DK070551	*55 17/32 (1410)	1 (25)	40°	K040395	40 1/4 (1020)	9/16 (14)	40°
DK070817	*82 7/8 (2105)	15/16 (24)	40°	K040398	40 3/8 (1027)	9/16 (14)	40°
H040790	79 3/8 (2015)	1/4 (6)	40°	K040399	40 5/8 (1030)	9/16 (14)	40°
H040920	92 3/8 (2345)	1/4 (6)	40°	K040400	40 3/4 (1035)	9/16 (14)	40°
H050920	92 3/8 (2345)	5/16 (8)	40°	K040405	41 1/4 (1050)	9/16 (14)	40°
H051000	100 3/8 (2550)	5/16 (8)	40°	K040410	41 5/8 (1060)	9/16 (14)	40°
J060293	29 3/4 (755)	9/16 (14)	40°	K040413	42 1/8 (1068)	9/16 (14)	40°
J060328	33 1/2 (850)	9/16 (14)	40°	K040415	42 (1068)	9/16 (14)	40°
K030195	20 (509)	13/32 (11)	40°	K040418	42 3/8 (1075)	9/16 (14)	40°
K030220	22 5/8 (576)	13/32 (11)	40°	K040420	42 5/8 (1085)	9/16 (14)	40°
K030236	24 1/4 (615)	13/32 (11)	40°	K040425	43 1/8 (1095)	9/16 (14)	40°
K030240	24 3/4 (629)	13/32 (11)	40°	K040430	43 3/4 (1110)	9/16 (14)	40°
K030245	25 1/4 (640)	13/32 (11)	40°	K040438	44 3/8 (1125)	9/16 (14)	40°
K030250	25 3/4 (654)	13/32 (11)	40°	K040440	44 3/4 (1135)	9/16 (14)	40°
K030265	27 1/8 (689)	13/32 (11)	40°	K040445	45 1/8 (1148)	9/16 (14)	40°
K030267	27 3/8 (695)	13/32 (11)	40°	K040450	45 3/4 (1160)	9/16 (14)	40°
K030280	28 3/4 (730)	13/32 (11)	40°	K040460	46 5/8 (1185)	9/16 (14)	40°
K030290	29 3/4 (755)	13/32 (11)	40°	K040465	47 (1195)	9/16 (14)	40°
K030295	30 1/8 (765)	13/32 (11)	40°	K040470	47 3/4 (1215)	9/16 (14)	40°
K030299	30 1/2 (775)	13/32 (11)	40°	K040476	48 1/8 (1223)	9/16 (14)	40°
K030300	30 3/4 (781)	13/32 (11)	40°	K040490	49 1/2 (1255)	9/16 (14)	40°
K030310	31 5/8 (805)	13/32 (11)	40°	K040500	50 5/8 (1285)	9/16 (14)	40°
K030323	32 7/8 (836)	13/32 (11)	40°	K040506	51 1/8 (1300)	9/16 (14)	40°
K030328	33 1/2 (850)	13/32 (11)	40°	K040510	51 1/2 (1310)	9/16 (14)	40°
K030334	34 (864)	13/32 (11)	40°	K040514	52 (1320)	9/16 (14)	40°
K030340	34 5/8 (881)	13/32 (11)	40°	K040517	52 1/8 (1325)	9/16 (14)	40°
K030350	35 5/8 (906)	13/32 (11)	40°	K040520	52 5/8 (1335)	9/16 (14)	40°
K030365	37 1/8 (943)	13/32 (11)	40°	K040525	53 1/8 (1349)	9/16 (14)	40°
K030384	39 1/8 (993)	13/32 (11)	40°	K040529	53 1/2 (1359)	9/16 (14)	40°
K030390	39 3/4 (1008)	13/32 (11)	40°	K040535	54 (1373)	9/16 (14)	40°
K030395	40 1/4 (1021)	13/32 (11)	40°	K040545	55 1/8 (1399)	9/16 (14)	40°
K030415	42 1/8 (1068)	13/32 (11)	40°	K040551	55 5/8 (1414)	9/16 (14)	40°
K030425	43 1/8 (1095)	13/32 (11)	40°	K040560	56 1/2 (1436)	9/16 (14)	40°
K030441	44 3/4 (1135)	13/32 (11)	40°	K040575	58 1/8 (1475)	9/16 (14)	40°
K030455	46 (1170)	13/32 (11)	40°	K040595	60 (1523)	9/16 (14)	40°
K040233	24 1/2 (622)	9/16 (14)	40°	K040620	62 5/8 (1591)	9/16 (14)	40°
K040245	25 1/4 (640)	9/16 (14)	40°	K040620	62 5/8 (1591)	9/16 (14)	40°
K040250	25 3/4 (654)	9/16 (14)	40°	K040630	63 5/8 (1615)	9/16 (14)	40°
K040270	27 3/4 (704)	9/16 (14)	40°	K040635	64 1/8 (1627)	9/16 (14)	40°
K040274	28 (710)	9/16 (14)	40°	K040685	69 1/8 (1756)	9/16 (14)	40°
K040275	28 1/4 (717)	9/16 (14)	40°	K040745	75 1/8 (1907)	9/16 (14)	40°
K040285	29 1/4 (742)	9/16 (14)	40°	K040762	76 7/8 (1951)	9/16 (14)	40°
K040292	29 3/4 (755)	9/16 (14)	40°	K040882	88 3/4 (2255)	9/16 (14)	40°
K040300	30 3/4 (781)	9/16 (14)	40°	K040940	94 5/8 (2403)	9/16 (14)	40°
K040305	31 1/4 (793)	9/16 (14)	40°	K050200	20 3/4 (527)	21/32 (17)	40°
K040310	31 3/4 (805)	9/16 (14)	40°	K050275	28 1/4 (717)	21/32 (17)	40°
K040315	32 1/4 (818)	9/16 (14)	40°	K050280	28 3/4 (730)	21/32 (17)	40°
K040319	32 1/2 (824)	9/16 (14)	40°	K050290	29 3/4 (755)	21/32 (17)	40°
K040320	32 3/4 (831)	9/16 (14)	40°	K050316	32 1/4 (818)	21/32 (17)	40°
K040322	32 7/8 (836)	9/16 (14)	40°	K050317	32 1/2 (824)	21/32 (17)	40°
K040325	33 1/4 (844)	9/16 (14)	40°	K050321	32 3/4 (831)	21/32 (17)	40°
K040329	33 3/8 (849)	9/16 (14)	40°	K050323	33 (837)	21/32 (17)	40°
K040330	33 3/4 (856)	9/16 (14)	40°	K050330	33 3/4 (856)	21/32 (17)	40°
K040332	33 3/4 (858)	9/16 (14)	40°	K050335	34 (864)	21/32 (17)	40°
K040335	34 (864)	9/16 (14)	40°	K050336	34 3/8 (872)	21/32 (17)	40°
K040338	34 3/8 (874)	9/16 (14)	40°	K050340	34 5/8 (881)	21/32 (17)	40°
K040340	34 5/8 (881)	9/16 (14)	40°	K050344	35 (875)	21/32 (17)	40°
K040343	34 7/8 (885)	9/16 (14)	40°	K050345	35 1/4 (894)	21/32 (17)	40°

(mm) Millimeters

\* Dual Sided Belt

## Micro-V® Belts Listed by Number

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
K050350	35 5/8 (906)	21/32 (17)	40°	K060374	38 (964)	13/16 (20)	40°
K050355	36 1/8 (918)	21/32 (17)	40°	K060380	38 3/4 (983)	13/16 (20)	40°
K050360	36 3/4 (932)	21/32 (17)	40°	K060385	39 1/8 (993)	13/16 (20)	40°
K050365	37 1/8 (943)	21/32 (17)	40°	K060388	39 3/8 (999)	13/16 (20)	40°
K050368	37 3/8 (949)	21/32 (17)	40°	K060390	39 3/4 (1008)	13/16 (20)	40°
K050370	37 3/4 (957)	21/32 (17)	40°	K060400	40 3/4 (1034)	13/16 (20)	40°
K050375	38 1/4 (970)	21/32 (17)	40°	K060405	41 (1043)	13/16 (20)	40°
K050380	38 3/4 (983)	21/32 (17)	40°	K060407	41 3/8 (1050)	13/16 (20)	40°
K050385	39 1/4 (996)	21/32 (17)	40°	K060408	41 1/2 (1054)	13/16 (20)	40°
K050390	39 3/4 (1008)	21/32 (17)	40°	K060409	41 1/2 (1054)	13/16 (20)	40°
K050396	40 1/4 (1021)	21/32 (17)	40°	K060410	41 3/4 (1059)	13/16 (20)	40°
K050398	40 3/8 (1027)	21/32 (17)	40°	K060415	42 1/8 (1069)	13/16 (20)	40°
K050400	40 5/8 (1031)	21/32 (17)	40°	K060418	42 3/8 (1076)	13/16 (20)	40°
K050402	40 3/4 (1035)	21/32 (17)	40°	K060420	42 1/2 (1081)	13/16 (20)	40°
K050405	41 1/4 (1047)	21/32 (17)	40°	K060423	42 7/8 (1089)	13/16 (20)	40°
K050410	41 3/4 (1059)	21/32 (17)	40°	K060425	43 1/8 (1095)	13/16 (20)	40°
K050415	42 1/8 (1068)	21/32 (17)	40°	K060427	43 1/2 (1103)	13/16 (20)	40°
K050418	42 3/8 (1076)	21/32 (17)	40°	K060431	43 3/4 (1111)	13/16 (20)	40°
K050420	42 5/8 (1084)	21/32 (17)	40°	K060434	43 7/8 (1116)	13/16 (20)	40°
K050425	43 1/8 (1095)	21/32 (17)	40°	K060435	44 1/8 (1122)	13/16 (20)	40°
K050429	43 1/2 (1103)	21/32 (17)	40°	K060439	44 1/2 (1129)	13/16 (20)	40°
K050433	43 3/4 (1113)	21/32 (17)	40°	K060441	44 3/4 (1135)	13/16 (20)	40°
K050435	44 1/8 (1122)	21/32 (17)	40°	K060445	45 1/8 (1148)	13/16 (20)	40°
K050440	44 3/4 (1135)	21/32 (17)	40°	K060450	45 5/8 (1160)	13/16 (20)	40°
K050446	45 1/8 (1148)	21/32 (17)	40°	K060455	46 (1170)	13/16 (20)	40°
K050450	45 5/8 (1160)	21/32 (17)	40°	K060458	46 3/8 (1179)	13/16 (20)	40°
K050455	46 (1170)	21/32 (17)	40°	K060461	46 5/8 (1186)	13/16 (20)	40°
K050459	46 3/8 (1179)	21/32 (17)	40°	K060465	47 (1195)	13/16 (20)	40°
K050460	46 5/8 (1186)	21/32 (17)	40°	K060468	47 3/8 (1204)	13/16 (20)	40°
K050470	47 5/8 (1211)	21/32 (17)	40°	K060470	47 5/8 (1211)	13/16 (20)	40°
K050474	47 7/8 (1218)	21/32 (17)	40°	K060473	47 7/8 (1216)	13/16 (20)	40°
K050478	48 3/8 (1228)	21/32 (17)	40°	K060478	48 1/4 (1227)	13/16 (20)	40°
K050480	48 5/8 (1237)	21/32 (17)	40°	K060480	48 5/8 (1237)	13/16 (20)	40°
K050486	49 1/8 (1249)	21/32 (17)	40°	K060483	48 7/8 (1241)	13/16 (20)	40°
K050490	49 1/2 (1258)	21/32 (17)	40°	K060486	49 1/8 (1248)	13/16 (20)	40°
K050500	50 5/8 (1286)	21/32 (17)	40°	K060490	49 1/2 (1258)	13/16 (20)	40°
K050505	51 (1297)	21/32 (17)	40°	K060492	49 3/4 (1265)	13/16 (20)	40°
K050507	51 1/8 (1300)	21/32 (17)	40°	K060495	50 1/8 (1274)	13/16 (20)	40°
K050510	51 3/4 (1315)	21/32 (17)	40°	K060500	50 3/4 (1288)	13/16 (20)	40°
K050516	52 1/4 (1327)	21/32 (17)	40°	K060505	51 (1297)	13/16 (20)	40°
K050520	52 5/8 (1338)	21/32 (17)	40°	K060507	51 1/8 (1300)	13/16 (20)	40°
K050523	52 7/8 (1343)	21/32 (17)	40°	K060509	51 1/2 (1309)	13/16 (20)	40°
K050530	53 1/2 (1359)	21/32 (17)	40°	K060512	51 3/4 (1315)	13/16 (20)	40°
K050532	53 7/8 (1367)	21/32 (17)	40°	K060514	52 (1321)	13/16 (20)	40°
K050538	54 3/8 (1380)	21/32 (17)	40°	K060516	52 1/8 (1325)	13/16 (20)	40°
K050545	55 1/4 (1404)	21/32 (17)	40°	K060520	52 3/4 (1339)	13/16 (20)	40°
K050551	55 3/4 (1415)	21/32 (17)	40°	K060523	52 7/8 (1342)	13/16 (20)	40°
K050565	57 (1448)	21/32 (17)	40°	K060525	53 3/8 (1355)	13/16 (20)	40°
K050570	57 1/2 (1462)	21/32 (17)	40°	K060529	53 1/2 (1359)	13/16 (20)	40°
K050586	59 1/4 (1504)	21/32 (17)	40°	K060532	53 7/8 (1367)	13/16 (20)	40°
K050609	61 1/2 (1563)	21/32 (17)	40°	K060535	54 1/4 (1379)	13/16 (20)	40°
K050625	63 1/8 (1603)	21/32 (17)	40°	K060539	54 1/2 (1385)	13/16 (20)	40°
K050630	63 5/8 (1616)	21/32 (17)	40°	K060547	55 1/4 (1404)	13/16 (20)	40°
K050635	64 1/8 (1627)	21/32 (17)	40°	K060551	55 3/4 (1415)	13/16 (20)	40°
K050640	64 5/8 (1642)	21/32 (17)	40°	K060555	56 (1423)	13/16 (20)	40°
K050644	65 (1651)	21/32 (17)	40°	K060557	56 1/4 (1429)	13/16 (20)	40°
K050647	65 1/4 (1657)	21/32 (17)	40°	K060559	56 1/2 (1436)	13/16 (20)	40°
K050650	65 5/8 (1667)	21/32 (17)	40°	K060560	56 5/8 (1439)	13/16 (20)	40°
K050653	65 7/8 (1675)	21/32 (17)	40°	K060563	56 7/8 (1445)	13/16 (20)	40°
K050658	66 3/8 (1687)	21/32 (17)	40°	K060569	57 1/2 (1462)	13/16 (20)	40°
K050660	66 3/4 (1696)	21/32 (17)	40°	K060573	57 7/8 (1471)	13/16 (20)	40°
K050665	67 1/8 (1704)	21/32 (17)	40°	K060575	58 (1473)	13/16 (20)	40°
K050690	69 3/4 (1772)	21/32 (17)	40°	K060578	58 3/8 (1483)	13/16 (20)	40°
K050705	71 1/8 (1807)	21/32 (17)	40°	K060586	59 1/4 (1504)	13/16 (20)	40°
K050715	72 1/8 (1831)	21/32 (17)	40°	K060588	59 3/8 (1508)	13/16 (20)	40°
K050720	72 5/8 (1845)	21/32 (17)	40°	K060594	60 (1523)	13/16 (20)	40°
K050750	75 3/8 (1914)	21/32 (17)	40°	K060598	60 3/8 (1534)	13/16 (20)	40°
K050755	76 (1932)	21/32 (17)	40°	K060602	60 3/4 (1542)	13/16 (20)	40°
K050757	76 1/4 (1937)	21/32 (17)	40°	K060604	60 7/8 (1547)	13/16 (20)	40°
K050778	78 3/8 (1989)	21/32 (17)	40°	K060605	61 1/8 (1553)	13/16 (20)	40°
K050817	82 1/2 (2096)	21/32 (17)	40°	K060609	61 1/2 (1563)	13/16 (20)	40°
K050825	83 1/8 (2112)	21/32 (17)	40°	K060612	61 3/4 (1569)	13/16 (20)	40°
K050835	84 (2134)	21/32 (17)	40°	K060615	62 1/8 (1577)	13/16 (20)	40°
K050836	84 1/8 (2138)	21/32 (17)	40°	K060620	62 5/8 (1591)	13/16 (20)	40°
K050845	85 1/8 (2164)	21/32 (17)	40°	K060623	62 7/8 (1598)	13/16 (20)	40°
K050855	86 1/8 (2187)	21/32 (17)	40°	K060625	63 1/8 (1603)	13/16 (20)	40°
K050887	89 1/8 (2265)	21/32 (17)	40°	K060630	63 5/8 (1616)	13/16 (20)	40°
K060288	29 1/2 (748)	13/16 (20)	40°	K060635	64 1/8 (1627)	13/16 (20)	40°
K060295	30 1/8 (765)	13/16 (20)	40°	K060637	64 3/8 (1634)	13/16 (20)	40°
K060305	31 1/4 (793)	13/16 (20)	40°	K060640	64 5/8 (1642)	13/16 (20)	40°
K060325	33 1/4 (844)	13/16 (20)	40°	K060642	64 3/4 (1646)	13/16 (20)	40°
K060331	33 3/4 (856)	13/16 (20)	40°	K060645	65 (1651)	13/16 (20)	40°
K060338	34 3/8 (873)	13/16 (20)	40°	K060650	65 1/2 (1665)	13/16 (20)	40°
K060340	34 3/4 (881)	13/16 (20)	40°	K060653	65 7/8 (1674)	13/16 (20)	40°
K060345	35 1/4 (894)	13/16 (20)	40°	K060658	66 3/8 (1687)	13/16 (20)	40°
K060355	36 1/8 (918)	13/16 (20)	40°	K060660	66 3/4 (1696)	13/16 (20)	40°
K060365	37 1/8 (943)	13/16 (20)	40°	K060663	66 7/8 (1699)	13/16 (20)	40°
K060370	37 3/4 (957)	13/16 (20)	40°	K060667	67 1/4 (1708)	13/16 (20)	40°

(mm) Millimeters

\* Dual Sided Belt

# Micro-V® Belts Listed by Number

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
K060670	67 1/2 (1716)	13/16 (20)	40°	K060990	99 5/8 (2531)	13/16 (20)	40°
K060672	67 3/4 (1722)	13/16 (20)	40°	K060994	99 7/8 (2537)	13/16 (20)	40°
K060675	68 (1728)	13/16 (20)	40°	K060997	100 1/4 (2546)	13/16 (20)	40°
K060680	68 5/8 (1742)	13/16 (20)	40°	K061000	100 5/8 (2555)	13/16 (20)	40°
K060682	68 7/8 (1750)	13/16 (20)	40°	K061005	101 1/8 (2568)	13/16 (20)	40°
K060685	69 1/8 (1756)	13/16 (20)	40°	K061010	101 5/8 (2581)	13/16 (20)	40°
K060690	69 5/8 (1767)	13/16 (20)	40°	K061015	102 1/8 (2593)	13/16 (20)	40°
K060695	70 (1777)	13/16 (20)	40°	K061020	102 5/8 (2605)	13/16 (20)	40°
K060696	70 1/4 (1783)	13/16 (20)	40°	K061025	103 (2615)	13/16 (20)	40°
K060703	70 7/8 (1799)	13/16 (20)	40°	K061031	103 5/8 (2633)	13/16 (20)	40°
K060705	71 1/8 (1807)	13/16 (20)	40°	K061033	103 7/8 (2639)	13/16 (20)	40°
K060710	71 1/2 (1816)	13/16 (20)	40°	K061037	104 1/4 (2649)	13/16 (20)	40°
K060716	72 (1830)	13/16 (20)	40°	K061045	105 (2666)	13/16 (20)	40°
K060721	72 5/8 (1845)	13/16 (20)	40°	K061058	106 3/8 (2701)	13/16 (20)	40°
K060722	72 3/4 (1848)	13/16 (20)	40°	K061066	107 1/8 (2722)	13/16 (20)	40°
K060725	73 1/4 (1859)	13/16 (20)	40°	K061073	107 7/8 (2741)	13/16 (20)	40°
K060730	73 1/2 (1867)	13/16 (20)	40°	K061075	108 1/8 (2746)	13/16 (20)	40°
K060733	73 7/8 (1876)	13/16 (20)	40°	K061080	108 3/4 (2761)	13/16 (20)	40°
K060735	74 1/8 (1881)	13/16 (20)	40°	K061093	109 3/4 (2788)	13/16 (20)	40°
K060739	74 1/2 (1893)	13/16 (20)	40°	K061098	109 3/8 (2780)	13/16 (20)	40°
K060744	75 (1904)	13/16 (20)	40°	K061099	110 1/2 (2807)	13/16 (20)	40°
K060747	75 3/8 (1914)	13/16 (20)	40°	K061105	111 1/8 (2824)	13/16 (20)	40°
K060750	75 5/8 (1921)	13/16 (20)	40°	K061110	111 5/8 (2835)	13/16 (20)	40°
K060755	76 (1932)	13/16 (20)	40°	K061114	111 7/8 (2841)	13/16 (20)	40°
K060760	76 1/2 (1942)	13/16 (20)	40°	K061115	111 7/8 (2841)	13/16 (20)	40°
K060763	76 7/8 (1951)	13/16 (20)	40°	K061120	112 1/2 (2859)	13/16 (20)	40°
K060770	77 3/8 (1967)	13/16 (20)	40°	K061123	112 7/8 (2869)	13/16 (20)	40°
K060772	77 7/8 (1977)	13/16 (20)	40°	K061130	113 5/8 (2886)	13/16 (20)	40°
K060775	78 (1982)	13/16 (20)	40°	K061140	114 1/2 (2910)	13/16 (20)	40°
K060780	78 5/8 (1996)	13/16 (20)	40°	K061141	114 5/8 (2911)	13/16 (20)	40°
K060785	79 (2007)	13/16 (20)	40°	K061145	115 1/4 (2927)	13/16 (20)	40°
K060790	79 1/2 (2018)	13/16 (20)	40°	K061177	118 1/4 (3005)	13/16 (20)	40°
K060795	80 1/8 (2034)	13/16 (20)	40°	K061187	119 1/4 (3030)	13/16 (20)	40°
K060798	80 3/8 (2040)	13/16 (20)	40°	K061195	120 1/8 (3051)	13/16 (20)	40°
K060802	80 3/4 (2051)	13/16 (20)	40°	K061203	120 7/8 (3069)	13/16 (20)	40°
K060806	81 1/8 (2061)	13/16 (20)	40°	K061360	136 5/8 (3470)	13/16 (20)	40°
K060810	81 5/8 (2073)	13/16 (20)	40°	K070319	32 1/2 (824)	15/16 (24)	40°
K060815	82 1/8 (2085)	13/16 (20)	40°	K070362	36 7/8 (936)	15/16 (24)	40°
K060820	82 1/2 (2096)	13/16 (20)	40°	K070370	37 3/4 (957)	15/16 (24)	40°
K060825	83 1/8 (2112)	13/16 (20)	40°	K070390	39 3/4 (1008)	15/16 (24)	40°
K060827	83 1/4 (2116)	13/16 (20)	40°	K070425	43 1/8 (1095)	15/16 (24)	40°
K060828	83 3/8 (2119)	13/16 (20)	40°	K070505	51 1/8 (1300)	15/16 (24)	40°
K060832	83 3/4 (2127)	13/16 (20)	40°	K070553	55 7/8 (1418)	15/16 (24)	40°
K060837	84 1/4 (2140)	13/16 (20)	40°	K070610	61 5/8 (1564)	15/16 (24)	40°
K060840	84 1/2 (2147)	13/16 (20)	40°	K070622	62 3/4 (1594)	15/16 (24)	40°
K060845	85 1/4 (2165)	13/16 (20)	40°	K070628	63 3/8 (1609)	15/16 (24)	40°
K060849	85 1/2 (2171)	13/16 (20)	40°	K070630	63 5/8 (1616)	15/16 (24)	40°
K060854	85 7/8 (2182)	13/16 (20)	40°	K070640	64 5/8 (1642)	15/16 (24)	40°
K060858	86 3/8 (2193)	13/16 (20)	40°	K070653	65 7/8 (1675)	15/16 (24)	40°
K060860	86 5/8 (2201)	13/16 (20)	40°	K070673	67 3/4 (1722)	15/16 (24)	40°
K060863	86 7/8 (2206)	13/16 (20)	40°	K070677	68 1/4 (1734)	15/16 (24)	40°
K060864	86 7/8 (2208)	13/16 (20)	40°	K070680	68 5/8 (1743)	15/16 (24)	40°
K060866	87 1/4 (2216)	13/16 (20)	40°	K070683	68 7/8 (1750)	15/16 (24)	40°
K060868	87 3/8 (2219)	13/16 (20)	40°	K070685	69 1/8 (1756)	15/16 (24)	40°
K060870	87 5/8 (2225)	13/16 (20)	40°	K070690	69 1/2 (1767)	15/16 (24)	40°
K060874	87 7/8 (2233)	13/16 (20)	40°	K070694	70 (1779)	15/16 (24)	40°
K060875	88 1/8 (2238)	13/16 (20)	40°	K070701	70 3/4 (1796)	15/16 (24)	40°
K060876	88 1/8 (2239)	13/16 (20)	40°	K070705	71 1/8 (1807)	15/16 (24)	40°
K060878	88 3/8 (2245)	13/16 (20)	40°	K070709	71 1/2 (1816)	15/16 (24)	40°
K060882	88 7/8 (2257)	13/16 (20)	40°	K070733	73 3/4 (1874)	15/16 (24)	40°
K060883	88 7/8 (2257)	13/16 (20)	40°	K070735	74 1/8 (1883)	15/16 (24)	40°
K060888	89 1/2 (2273)	13/16 (20)	40°	K070750	75 5/8 (1920)	15/16 (24)	40°
K060891	89 3/4 (2278)	13/16 (20)	40°	K070755	76 1/8 (1933)	15/16 (24)	40°
K060895	90 1/8 (2289)	13/16 (20)	40°	K070763	76 7/8 (1951)	15/16 (24)	40°
K060900	90 5/8 (2301)	13/16 (20)	40°	K070776	78 (1982)	15/16 (24)	40°
K060905	90 7/8 (2308)	13/16 (20)	40°	K070786	79 1/8 (2011)	15/16 (24)	40°
K060908	91 1/4 (2318)	13/16 (20)	40°	K070825	83 1/8 (2112)	15/16 (24)	40°
K060910	91 5/8 (2329)	13/16 (20)	40°	K070834	84 (2133)	15/16 (24)	40°
K060915	92 1/8 (2340)	13/16 (20)	40°	K070835	84 (2134)	15/16 (24)	40°
K060919	92 3/8 (2347)	13/16 (20)	40°	K070855	86 1/8 (2187)	15/16 (24)	40°
K060923	92 7/8 (2360)	13/16 (20)	40°	K070873	87 7/8 (2232)	15/16 (24)	40°
K060926	93 1/8 (2364)	13/16 (20)	40°	K070880	88 1/2 (2249)	15/16 (24)	40°
K060930	93 5/8 (2377)	13/16 (20)	40°	K070882	88 3/4 (2255)	15/16 (24)	40°
K060935	94 (2387)	13/16 (20)	40°	K070885	89 1/8 (2263)	15/16 (24)	40°
K060938	94 1/2 (2400)	13/16 (20)	40°	K070886	89 1/8 (2265)	15/16 (24)	40°
K060942	94 3/4 (2407)	13/16 (20)	40°	K070890	89 3/4 (2278)	15/16 (24)	40°
K060945	95 1/8 (2415)	13/16 (20)	40°	K070896	90 1/8 (2289)	15/16 (24)	40°
K060947	95 1/4 (2419)	13/16 (20)	40°	K070901	90 5/8 (2301)	15/16 (24)	40°
K060950	95 5/8 (2428)	13/16 (20)	40°	K070903	90 7/8 (2308)	15/16 (24)	40°
K060956	96 1/8 (2440)	13/16 (20)	40°	K070905	91 1/8 (2314)	15/16 (24)	40°
K060960	96 5/8 (2452)	13/16 (20)	40°	K070916	92 1/4 (2343)	15/16 (24)	40°
K060962	96 7/8 (2460)	13/16 (20)	40°	K070922	92 3/4 (2357)	15/16 (24)	40°
K060966	97 1/8 (2468)	13/16 (20)	40°	K070924	93 (2362)	15/16 (24)	40°
K060970	97 5/8 (2479)	13/16 (20)	40°	K070931	93 5/8 (2378)	15/16 (24)	40°
K060975	98 1/8 (2492)	13/16 (20)	40°	K070951	95 3/4 (2431)	15/16 (24)	40°
K060980	98 5/8 (2505)	13/16 (20)	40°	K070975	97 3/4 (2484)	15/16 (24)	40°
K060984	99 (2513)	13/16 (20)	40°	K070976	98 1/8 (2492)	15/16 (24)	40°
K060988	99 1/2 (2526)	13/16 (20)	40°	K071005	101 1/8 (2568)	15/16 (24)	40°

(mm) Millimeters

\* Dual Sided Belt

# Micro-V® Belts Listed by Number

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
K071009	101 3/8 (2576)	15/16 (24)	40°	K080734	74 (1880)	1 3/32 (28)	40°
K071013	101 7/8 (2586)	15/16 (24)	40°	K080738	74 3/8 (1889)	1 3/32 (28)	40°
K071031	103 5/8 (2633)	15/16 (24)	40°	K080740	74 5/8 (1896)	1 3/32 (28)	40°
K071037	104 1/4 (2649)	15/16 (24)	40°	K080745	75 1/8 (1907)	1 3/32 (28)	40°
K071040	104 5/8 (2656)	15/16 (24)	40°	K080751	75 5/8 (1921)	1 3/32 (28)	40°
K071045	105 1/8 (2671)	15/16 (24)	40°	K080755	76 (1931)	1 3/32 (28)	40°
K071056	106 1/4 (2699)	15/16 (24)	40°	K080760	76 1/2 (1942)	1 3/32 (28)	40°
K071065	107 1/8 (2720)	15/16 (24)	40°	K080765	77 (1957)	1 3/32 (28)	40°
K071130	113 5/8 (2886)	15/16 (24)	40°	K080774	77 3/4 (1976)	1 3/32 (28)	40°
K071134	114 (2897)	15/16 (24)	40°	K080776	78 1/8 (1985)	1 3/32 (28)	40°
K071141	114 5/8 (2912)	15/16 (24)	40°	K080780	78 5/8 (1996)	1 3/32 (28)	40°
K071150	115 5/8 (2936)	15/16 (24)	40°	K080785	79 (2007)	1 3/32 (28)	40°
K071157	116 1/4 (2953)	15/16 (24)	40°	K080790	79 1/2 (2019)	1 3/32 (28)	40°
K071194	119 7/8 (3046)	15/16 (24)	40°	K080797	80 1/8 (2037)	1 3/32 (28)	40°
K071247	125 3/8 (3183)	15/16 (24)	40°	K080806	81 1/8 (2061)	1 3/32 (28)	40°
K080300	30 3/4 (781)	1 3/32 (28)	40°	K080810	81 5/8 (2073)	1 3/32 (28)	40°
K080330	33 3/4 (856)	1 3/32 (28)	40°	K080816	82 1/8 (2086)	1 3/32 (28)	40°
K080360	36 3/4 (932)	1 3/32 (28)	40°	K080817	82 3/8 (2091)	1 3/32 (28)	40°
K080365	37 1/8 (943)	1 3/32 (28)	40°	K080820	82 3/4 (2101)	1 3/32 (28)	40°
K080370	37 3/4 (957)	1 3/32 (28)	40°	K080825	83 1/8 (2112)	1 3/32 (28)	40°
K080375	38 1/8 (968)	1 3/32 (28)	40°	K080830	83 3/4 (2127)	1 3/32 (28)	40°
K080382	38 3/4 (983)	1 3/32 (28)	40°	K080839	84 3/8 (2144)	1 3/32 (28)	40°
K080384	39 (990)	1 3/32 (28)	40°	K080842	84 3/4 (2154)	1 3/32 (28)	40°
K080390	39 3/4 (1008)	1 3/32 (28)	40°	K080855	86 1/8 (2187)	1 3/32 (28)	40°
K080392	39 7/8 (1014)	1 3/32 (28)	40°	K080859	86 3/8 (2195)	1 3/32 (28)	40°
K080400	40 3/4 (1034)	1 3/32 (28)	40°	K080872	87 3/4 (2230)	1 3/32 (28)	40°
K080408	41 3/8 (1051)	1 3/32 (28)	40°	K080876	88 1/8 (2240)	1 3/32 (28)	40°
K080415	42 1/8 (1069)	1 3/32 (28)	40°	K080878	88 3/8 (2245)	1 3/32 (28)	40°
K080427	43 1/2 (1103)	1 3/32 (28)	40°	K080893	89 7/8 (2282)	1 3/32 (28)	40°
K080435	44 1/8 (1122)	1 3/32 (28)	40°	K080897	90 3/8 (2295)	1 3/32 (28)	40°
K080450	45 5/8 (1160)	1 3/32 (28)	40°	K080903	90 7/8 (2308)	1 3/32 (28)	40°
K080455	46 (1170)	1 3/32 (28)	40°	K080910	91 5/8 (2326)	1 3/32 (28)	40°
K080458	46 3/8 (1179)	1 3/32 (28)	40°	K080915	92 1/8 (2340)	1 3/32 (28)	40°
K080465	47 (1195)	1 3/32 (28)	40°	K080922	92 3/4 (2355)	1 3/32 (28)	40°
K080471	47 3/4 (1211)	1 3/32 (28)	40°	K080926	93 1/8 (2367)	1 3/32 (28)	40°
K080485	49 1/8 (1249)	1 3/32 (28)	40°	K080934	93 7/8 (2384)	1 3/32 (28)	40°
K080491	49 5/8 (1260)	1 3/32 (28)	40°	K080939	94 1/2 (2400)	1 3/32 (28)	40°
K080496	50 1/8 (1274)	1 3/32 (28)	40°	K080944	95 (2412)	1 3/32 (28)	40°
K080505	51 (1297)	1 3/32 (28)	40°	K080952	95 3/4 (2432)	1 3/32 (28)	40°
K080510	51 1/2 (1309)	1 3/32 (28)	40°	K080968	97 1/2 (2475)	1 3/32 (28)	40°
K080514	52 (1320)	1 3/32 (28)	40°	K080981	98 5/8 (2505)	1 3/32 (28)	40°
K080525	53 1/8 (1351)	1 3/32 (28)	40°	K080986	99 1/8 (2519)	1 3/32 (28)	40°
K080530	53 1/2 (1359)	1 3/32 (28)	40°	K080991	99 5/8 (2531)	1 3/32 (28)	40°
K080537	54 1/4 (1379)	1 3/32 (28)	40°	K081000	100 5/8 (2555)	1 3/32 (28)	40°
K080545	55 1/8 (1399)	1 3/32 (28)	40°	K081005	101 1/8 (2568)	1 3/32 (28)	40°
K080550	55 3/4 (1415)	1 3/32 (28)	40°	K081020	102 5/8 (2605)	1 3/32 (28)	40°
K080558	56 1/4 (1429)	1 3/32 (28)	40°	K081023	102 7/8 (2613)	1 3/32 (28)	40°
K080560	56 5/8 (1439)	1 3/32 (28)	40°	K081035	104 (2642)	1 3/32 (28)	40°
K080565	57 (1448)	1 3/32 (28)	40°	K081074	108 (2745)	1 3/32 (28)	40°
K080566	57 1/8 (1452)	1 3/32 (28)	40°	K081079	108 1/2 (2756)	1 3/32 (28)	40°
K080570	57 1/2 (1462)	1 3/32 (28)	40°	K081088	109 3/8 (2778)	1 3/32 (28)	40°
K080575	58 1/8 (1475)	1 3/32 (28)	40°	K081092	109 3/4 (2788)	1 3/32 (28)	40°
K080580	58 5/8 (1490)	1 3/32 (28)	40°	K081102	110 3/4 (2814)	1 3/32 (28)	40°
K080585	59 (1499)	1 3/32 (28)	40°	K081124	113 (2869)	1 3/32 (28)	40°
K080590	59 1/2 (1512)	1 3/32 (28)	40°	K081145	115 1/8 (2924)	1 3/32 (28)	40°
K080594	60 (1523)	1 3/32 (28)	40°	K081153	116 1/4 (2953)	1 3/32 (28)	40°
K080600	60 5/8 (1538)	1 3/32 (28)	40°	K081177	118 1/4 (3005)	1 3/32 (28)	40°
K080605	61 1/8 (1553)	1 3/32 (28)	40°	K081189	119 1/2 (3035)	1 3/32 (28)	40°
K080610	61 3/4 (1569)	1 3/32 (28)	40°	K081196	120 1/8 (3050)	1 3/32 (28)	40°
K080615	62 1/8 (1577)	1 3/32 (28)	40°	K081207	121 3/8 (3082)	1 3/32 (28)	40°
K080620	62 5/8 (1591)	1 3/32 (28)	40°	K081213	121 7/8 (3096)	1 3/32 (28)	40°
K080623	62 7/8 (1598)	1 3/32 (28)	40°	K081223	122 3/4 (3117)	1 3/32 (28)	40°
K080626	63 1/8 (1603)	1 3/32 (28)	40°	K081251	125 5/8 (3192)	1 3/32 (28)	40°
K080630	63 5/8 (1616)	1 3/32 (28)	40°	K081253	125 7/8 (3198)	1 3/32 (28)	40°
K080635	64 1/4 (1633)	1 3/32 (28)	40°	K081265	127 1/8 (3228)	1 3/32 (28)	40°
K080644	65 (1651)	1 3/32 (28)	40°	K081298	130 3/8 (3312)	1 3/32 (28)	40°
K080645	65 1/4 (1657)	1 3/32 (28)	40°	K081325	133 1/8 (3381)	1 3/32 (28)	40°
K080649	65 1/2 (1665)	1 3/32 (28)	40°	K081331	133 3/4 (3396)	1 3/32 (28)	40°
K080653	65 7/8 (1674)	1 3/32 (28)	40°	K081359	136 1/2 (3468)	1 3/32 (28)	40°
K080655	66 1/4 (1683)	1 3/32 (28)	40°	K081362	136 3/4 (3499)	1 3/32 (28)	40°
K080660	66 1/2 (1691)	1 3/32 (28)	40°	K081377	138 1/4 (3513)	1 3/32 (28)	40°
K080670	67 1/2 (1716)	1 3/32 (28)	40°	K090500	50 1/2 (1282)	1 7/32 (31)	40°
K080672	67 3/4 (1722)	1 3/32 (28)	40°	K090609	61 1/2 (1562)	1 7/32 (31)	40°
K080675	68 (1728)	1 3/32 (28)	40°	K100381	38 3/4 (983)	1 3/8 (35)	40°
K080677	68 1/4 (1734)	1 3/32 (28)	40°	K100437	44 1/4 (1124)	1 3/8 (35)	40°
K080680	68 5/8 (1742)	1 3/32 (28)	40°	K100445	45 1/8 (1148)	1 3/8 (35)	40°
K080685	69 1/8 (1756)	1 3/32 (28)	40°	K100456	46 1/8 (1173)	1 3/8 (35)	40°
K080690	69 5/8 (1767)	1 3/32 (28)	40°	K100465	47 (1195)	1 3/8 (35)	40°
K080694	70 (1777)	1 3/32 (28)	40°	K100485	48 7/8 (1241)	1 3/8 (35)	40°
K080700	70 1/2 (1789)	1 3/32 (28)	40°	K100495	50 1/8 (1274)	1 3/8 (35)	40°
K080702	70 3/4 (1798)	1 3/32 (28)	40°	K100502	50 3/4 (1288)	1 3/8 (35)	40°
K080708	71 1/4 (1811)	1 3/32 (28)	40°	K100510	51 1/2 (1309)	1 3/8 (35)	40°
K080710	71 1/2 (1816)	1 3/32 (28)	40°	K100535	54 (1373)	1 3/8 (35)	40°
K080716	72 1/8 (1831)	1 3/32 (28)	40°	K100540	54 1/2 (1385)	1 3/8 (35)	40°
K080720	72 5/8 (1845)	1 3/32 (28)	40°	K100554	56 (1423)	1 3/8 (35)	40°
K080726	73 1/4 (1859)	1 3/32 (28)	40°	K100563	56 7/8 (1444)	1 3/8 (35)	40°
K080730	73 1/2 (1867)	1 3/32 (28)	40°	K100570	57 1/2 (1462)	1 3/8 (35)	40°
K080733	73 3/4 (1874)	1 3/32 (28)	40°	K100572	57 7/8 (1469)	1 3/8 (35)	40°



## Micro-V® Belts Listed by Number

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
K100575	58 1/8 (1475)	1 3/8 (35)	40°	K120738	74 3/8 (1889)	1 21/32 (42)	40°
K100579	58 1/2 (1487)	1 3/8 (35)	40°	K120815	82 (2083)	1 21/32 (42)	40°
K100594	60 (1523)	1 3/8 (35)	40°	K120842	84 3/4 (2154)	1 21/32 (42)	40°
K100607	61 1/4 (1557)	1 3/8 (35)	40°	K120864	86 7/8 (2208)	1 21/32 (42)	40°
K100610	61 5/8 (1564)	1 3/8 (35)	40°	K120872	87 3/4 (2230)	1 21/32 (42)	40°
K100618	62 3/8 (1585)	1 3/8 (35)	40°	K120878	88 3/8 (2245)	1 21/32 (42)	40°
K100630	63 5/8 (1616)	1 3/8 (35)	40°	K120891	89 5/8 (2278)	1 21/32 (42)	40°
K100637	64 1/4 (1633)	1 3/8 (35)	40°	K120901	90 5/8 (2301)	1 21/32 (42)	40°
K100640	64 5/8 (1642)	1 3/8 (35)	40°	K120903	90 7/8 (2308)	1 21/32 (42)	40°
K100655	66 (1678)	1 3/8 (35)	40°	K120911	91 3/4 (2329)	1 21/32 (42)	40°
K100658	66 3/8 (1687)	1 3/8 (35)	40°	K120924	93 1/8 (2364)	1 21/32 (42)	40°
K100665	67 1/8 (1704)	1 3/8 (35)	40°	K120931	93 3/4 (2381)	1 21/32 (42)	40°
K100670	67 1/2 (1716)	1 3/8 (35)	40°	K120964	97 (2463)	1 21/32 (42)	40°
K100675	68 (1728)	1 3/8 (35)	40°	K120979	98 1/8 (2492)	1 21/32 (42)	40°
K100677	68 1/4 (1734)	1 3/8 (35)	40°	K121039	104 1/2 (2654)	1 21/32 (42)	40°
K100710	71 1/2 (1816)	1 3/8 (35)	40°	K140345	35 (890)	1 15/16 (49)	40°
K100719	72 3/8 (1840)	1 3/8 (35)	40°	K140352	35 7/8 (910)	1 15/16 (49)	40°
K100731	73 5/8 (1871)	1 3/8 (35)	40°	K140370	37 1/2 (954)	1 15/16 (49)	40°
K100739	74 1/2 (1893)	1 3/8 (35)	40°	K140429	43 1/2 (1106)	1 15/16 (49)	40°
K100771	77 3/4 (1976)	1 3/8 (35)	40°	K140433	43 7/8 (1116)	1 15/16 (49)	40°
K100789	79 1/2 (2019)	1 3/8 (35)	40°	K140451	45 5/8 (1160)	1 15/16 (49)	40°
K100810	81 5/8 (2073)	1 3/8 (35)	40°	K140496	50 1/8 (1274)	1 15/16 (49)	40°
K100852	85 7/8 (2182)	1 3/8 (35)	40°	K140516	52 1/8 (1325)	1 15/16 (49)	40°
K100891	89 3/4 (2278)	1 3/8 (35)	40°	K140524	53 1/8 (1350)	1 15/16 (49)	40°
K120281	28 3/4 (730)	1 21/32 (42)	40°	K140555	56 (1422)	1 15/16 (49)	40°
K120360	36 5/8 (929)	1 21/32 (42)	40°	K140580	58 5/8 (1490)	1 15/16 (49)	40°
K120390	39 3/4 (1008)	1 21/32 (42)	40°	K140594	60 (1523)	1 15/16 (49)	40°
K120400	40 3/4 (1034)	1 21/32 (42)	40°	K140597	60 3/8 (1534)	1 15/16 (49)	40°
K120410	41 1/2 (1054)	1 21/32 (42)	40°	K140603	60 7/8 (1546)	1 15/16 (49)	40°
K120525	53 1/8 (1351)	1 21/32 (42)	40°	K140618	62 3/8 (1585)	1 15/16 (49)	40°
K120559	56 1/2 (1436)	1 21/32 (42)	40°	K140627	63 3/8 (1609)	1 15/16 (49)	40°
K120594	60 (1523)	1 21/32 (42)	40°	K140662	66 3/4 (1696)	1 15/16 (49)	40°
K120606	61 1/8 (1553)	1 21/32 (42)	40°	K140682	68 3/4 (1746)	1 15/16 (49)	40°
K120610	61 3/4 (1569)	1 21/32 (42)	40°	K140700	70 1/2 (1789)	1 15/16 (49)	40°
K120702	70 3/4 (1798)	1 21/32 (42)	40°	K150759	76 3/8 (1942)	2 1/16 (53)	40°
K120720	72 5/8 (1845)	1 21/32 (42)	40°				

# Micro-V® Belts

## Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>3/16" (4.7 mm) Top Width</b>			<b>9/16" (14 mm) Top Width</b>			<b>21/32" (17 mm) Top Width</b>		
			- Continued			- Continued		
31 7/8 (810).....		2PJ800	34 3/8 (874).....	40°	K040338	29 3/4 (755).....	40°	K050290
33 1/4 (846).....		2PJ836	34 5/8 (881).....	40°	K040340	32 1/4 (818).....	40°	K050316
33 5/8 (855).....		2PJ845	34 7/8 (885).....	40°	K040343	32 1/2 (824).....	40°	K050317
34 1/4 (870).....		2PJ860	35 (889).....	40°	K040345	32 3/4 (831).....	40°	K050321
36 (915).....		2PJ905	35 1/4 (894).....	40°	K040346	33 (837).....	40°	K050323
<b>1/4" (6 mm) Top Width</b>			35 3/8 (897).....	40°	K040347	33 3/4 (856).....	40°	K050330
79 3/8 (2015).....	40°	H040790	35 5/8 (906).....	40°	K040350	34 (864).....	40°	K050335
92 3/8 (2345).....	40°	H040920	35 7/8 (912).....	40°	K040353	34 3/8 (872).....	40°	K050336
<b>5/16" (8 mm) Top Width</b>			36 1/8 (918).....	40°	K040355	34 5/8 (881).....	40°	K050340
92 3/8 (2345).....	40°	H050920	36 3/8 (924).....	40°	K040358	35 (875).....	40°	K050344
100 3/8 (2550).....	40°	H051000	36 3/4 (932).....	40°	K040360	35 1/4 (894).....	40°	K050345
<b>13/32" (11 mm) Top Width</b>			37 1/8 (943).....	40°	K040365	35 5/8 (906).....	40°	K050350
20 (509).....	40°	K030195	37 1/2 (954).....	40°	K040370	36 1/8 (918).....	40°	K050355
22 5/8 (576).....	40°	K030220	38 (964).....	40°	K040372	36 3/4 (932).....	40°	K050360
24 1/4 (615).....	40°	K030236	38 1/2 (977).....	40°	K040378	37 1/8 (943).....	40°	K050365
24 3/4 (629).....	40°	K030240	38 3/4 (983).....	40°	K040382	37 3/8 (949).....	40°	K050368
25 1/4 (640).....	40°	K030245	39 (990).....	40°	K040384	37 3/4 (957).....	40°	K050370
25 3/4 (654).....	40°	K030250	39 1/8 (993).....	40°	K040385	38 1/4 (970).....	40°	K050375
27 1/8 (689).....	40°	K030265	39 3/8 (999).....	40°	K040388	38 3/4 (983).....	40°	K050380
27 3/8 (695).....	40°	K030267	39 3/4 (1008).....	40°	K040390	39 1/4 (996).....	40°	K050385
28 3/4 (730).....	40°	K030280	40 1/4 (1020).....	40°	K040395	39 3/4 (1008).....	40°	K050390
29 3/4 (755).....	40°	K030290	40 3/8 (1027).....	40°	K040398	40 1/4 (1021).....	40°	K050396
30 1/8 (765).....	40°	K030295	40 5/8 (1030).....	40°	K040399	40 3/8 (1027).....	40°	K050398
30 1/2 (775).....	40°	K030299	40 3/4 (1035).....	40°	K040400	40 5/8 (1031).....	40°	K050400
30 3/4 (781).....	40°	K030300	41 1/4 (1050).....	40°	K040405	40 3/4 (1035).....	40°	K050402
31 5/8 (805).....	40°	K030310	41 5/8 (1060).....	40°	K040410	41 1/4 (1047).....	40°	K050405
32 7/8 (836).....	40°	K030323	42 (1068).....	40°	K040415	41 3/4 (1059).....	40°	K050410
33 1/2 (850).....	40°	K030328	42 1/8 (1068).....	40°	K040413	42 1/8 (1068).....	40°	K050415
34 (864).....	40°	K030334	42 3/8 (1075).....	40°	K040418	42 3/8 (1076).....	40°	K050418
34 5/8 (881).....	40°	K030340	42 5/8 (1085).....	40°	K040420	42 5/8 (1084).....	40°	K050420
35 5/8 (906).....	40°	K030350	43 1/8 (1095).....	40°	K040425	43 1/8 (1095).....	40°	K050425
37 1/8 (943).....	40°	K030365	43 3/4 (1110).....	40°	K040430	43 1/2 (1103).....	40°	K050429
39 1/8 (993).....	40°	K030384	44 3/8 (1125).....	40°	K040438	43 3/4 (1113).....	40°	K050433
39 3/4 (1008).....	40°	K030390	44 3/4 (1135).....	40°	K040440	44 1/8 (1122).....	40°	K050435
40 1/4 (1021).....	40°	K030395	45 1/8 (1148).....	40°	K040445	44 3/4 (1135).....	40°	K050440
42 1/8 (1068).....	40°	K030415	45 3/4 (1160).....	40°	K040450	45 1/8 (1148).....	40°	K050446
43 1/8 (1095).....	40°	K030425	46 5/8 (1185).....	40°	K040460	45 5/8 (1160).....	40°	K050450
44 3/4 (1135).....	40°	K030441	47 (1195).....	40°	K040465	46 (1170).....	40°	K050455
46 (1170).....	40°	K030455	47 3/4 (1215).....	40°	K040470	46 3/8 (1179).....	40°	K050459
<b>9/16" (14 mm) Top Width</b>			48 1/8 (1223).....	40°	K040476	46 5/8 (1186).....	40°	K050460
24 1/2 (622).....	40°	K040233	49 1/2 (1255).....	40°	K040490	47 3/4 (1215).....	40°	K050470
25 1/4 (640).....	40°	K040245	50 5/8 (1285).....	40°	K040500	47 7/8 (1218).....	40°	K050474
25 3/4 (654).....	40°	K040250	51 1/8 (1300).....	40°	K040506	48 3/8 (1228).....	40°	K050478
27 3/4 (704).....	40°	K040270	51 1/2 (1310).....	40°	K040510	48 5/8 (1237).....	40°	K050480
28 (710).....	40°	K040274	52 (1320).....	40°	K040514	49 1/8 (1249).....	40°	K050486
28 1/4 (717).....	40°	K040275	52 1/8 (1325).....	40°	K040517	49 1/2 (1258).....	40°	K050490
29 1/4 (742).....	40°	K040285	52 5/8 (1335).....	40°	K040520	50 5/8 (1286).....	40°	K050500
29 3/4 (755).....	40°	K040292	53 1/8 (1349).....	40°	K040525	51 (1297).....	40°	K050505
29 3/4 (755).....	40°	J060293	53 1/2 (1359).....	40°	K040529	51 1/8 (1300).....	40°	K050507
30 3/4 (781).....	40°	K040300	54 (1373).....	40°	K040535	51 3/4 (1315).....	40°	K050510
31 1/4 (793).....	40°	K040305	55 1/8 (1399).....	40°	K040545	52 1/4 (1327).....	40°	K050516
31 3/4 (805).....	40°	K040310	55 5/8 (1414).....	40°	K040551	52 5/8 (1338).....	40°	K050520
32 1/4 (818).....	40°	K040315	56 1/2 (1436).....	40°	K040560	52 7/8 (1343).....	40°	K050523
32 1/2 (824).....	40°	K040319	58 1/8 (1475).....	40°	K040575	53 1/2 (1359).....	40°	K050530
32 3/4 (831).....	40°	K040320	60 (1523).....	40°	K040595	53 7/8 (1367).....	40°	K050532
32 7/8 (836).....	40°	K040322	62 5/8 (1591).....	40°	K040620	54 3/8 (1380).....	40°	K050538
33 1/4 (844).....	40°	K040325	63 5/8 (1615).....	40°	K040630	55 1/4 (1404).....	40°	K050545
33 3/8 (849).....	40°	K040329	64 1/8 (1627).....	40°	K040635	55 3/4 (1415).....	40°	K050551
33 1/2 (850).....	40°	J060328	69 1/8 (1756).....	40°	K040685	57 (1448).....	40°	K050565
33 3/4 (856).....	40°	K040330	75 1/8 (1907).....	40°	K040745	57 1/2 (1462).....	40°	K050570
33 3/4 (858).....	40°	K040332	76 7/8 (1951).....	40°	K040762	57 3/4 (1468).....	40°	*DK050565
34 (864).....	40°	K040335	88 3/4 (2255).....	40°	K040882	59 1/4 (1504).....	40°	K050586
			94 5/8 (2403).....	40°	K040940	61 1/2 (1563).....	40°	K050609
			<b>21/32" (17 mm) Top Width</b>			62 1/8 (1579).....	40°	*DK050610
			20 3/4 (527).....	40°	K050200	63 1/8 (1603).....	40°	K050625
			28 1/4 (717).....	40°	K050275	63 5/8 (1616).....	40°	K050630
			28 3/4 (730).....	40°	K050280	64 1/8 (1627).....	40°	K050635
						64 5/8 (1642).....	40°	K050640
						65 (1651).....	40°	K050644

## Micro-V® Belts Listed by Width and Length

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>21/32" (17 mm) Top Width - Continued</b>			<b>13/16" (20 mm) Top Width - Continued</b>			<b>13/16" (20 mm) Top Width - Continued</b>		
65 1/4 (1657)	40°	K050647	53 1/2 (1359)	40°	K060529	83 1/4 (2116)	40°	K060827
65 5/8 (1667)	40°	K050650	53 7/8 (1367)	40°	K060532	83 3/8 (2119)	40°	K060828
65 7/8 (1675)	40°	K050653	54 1/4 (1379)	40°	K060535	83 3/4 (2127)	40°	K060832
66 3/8 (1687)	40°	K050658	54 1/2 (1385)	40°	K060539	84 1/4 (2140)	40°	K060837
66 3/4 (1696)	40°	K050660	55 1/4 (1404)	40°	K060547	84 1/2 (2147)	40°	K060840
67 1/8 (1704)	40°	K050665	55 3/4 (1415)	40°	K060551	85 1/4 (2165)	40°	K060845
69 3/4 (1772)	40°	K050690	56 (1423)	40°	K060555	85 1/2 (2171)	40°	K060849
71 1/8 (1807)	40°	K050705	56 1/4 (1429)	40°	K060557	85 7/8 (2182)	40°	K060854
72 1/8 (1831)	40°	K050715	56 1/2 (1436)	40°	K060559	86 3/8 (2193)	40°	K060858
72 5/8 (1845)	40°	K050720	56 5/8 (1439)	40°	K060560	86 5/8 (2201)	40°	K060860
75 3/8 (1914)	40°	K050750	56 7/8 (1445)	40°	K060563	86 7/8 (2206)	40°	K060863
76 (1932)	40°	K050755	57 1/2 (1462)	40°	K060569	86 7/8 (2208)	40°	K060864
76 1/4 (1937)	40°	K050757	57 7/8 (1471)	40°	K060573	87 1/4 (2216)	40°	K060866
78 3/8 (1989)	40°	K050778	58 (1473)	40°	K060575	87 3/8 (2219)	40°	K060868
82 1/2 (2096)	40°	K050817	58 3/8 (1483)	40°	K060578	87 5/8 (2225)	40°	K060870
83 1/8 (2112)	40°	K050825	59 1/4 (1504)	40°	K060586	87 7/8 (2233)	40°	K060874
84 (2134)	40°	K050835	59 3/8 (1508)	40°	K060588	88 1/8 (2238)	40°	K060875
84 1/8 (2138)	40°	K050836	60 (1523)	40°	K060594	88 1/8 (2239)	40°	K060876
85 1/8 (2164)	40°	K050845	60 3/8 (1534)	40°	K060598	88 3/8 (2245)	40°	K060878
86 1/8 (2187)	40°	K050855	60 3/4 (1542)	40°	K060602	88 7/8 (2257)	40°	K060882
89 1/8 (2265)	40°	K050887	60 7/8 (1547)	40°	K060604	88 7/8 (2257)	40°	K060883
<b>13/16" (20 mm) Top Width</b>			61 1/8 (1553)	40°	K060605	89 1/2 (2273)	40°	K060888
29 1/2 (748)	40°	K060288	61 1/2 (1563)	40°	K060609	89 3/4 (2278)	40°	K060891
30 1/8 (765)	40°	K060295	61 3/4 (1569)	40°	K060612	90 1/8 (2289)	40°	K060895
31 1/4 (793)	40°	K060305	62 1/8 (1577)	40°	K060615	90 5/8 (2301)	40°	K060900
33 1/4 (844)	40°	K060325	62 5/8 (1591)	40°	K060620	90 7/8 (2308)	40°	K060905
33 3/4 (856)	40°	K060331	62 7/8 (1598)	40°	K060623	91 1/4 (2318)	40°	K060908
34 3/8 (873)	40°	K060338	63 1/8 (1603)	40°	K060625	91 5/8 (2329)	40°	K060910
34 3/4 (881)	40°	K060340	63 5/8 (1616)	40°	K060630	92 1/8 (2340)	40°	K060915
35 1/4 (894)	40°	K060345	64 1/8 (1627)	40°	K060635	92 3/8 (2347)	40°	K060919
36 1/8 (918)	40°	K060355	64 3/8 (1634)	40°	K060637	92 7/8 (2360)	40°	K060923
37 1/8 (943)	40°	K060365	64 5/8 (1642)	40°	K060640	93 1/8 (2364)	40°	K060926
37 3/4 (957)	40°	K060370	64 3/4 (1646)	40°	K060642	93 5/8 (2377)	40°	K060930
38 (964)	40°	K060374	65 (1651)	40°	K060645	94 (2387)	40°	K060935
38 3/4 (983)	40°	K060380	65 1/2 (1665)	40°	K060650	94 1/2 (2400)	40°	K060938
39 1/8 (993)	40°	K060385	65 7/8 (1674)	40°	K060653	94 3/4 (2407)	40°	K060942
39 3/8 (999)	40°	K060388	66 3/8 (1687)	40°	K060658	95 1/8 (2415)	40°	K060945
39 3/4 (1008)	40°	K060390	66 3/4 (1696)	40°	K060660	95 1/4 (2419)	40°	K060947
40 3/4 (1034)	40°	K060400	66 7/8 (1699)	40°	K060663	95 5/8 (2428)	40°	K060950
41 (1043)	40°	K060405	67 1/4 (1708)	40°	K060667	96 1/8 (2440)	40°	K060956
41 3/8 (1050)	40°	K060407	67 1/2 (1716)	40°	K060670	96 5/8 (2452)	40°	K060960
41 1/2 (1054)	40°	K060408	67 3/4 (1722)	40°	K060672	96 3/4 (2452)	40°	K060960
41 1/2 (1054)	40°	K060409	68 (1728)	40°	K060675	96 7/8 (2460)	40°	K060962
41 3/4 (1059)	40°	K060410	68 1/2 (1741)	40°	*DK060674	97 1/8 (2468)	40°	K060966
42 1/8 (1069)	40°	K060415	68 5/8 (1742)	40°	K060680	97 5/8 (2479)	40°	K060970
42 3/8 (1076)	40°	K060418	68 7/8 (1750)	40°	K060682	98 1/8 (2492)	40°	K060975
42 1/2 (1081)	40°	K060420	69 1/8 (1756)	40°	K060685	98 5/8 (2505)	40°	K060980
42 7/8 (1089)	40°	K060423	69 5/8 (1767)	40°	K060690	99 (2513)	40°	K060984
43 1/8 (1095)	40°	K060425	70 (1777)	40°	K060695	99 1/2 (2526)	40°	K060988
43 1/2 (1103)	40°	K060427	70 1/4 (1783)	40°	K060696	99 5/8 (2531)	40°	K060990
43 3/4 (1111)	40°	K060431	70 7/8 (1799)	40°	K060703	99 7/8 (2537)	40°	K060994
43 7/8 (1116)	40°	K060434	71 1/8 (1807)	40°	K060705	100 1/4 (2546)	40°	K060997
44 1/8 (1122)	40°	K060435	71 1/4 (1811)	40°	*DK060702	100 5/8 (2555)	40°	K061000
44 1/2 (1129)	40°	K060439	71 1/2 (1816)	40°	K060710	101 1/8 (2568)	40°	K061005
44 3/4 (1135)	40°	K060441	72 (1830)	40°	K060716	101 5/8 (2581)	40°	K061010
45 1/8 (1148)	40°	K060445	72 5/8 (1845)	40°	K060721	102 1/8 (2593)	40°	K061015
45 5/8 (1160)	40°	K060450	72 3/4 (1848)	40°	K060722	102 5/8 (2605)	40°	K061020
46 (1170)	40°	K060455	73 1/4 (1859)	40°	K060725	103 (2615)	40°	K061025
46 3/8 (1179)	40°	K060458	73 1/2 (1867)	40°	K060730	103 5/8 (2633)	40°	K061031
46 5/8 (1186)	40°	K060461	73 7/8 (1876)	40°	K060733	103 7/8 (2639)	40°	K061033
47 (1195)	40°	K060465	74 1/8 (1881)	40°	K060735	104 1/4 (2649)	40°	K061037
47 3/8 (1204)	40°	K060468	74 1/2 (1893)	40°	K060739	105 (2666)	40°	K061045
47 5/8 (1211)	40°	K060470	75 (1904)	40°	K060744	106 3/8 (2701)	40°	K061058
47 7/8 (1216)	40°	K060473	75 3/8 (1914)	40°	K060747	107 1/8 (2722)	40°	K061066
48 1/4 (1227)	40°	K060478	75 5/8 (1921)	40°	K060750	107 7/8 (2741)	40°	K061073
48 5/8 (1237)	40°	K060480	76 (1932)	40°	K060755	108 1/8 (2746)	40°	K061075
48 7/8 (1241)	40°	K060483	76 1/2 (1942)	40°	K060760	108 3/4 (2761)	40°	K061080
49 1/8 (1248)	40°	K060486	76 7/8 (1951)	40°	K060763	109 3/8 (2780)	40°	K061098
49 1/2 (1258)	40°	K060490	77 3/8 (1967)	40°	K060770	109 3/4 (2788)	40°	K061093
49 3/4 (1265)	40°	K060492	77 7/8 (1977)	40°	K060772	110 1/2 (2807)	40°	K061099
50 1/8 (1274)	40°	K060495	78 (1982)	40°	K060775	111 1/8 (2824)	40°	K061105
50 3/4 (1288)	40°	K060500	78 5/8 (1996)	40°	K060780	111 5/8 (2835)	40°	K061110
51 (1297)	40°	K060505	79 (2007)	40°	K060785	111 7/8 (2841)	40°	K061114
51 1/8 (1300)	40°	K060507	79 1/2 (2018)	40°	K060790	111 7/8 (2841)	40°	K061115
51 1/2 (1309)	40°	K060509	80 1/8 (2034)	40°	K060795	112 1/2 (2859)	40°	K061120
51 3/4 (1315)	40°	K060512	80 1/4 (2040)	40°	*DK060791	112 7/8 (2869)	40°	K061123
52 (1321)	40°	K060514	80 3/8 (2040)	40°	K060798	113 5/8 (2886)	40°	K061130
52 1/8 (1325)	40°	K060516	80 3/4 (2051)	40°	K060802	114 1/2 (2910)	40°	K061140
52 3/4 (1339)	40°	K060520	81 1/8 (2061)	40°	K060806	114 5/8 (2911)	40°	K061141
52 7/8 (1342)	40°	K060523	81 5/8 (2073)	40°	K060810	115 1/4 (2927)	40°	K061145
53 3/8 (1355)	40°	K060525	82 1/8 (2085)	40°	K060815	118 1/4 (3005)	40°	K061177
			82 1/2 (2096)	40°	K060820	119 1/4 (3030)	40°	K061187
			83 1/8 (2112)	40°	K060825	120 1/8 (3051)	40°	K061195

(mm) Millimeters

\* Dual Sided Belt

# Micro-V® Belts Listed by Width and Length

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>13/16" (20 mm) Top Width - Continued</b>			<b>1" (25 mm) Top Width</b>			<b>1 3/32" (28 mm) Top Width - Continued</b>		
120 7/8 (3069)	40°	K061203	54 1/16 (1373)	40°	*DK070536	76 1/2 (1942)	40°	K080760
136 5/8 (3470)	40°	K061360	55 17/32 (1410)	40°	*DK070551	77 (1957)	40°	K080765
<b>27/32" (21 mm) Top Width</b>			<b>1 3/32" (28 mm) Top Width</b>			77 3/4 (1976)	40°	K080774
47 5/8 (1210)	40°	*DK060472	30 3/4 (781)	40°	K080300	78 1/8 (1985)	40°	K080776
52 9/16 (1335)	40°	*DK060519	33 3/4 (856)	40°	K080330	78 5/8 (1996)	40°	K080780
72 1/4 (1835)	40°	*DK060718	36 3/4 (932)	40°	K080360	79 (2007)	40°	K080785
72 3/4 (1848)	40°	*DK060725	37 1/8 (943)	40°	K080365	79 1/2 (2019)	40°	K080790
73 11/32 (1863)	40°	*DK060729	37 3/4 (957)	40°	K080370	80 1/8 (2037)	40°	K080797
<b>15/16" (24 mm) Top Width</b>			38 1/8 (968)	40°	K080375	81 1/8 (2061)	40°	K080806
32 1/2 (824)	40°	K070319	38 3/4 (983)	40°	K080382	81 5/8 (2073)	40°	K080810
36 7/8 (936)	40°	K070362	39 (990)	40°	K080384	82 1/8 (2086)	40°	K080816
37 3/4 (957)	40°	K070370	39 3/4 (1008)	40°	K080390	82 3/8 (2091)	40°	K080817
39 3/4 (1008)	40°	K070390	39 7/8 (1014)	40°	K080392	82 3/4 (2101)	40°	K080820
43 1/8 (1095)	40°	K070425	40 3/4 (1034)	40°	K080400	83 1/8 (2112)	40°	K080825
51 1/8 (1300)	40°	K070505	41 3/8 (1051)	40°	K080408	83 3/4 (2127)	40°	K080830
55 7/8 (1418)	40°	K070553	42 1/8 (1069)	40°	K080415	84 3/8 (2144)	40°	K080839
61 5/8 (1564)	40°	K070610	43 1/2 (1103)	40°	K080427	84 3/4 (2154)	40°	K080842
62 3/4 (1594)	40°	K070622	44 1/8 (1122)	40°	K080435	86 1/8 (2187)	40°	K080855
63 3/8 (1609)	40°	K070628	45 5/8 (1160)	40°	K080450	86 3/8 (2195)	40°	K080859
63 5/8 (1616)	40°	K070630	46 (1170)	40°	K080455	87 3/4 (2230)	40°	K080872
64 5/8 (1642)	40°	K070640	46 3/8 (1179)	40°	K080458	88 1/8 (2240)	40°	K080876
65 7/8 (1675)	40°	K070653	47 (1195)	40°	K080465	88 3/8 (2245)	40°	K080878
67 3/4 (1722)	40°	K070673	47 3/4 (1211)	40°	K080471	89 7/8 (2282)	40°	K080893
68 1/4 (1734)	40°	K070677	49 1/8 (1249)	40°	K080485	90 3/8 (2295)	40°	K080897
68 5/8 (1743)	40°	K070680	49 5/8 (1260)	40°	K080491	90 7/8 (2308)	40°	K080903
68 7/8 (1750)	40°	K070683	49 5/8 (1260)	40°	K080491	91 5/8 (2326)	40°	K080910
69 1/8 (1756)	40°	K070685	50 1/8 (1274)	40°	K080496	92 1/8 (2340)	40°	K080915
69 1/2 (1767)	40°	K070690	51 (1297)	40°	K080505	92 3/4 (2355)	40°	K080922
70 (1779)	40°	K070694	51 1/2 (1309)	40°	K080510	93 1/8 (2367)	40°	K080926
70 3/4 (1796)	40°	K070701	52 (1320)	40°	K080514	93 7/8 (2384)	40°	K080934
71 1/8 (1807)	40°	K070705	53 1/8 (1351)	40°	K080525	94 1/2 (2400)	40°	K080939
71 1/2 (1816)	40°	K070709	53 1/2 (1359)	40°	K080530	95 (2412)	40°	K080944
73 3/4 (1874)	40°	K070733	54 1/4 (1379)	40°	K080537	95 3/4 (2432)	40°	K080952
74 1/8 (1883)	40°	K070735	55 1/8 (1399)	40°	K080545	97 1/2 (2475)	40°	K080968
76 7/8 (1951)	40°	K070763	55 3/4 (1415)	40°	K080550	98 5/8 (2505)	40°	K080981
78 (1982)	40°	K070776	56 1/4 (1429)	40°	K080558	99 1/8 (2519)	40°	K080986
79 1/8 (2011)	40°	K070786	56 5/8 (1439)	40°	K080560	99 5/8 (2531)	40°	K080991
82 7/8 (2105)	40°	*DK070817	57 (1448)	40°	K080565	100 5/8 (2555)	40°	K081000
83 1/8 (2112)	40°	K070825	57 1/8 (1452)	40°	K080566	101 1/8 (2568)	40°	K081005
84 (2133)	40°	K070834	57 1/2 (1462)	40°	K080570	102 5/8 (2605)	40°	K081020
84 (2134)	40°	K070835	58 1/8 (1475)	40°	K080575	102 7/8 (2613)	40°	K081023
86 1/8 (2187)	40°	K070855	58 5/8 (1490)	40°	K080580	104 (2642)	40°	K081035
87 7/8 (2232)	40°	K070873	59 (1499)	40°	K080585	108 (2745)	40°	K081074
88 1/2 (2249)	40°	K070880	59 1/2 (1512)	40°	K080590	108 1/2 (2756)	40°	K081079
88 3/4 (2255)	40°	K070882	60 (1523)	40°	K080594	109 3/8 (2778)	40°	K081088
89 1/8 (2263)	40°	K070885	60 5/8 (1538)	40°	K080600	109 3/4 (2788)	40°	K081092
89 1/8 (2265)	40°	K070886	61 1/8 (1553)	40°	K080605	110 3/4 (2814)	40°	K081102
89 3/4 (2278)	40°	K070890	61 3/4 (1569)	40°	K080610	113 (2869)	40°	K081124
90 1/8 (2289)	40°	K070896	62 1/8 (1577)	40°	K080615	115 1/8 (2924)	40°	K081145
90 5/8 (2301)	40°	K070901	62 5/8 (1591)	40°	K080620	116 1/4 (2953)	40°	K081153
90 7/8 (2308)	40°	K070903	62 7/8 (1598)	40°	K080623	118 1/4 (3005)	40°	K081177
91 1/8 (2314)	40°	K070905	63 1/8 (1603)	40°	K080626	119 1/2 (3035)	40°	K081189
92 1/4 (2343)	40°	K070916	63 5/8 (1616)	40°	K080630	120 1/8 (3050)	40°	K081196
92 3/4 (2357)	40°	K070922	64 1/4 (1633)	40°	K080635	121 3/8 (3082)	40°	K081207
93 (2362)	40°	K070924	65 (1651)	40°	K080644	121 7/8 (3096)	40°	K081213
93 5/8 (2378)	40°	K070931	65 1/4 (1657)	40°	K080645	122 3/4 (3117)	40°	K081223
95 3/4 (2431)	40°	K070951	65 1/2 (1665)	40°	K080649	125 5/8 (3192)	40°	K081251
97 3/4 (2484)	40°	K070975	65 7/8 (1674)	40°	K080653	125 7/8 (3198)	40°	K081253
98 1/8 (2492)	40°	K070976	66 1/4 (1683)	40°	K080655	127 1/8 (3228)	40°	K081265
101 1/8 (2568)	40°	K071005	66 1/2 (1691)	40°	K080660	130 3/8 (3312)	40°	K081298
101 3/8 (2576)	40°	K071009	67 1/2 (1716)	40°	K080670	133 1/8 (3381)	40°	K081325
101 7/8 (2586)	40°	K071013	67 3/4 (1722)	40°	K080672	133 3/4 (3396)	40°	K081331
103 5/8 (2633)	40°	K071031	68 (1728)	40°	K080675	136 1/2 (3468)	40°	K081359
104 1/4 (2649)	40°	K071037	68 1/4 (1734)	40°	K080677	136 3/4 (3499)	40°	K081362
104 5/8 (2656)	40°	K071040	68 5/8 (1742)	40°	K080680	138 1/4 (3513)	40°	K081377
105 1/8 (2671)	40°	K071045	69 1/8 (1756)	40°	K080685	<b>1 7/32" (31 mm) Top Width</b>		
106 1/4 (2699)	40°	K071056	69 5/8 (1767)	40°	K080690	50 1/2 (1282)	40°	K090500
107 1/8 (2720)	40°	K071065	70 (1777)	40°	K080694	61 1/2 (1562)	40°	K090609
113 5/8 (2886)	40°	K071130	70 1/2 (1789)	40°	K080700	<b>1 3/8" (35 mm) Top Width</b>		
114 (2897)	40°	K071134	70 3/4 (1798)	40°	K080702	38 3/4 (983)	40°	K100381
114 5/8 (2912)	40°	K071141	71 1/4 (1811)	40°	K080708	44 1/4 (1124)	40°	K100437
115 5/8 (2936)	40°	K071150	71 1/2 (1816)	40°	K080710	45 1/8 (1148)	40°	K100445
116 1/4 (2953)	40°	K071157	72 1/8 (1831)	40°	K080716	46 1/8 (1173)	40°	K100456
119 7/8 (3046)	40°	K071194	72 5/8 (1845)	40°	K080720	47 (1195)	40°	K100465
125 3/8 (3183)	40°	K071247	73 1/4 (1859)	40°	K080726	48 7/8 (1241)	40°	K100485
			73 1/2 (1867)	40°	K080730	50 1/8 (1274)	40°	K100495

## Micro-V® Belts Listed by Width and Length

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>1 3/8" (35 mm) Top Width - Continued</b>			<b>1 21/32" (42 mm) Top Width</b>			<b>1 15/16" (49 mm) Top Width</b>		
54 1/2 (1385) .....	40°	K100540	28 3/4 (730) .....	40°	K120281	35 (890).....	40°	K140345
56 (1423).....	40°	K100554	36 5/8 (929) .....	40°	K120360	35 7/8 (910) .....	40°	K140352
56 7/8 (1444) .....	40°	K100563	39 3/4 (1008) .....	40°	K120390	37 1/2 (954) .....	40°	K140370
57 1/2 (1462) .....	40°	K100570	40 3/4 (1034) .....	40°	K120400	43 1/2 (1106) .....	40°	K140429
57 7/8 (1469) .....	40°	K100572	41 1/2 (1054) .....	40°	K120410	43 7/8 (1116) .....	40°	K140433
58 1/8 (1475) .....	40°	K100575	53 1/8 (1351) .....	40°	K120525	45 5/8 (1160) .....	40°	K140451
58 1/2 (1487) .....	40°	K100579	56 1/2 (1436) .....	40°	K120559	50 1/8 (1274) .....	40°	K140496
60 (1523).....	40°	K100594	60 (1523).....	40°	K120594	52 1/8 (1325) .....	40°	K140516
61 1/4 (1557) .....	40°	K100607	61 1/8 (1553) .....	40°	K120606	53 1/8 (1350) .....	40°	K140524
61 5/8 (1564) .....	40°	K100610	61 3/4 (1569) .....	40°	K120610	56 (1422).....	40°	K140555
62 3/8 (1585) .....	40°	K100618	70 3/4 (1798) .....	40°	K120702	58 5/8 (1490) .....	40°	K140580
63 5/8 (1616) .....	40°	K100630	72 5/8 (1845) .....	40°	K120720	60 (1523).....	40°	K140594
64 1/4 (1633) .....	40°	K100637	74 3/8 (1889) .....	40°	K120738	60 3/8 (1534) .....	40°	K140597
64 5/8 (1642) .....	40°	K100640	82 (2083).....	40°	K120815	60 7/8 (1546) .....	40°	K140603
66 (1678).....	40°	K100655	84 3/4 (2154) .....	40°	K120842	62 3/8 (1585) .....	40°	K140618
66 3/8 (1687) .....	40°	K100658	86 7/8 (2208) .....	40°	K120864	63 3/8 (1609) .....	40°	K140627
67 1/8 (1704) .....	40°	K100665	87 3/4 (2230) .....	40°	K120872	66 3/4 (1696) .....	40°	K140662
67 1/2 (1716) .....	40°	K100670	88 3/8 (2245) .....	40°	K120878	68 3/4 (1746) .....	40°	K140682
68 (1728).....	40°	K100675	89 5/8 (2278) .....	40°	K120891	70 1/2 (1789) .....	40°	K140700
68 1/4 (1734) .....	40°	K100677	90 5/8 (2301) .....	40°	K120901	<b>2 1/16" (53 mm) Top Width</b>		
71 1/2 (1816) .....	40°	K100710	90 7/8 (2308) .....	40°	K120903	76 3/8 (1942) .....	40°	K150759
72 3/8 (1840) .....	40°	K100719	91 3/4 (2329) .....	40°	K120911			
73 5/8 (1871) .....	40°	K100731	93 1/8 (2364) .....	40°	K120924			
74 1/2 (1893) .....	40°	K100739	93 3/4 (2381) .....	40°	K120931			
77 3/4 (1976) .....	40°	K100771	97 (2463).....	40°	K120964			
79 1/2 (2019) .....	40°	K100789	98 1/8 (2492) .....	40°	K120979			
81 5/8 (2073) .....	40°	K100810	104 1/2 (2654) .....	40°	K121039			
85 7/8 (2182) .....	40°	K100852						
89 3/4 (2278) .....	40°	K100891						

# FleetRunner® Micro-V® Belts

## Listed by Number

Showing Our Belt Numbers with Corresponding  
Nominal Outside Lengths, Top Widths and Angles

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
K040378HD	38 1/2 (977)	9/16 (14)	40°	K061015HD	102 1/8 (2593)	13/16 (20)	40°
K040425HD	43 1/8 (1095)	9/16 (14)	40°	K061058HD	106 3/8 (2701)	13/16 (20)	40°
K040430HD	43 3/4 (1111)	9/16 (14)	40°	K061080HD	108 3/4 (2761)	13/16 (20)	40°
K040745HD	75 1/8 (1905)	9/16 (14)	40°	K061140HD	114 1/2 (2910)	13/16 (20)	40°
K040762HD	76 7/8 (1952)	9/16 (14)	40°	K061187HD	119 1/4 (3030)	13/16 (20)	40°
K050323HD	33 (837)	21/32 (17)	40°	K061195HD	120 1/8 (3051)	13/16 (20)	40°
K050336HD	34 3/8 (872)	21/32 (17)	40°	K061360HD	136 1/2 (3467)	13/16 (20)	40°
K050340HD	34 5/8 (881)	21/32 (17)	40°	K070640HD	64 5/8 (1642)	15/16 (24)	40°
K050345HD	35 1/4 (894)	21/32 (17)	40°	K070673HD	67 3/4 (1722)	15/16 (24)	40°
K050350HD	35 5/8 (906)	21/32 (17)	40°	K070705HD	71 1/8 (1807)	15/16 (24)	40°
K050360HD	36 3/4 (932)	21/32 (17)	40°	K070735HD	74 1/8 (1883)	15/16 (24)	40°
K050375HD	38 1/4 (971)	21/32 (17)	40°	K070825HD	83 1/8 (2112)	15/16 (24)	40°
K050380HD	38 3/4 (983)	21/32 (17)	40°	K071056HD	106 1/4 (2699)	15/16 (24)	40°
K050420HD	42 5/8 (1084)	21/32 (17)	40°	K071247HD	125 3/8 (3183)	15/16 (24)	40°
K060340HD	34 3/4 (881)	13/16 (20)	40°	K080330HD	33 3/4 (856)	1 3/32 (28)	40°
K060390HD	39 3/4 (1008)	13/16 (20)	40°	K080375HD	38 1/8 (968)	1 3/32 (28)	40°
K060400HD	40 3/4 (1034)	13/16 (20)	40°	K080382HD	38 3/4 (983)	1 3/32 (28)	40°
K060408HD	41 1/2 (1054)	13/16 (20)	40°	K080384HD	39 (990)	1 3/32 (28)	40°
K060415HD	42 1/8 (1069)	13/16 (20)	40°	K080385HD	39 1/8 (992)	1 3/32 (28)	40°
K060425HD	43 1/8 (1095)	13/16 (20)	40°	K080400HD	40 3/4 (1034)	1 3/32 (28)	40°
K060435HD	44 1/8 (1122)	13/16 (20)	40°	K080415HD	42 1/8 (1069)	1 3/32 (28)	40°
K060455HD	46 (1170)	13/16 (20)	40°	K080427HD	43 1/2 (1103)	1 3/32 (28)	40°
K060458HD	46 3/8 (1179)	13/16 (20)	40°	K080450HD	45 5/8 (1160)	1 3/32 (28)	40°
K060470HD	47 5/8 (1211)	13/16 (20)	40°	K080465HD	47 (1195)	1 3/32 (28)	40°
K060478HD	48 1/4 (1227)	13/16 (20)	40°	K080471HD	47 3/4 (1211)	1 3/32 (28)	40°
K060480HD	48 5/8 (1237)	13/16 (20)	40°	K080485HD	49 1/8 (1249)	1 3/32 (28)	40°
K060483HD	48 7/8 (1241)	13/16 (20)	40°	K080496HD	50 1/8 (1274)	1 3/32 (28)	40°
K060490HD	49 1/2 (1258)	13/16 (20)	40°	K080505HD	51 (1297)	1 3/32 (28)	40°
K060495HD	50 1/8 (1274)	13/16 (20)	40°	K080510HD	51 1/2 (1309)	1 3/32 (28)	40°
K060500HD	50 3/4 (1288)	13/16 (20)	40°	K080514HD	52 (1320)	1 3/32 (28)	40°
K060509HD	51 1/2 (1309)	13/16 (20)	40°	K080525HD	53 1/8 (1351)	1 3/32 (28)	40°
K060516HD	52 1/8 (1325)	13/16 (20)	40°	K080530HD	53 1/2 (1359)	1 3/32 (28)	40°
K060523HD	52 7/8 (1342)	13/16 (20)	40°	K080537HD	54 1/4 (1379)	1 3/32 (28)	40°
K060525HD	53 3/8 (1355)	13/16 (20)	40°	K080545HD	55 1/8 (1399)	1 3/32 (28)	40°
K060529HD	53 1/2 (1359)	13/16 (20)	40°	K080550HD	55 3/4 (1415)	1 3/32 (28)	40°
K060539HD	54 1/2 (1385)	13/16 (20)	40°	K080560HD	56 5/8 (1439)	1 3/32 (28)	40°
K060547HD	55 1/4 (1404)	13/16 (20)	40°	K080565HD	57 (1448)	1 3/32 (28)	40°
K060555HD	56 (1423)	13/16 (20)	40°	K080570HD	57 1/2 (1462)	1 3/32 (28)	40°
K060557HD	56 1/4 (1429)	13/16 (20)	40°	K080575HD	58 1/8 (1475)	1 3/32 (28)	40°
K060559HD	56 1/2 (1436)	13/16 (20)	40°	K080580HD	58 5/8 (1490)	1 3/32 (28)	40°
K060560HD	56 5/8 (1439)	13/16 (20)	40°	K080585HD	59 (1499)	1 3/32 (28)	40°
K060568HD	57 3/8 (1459)	13/16 (20)	40°	K080590HD	59 1/2 (1512)	1 3/32 (28)	40°
K060569HD	57 1/2 (1462)	13/16 (20)	40°	K080594HD	60 (1523)	1 3/32 (28)	40°
K060575HD	58 (1473)	13/16 (20)	40°	K080605HD	61 1/8 (1553)	1 3/32 (28)	40°
K060578HD	58 3/8 (1483)	13/16 (20)	40°	K080610HD	61 3/4 (1569)	1 3/32 (28)	40°
K060586HD	59 1/4 (1504)	13/16 (20)	40°	K080615HD	62 1/8 (1577)	1 3/32 (28)	40°
K060598HD	60 3/8 (1534)	13/16 (20)	40°	K080630HD	63 5/8 (1616)	1 3/32 (28)	40°
K060605HD	61 1/8 (1553)	13/16 (20)	40°	K080645HD	65 1/4 (1657)	1 3/32 (28)	40°
K060615HD	62 1/8 (1577)	13/16 (20)	40°	K080649HD	65 1/2 (1665)	1 3/32 (28)	40°
K060635HD	64 1/8 (1627)	13/16 (20)	40°	K080670HD	67 1/2 (1716)	1 3/32 (28)	40°
K060637HD	64 3/8 (1634)	13/16 (20)	40°	K080672HD	67 3/4 (1722)	1 3/32 (28)	40°
K060653HD	65 7/8 (1674)	13/16 (20)	40°	K080675HD	68 (1728)	1 3/32 (28)	40°
K060658HD	66 3/8 (1687)	13/16 (20)	40°	K080680HD	68 5/8 (1742)	1 3/32 (28)	40°
K060660HD	66 3/4 (1696)	13/16 (20)	40°	K080685HD	69 1/8 (1756)	1 3/32 (28)	40°
K060670HD	67 1/2 (1716)	13/16 (20)	40°	K080690HD	69 5/8 (1767)	1 3/32 (28)	40°
K060672HD	67 3/4 (1722)	13/16 (20)	40°	K080694HD	70 (1777)	1 3/32 (28)	40°
K060675HD	68 (1728)	13/16 (20)	40°	K080700HD	70 1/2 (1789)	1 3/32 (28)	40°
K060685HD	69 1/8 (1756)	13/16 (20)	40°	K080702HD	70 3/4 (1798)	1 3/32 (28)	40°
K060716HD	72 (1830)	13/16 (20)	40°	K080708HD	71 1/4 (1811)	1 3/32 (28)	40°
K060735HD	74 1/8 (1881)	13/16 (20)	40°	K080710HD	71 1/2 (1816)	1 3/32 (28)	40°
K060747HD	75 3/8 (1914)	13/16 (20)	40°	K080716HD	72 1/8 (1816)	1 3/32 (28)	40°
K060795HD	80 1/8 (2034)	13/16 (20)	40°	K080720HD	72 5/8 (1845)	1 3/32 (28)	40°
K060806HD	81 1/8 (2061)	13/16 (20)	40°	K080726HD	73 1/4 (1859)	1 3/32 (28)	40°
K060832HD	83 3/4 (2127)	13/16 (20)	40°	K080730HD	73 1/2 (1867)	1 3/32 (28)	40°
K060846HD	85 1/4 (2164)	13/16 (20)	40°	K080733HD	73 3/4 (1874)	1 3/32 (28)	40°
K060849HD	85 1/2 (2171)	13/16 (20)	40°	K080738HD	74 3/8 (1889)	1 3/32 (28)	40°
K060905HD	90 7/8 (2308)	13/16 (20)	40°	K080740HD	74 5/8 (1896)	1 3/32 (28)	40°
K060910HD	91 5/8 (2329)	13/16 (20)	40°	K080745HD	75 1/8 (1907)	1 3/32 (28)	40°
K060923HD	92 7/8 (2360)	13/16 (20)	40°	K080760HD	76 1/2 (1942)	1 3/32 (28)	40°
K060930HD	93 5/8 (2377)	13/16 (20)	40°	K080774HD	77 3/4 (1976)	1 3/32 (28)	40°
K060988HD	99 1/2 (2526)	13/16 (20)	40°	K080780HD	78 5/8 (1996)	1 3/32 (28)	40°
K060990HD	99 5/8 (2531)	13/16 (20)	40°	K080785HD	79 (2007)	1 3/32 (28)	40°
K060994HD	99 7/8 (2537)	13/16 (20)	40°	K080797HD	80 1/8 (2037)	1 3/32 (28)	40°
K061000HD	100 5/8 (2555)	13/16 (20)	40°	K080806HD	81 1/8 (2061)	1 3/32 (28)	40°
K061010HD	101 5/8 (2581)	13/16 (20)	40°	K080810HD	81 5/8 (2073)	1 3/32 (28)	40°

(mm) Millimeters

## FleetRunner® Micro-V® Belts Listed by Number

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
K080816HD	82 1/8 (2086)	1 3/32 (28)	40°	K100510HD	51 1/2 (1309)	1 3/8 (35)	40°
K080817HD	82 3/8 (2091)	1 3/32 (28)	40°	K100540HD	54 1/2 (1385)	1 3/8 (35)	40°
K080820HD	82 3/4 (2101)	1 3/32 (28)	40°	K100554HD	56 (1423)	1 3/8 (35)	40°
K080825HD	83 1/8 (2112)	1 3/32 (28)	40°	K100564HD	57 (1448)	1 3/8 (35)	40°
K080830HD	83 3/4 (2127)	1 3/32 (28)	40°	K100570HD	57 1/2 (1462)	1 3/8 (35)	40°
K080839HD	84 3/8 (2144)	1 3/32 (28)	40°	K100578HD	58 3/8 (1482)	1 3/8 (35)	40°
K080842HD	84 3/4 (2154)	1 3/32 (28)	40°	K100579HD	58 1/2 (1487)	1 3/8 (35)	40°
K080850HD	85 3/8 (2175)	1 3/32 (28)	40°	K100582HD	58 3/4 (1492)	1 3/8 (35)	40°
K080855HD	86 1/8 (2187)	1 3/32 (28)	40°	K100600HD	60 1/2 (1538)	1 3/8 (35)	40°
K080859HD	86 3/8 (2195)	1 3/32 (28)	40°	K100607HD	61 1/4 (1557)	1 3/8 (35)	40°
K080885HD	89 1/8 (2263)	1 3/32 (28)	40°	K100610HD	61 5/8 (1564)	1 3/8 (35)	40°
K080893HD	89 7/8 (2282)	1 3/32 (28)	40°	K100615HD	62 (1576)	1 3/8 (35)	40°
K080903HD	90 7/8 (2308)	1 3/32 (28)	40°	K100618HD	63 3/4 (1619)	1 3/8 (35)	40°
K080915HD	92 1/8 (2340)	1 3/32 (28)	40°	K100630HD	63 5/8 (1616)	1 3/8 (35)	40°
K080922HD	92 3/4 (2355)	1 3/32 (28)	40°	K100640HD	64 5/8 (1642)	1 3/8 (35)	40°
K080926HD	93 1/8 (2367)	1 3/32 (28)	40°	K100649HD	65 1/2 (1664)	1 3/8 (35)	40°
K080934HD	93 7/8 (2384)	1 3/32 (28)	40°	K100655HD	66 (1678)	1 3/8 (35)	40°
K080939HD	94 1/2 (2400)	1 3/32 (28)	40°	K100658HD	66 3/8 (1687)	1 3/8 (35)	40°
K080944HD	95 (2412)	1 3/32 (28)	40°	K100661HD	66 3/4 (1694)	1 3/8 (35)	40°
K080952HD	95 3/4 (2432)	1 3/32 (28)	40°	K100665HD	67 1/8 (1704)	1 3/8 (35)	40°
K080956HD	96 1/4 (2444)	1 3/32 (28)	40°	K100670HD	67 1/2 (1716)	1 3/8 (35)	40°
K080968HD	97 1/2 (2475)	1 3/32 (28)	40°	K100675HD	68 (1728)	1 3/8 (35)	40°
K080986HD	99 1/8 (2519)	1 3/32 (28)	40°	K100677HD	68 1/4 (1734)	1 3/8 (35)	40°
K080991HD	99 5/8 (2531)	1 3/32 (28)	40°	K100686HD	44 1/4 (1758)	1 3/8 (35)	40°
K081000HD	100 5/8 (2555)	1 3/32 (28)	40°	K100710HD	71 1/2 (1816)	1 3/8 (35)	40°
K081005HD	101 1/8 (2568)	1 3/32 (28)	40°	K100719HD	72 3/8 (1840)	1 3/8 (35)	40°
K081020HD	102 5/8 (2605)	1 3/32 (28)	40°	K100731HD	73 5/8 (1871)	1 3/8 (35)	40°
K081035HD	104 (2642)	1 3/32 (28)	40°	K100771HD	77 3/4 (1976)	1 3/8 (35)	40°
K081044HD	105 (2666)	1 3/32 (28)	40°	K100789HD	79 1/2 (2019)	1 3/8 (35)	40°
K081055HD	106 1/8 (2694)	1 3/32 (28)	40°	K100879HD	88 1/2 (2247)	1 3/8 (35)	40°
K081074HD	108 (2745)	1 3/32 (28)	40°	K120606HD	61 1/8 (1553)	1 21/32 (42)	40°
K081079HD	108 1/2 (2756)	1 3/32 (28)	40°	K120610HD	61 3/4 (1569)	1 21/32 (42)	40°
K081088HD	109 3/8 (2778)	1 3/32 (28)	40°	K120720HD	72 5/8 (1845)	1 21/32 (42)	40°
K081092HD	109 3/4 (2788)	1 3/32 (28)	40°	K120738HD	74 3/8 (1889)	1 21/32 (42)	40°
K081102HD	110 3/4 (2814)	1 3/32 (28)	40°	K120815HD	82 (2083)	1 21/32 (42)	40°
K081124HD	113 (2869)	1 3/32 (28)	40°	K120842HD	84 3/4 (2154)	1 21/32 (42)	40°
K081153HD	116 1/4 (2953)	1 3/32 (28)	40°	K120864HD	86 7/8 (2208)	1 21/32 (42)	40°
K081177HD	118 1/4 (3005)	1 3/32 (28)	40°	K120901HD	90 5/8 (2301)	1 21/32 (42)	40°
K081196HD	120 1/8 (3050)	1 3/32 (28)	40°	K120911HD	91 3/4 (2329)	1 21/32 (42)	40°
K081213HD	121 7/8 (3096)	1 3/32 (28)	40°	K120964HD	97 (2463)	1 21/32 (42)	40°
K081223HD	122 3/4 (3117)	1 3/32 (28)	40°	K120975HD	98 1/8 (2492)	1 21/32 (42)	40°
K081265HD	127 1/8 (3228)	1 3/32 (28)	40°	K120985HD	99 1/8 (2516)	1 21/32 (42)	40°
K081331HD	133 3/4 (3396)	1 3/32 (28)	40°	K121000HD	100 5/8 (2556)	1 21/32 (42)	40°
K081359HD	136 1/2 (3468)	1 3/32 (28)	40°	K121039HD	104 1/2 (2654)	1 21/32 (42)	40°
K081377HD	138 1/4 (3513)	1 3/32 (28)	40°	K121049HD	105 1/2 (2680)	1 21/32 (42)	40°
K090609HD	61 1/2 (1562)	1 7/32 (31)	40°	K140429HD	43 1/2 (1106)	1 15/16 (42)	40°
K100437HD	44 1/4 (1124)	1 3/8 (35)	40°	K140555HD	56 (1422)	1 15/16 (49)	40°
K100465HD	47 (1195)	1 3/8 (35)	40°	K140662HD	66 3/4 (1696)	1 15/16 (49)	40°
K100495HD	50 1/8 (1274)	1 3/8 (35)	40°	K140700HD	70 1/2 (1789)	1 15/16 (49)	40°
K100502HD	50 3/4 (1288)	1 3/8 (35)	40°				

(mm) Millimeters

# FleetRunner® Micro-V® Belts

## Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>9/16" (14 mm) Top Width</b>			<b>13/16" (20 mm) Top Width</b>			<b>1 3/32" (28 mm) Top Width</b>		
			- Continued			- Continued		
38 1/8 (977)	40°	K040378HD	85 1/4 (2164)	40°	K060846HD	68 5/8 (1742)	40°	K080680HD
43 1/8 (1095)	40°	K040425HD	85 1/2 (2171)	40°	K060849HD	69 1/8 (1756)	40°	K080685HD
43 3/4 (1111)	40°	K040430HD	90 7/8 (2308)	40°	K060905HD	69 5/8 (1767)	40°	K080690HD
75 1/8 (1905)	40°	K040745HD	91 5/8 (2329)	40°	K060910HD	70 (1777)	40°	K080694HD
76 7/8 (1952)	40°	K040762HD	92 7/8 (2360)	40°	K060923HD	70 1/2 (1789)	40°	K080700HD
<b>21/32" (17 mm) Top Width</b>								
33 (837)	40°	K050323HD	93 5/8 (2377)	40°	K060930HD	70 3/4 (1798)	40°	K080702HD
34 3/8 (872)	40°	K050336HD	99 1/2 (2526)	40°	K060988HD	71 1/4 (1811)	40°	K080708HD
34 5/8 (881)	40°	K050340HD	99 5/8 (2537)	40°	K060990HD	71 1/2 (1816)	40°	K080710HD
35 1/4 (894)	40°	K050345HD	99 7/8 (2537)	40°	K060994HD	72 1/8 (1831)	40°	K080716HD
35 5/8 (906)	40°	K050350HD	100 5/8 (2555)	40°	K061000HD	72 5/8 (1845)	40°	K080720HD
36 3/4 (932)	40°	K050360HD	101 5/8 (2581)	40°	K061010HD	73 1/4 (1859)	40°	K080726HD
36 3/4 (932)	40°	K050360HD	102 1/8 (2593)	40°	K061015HD	73 1/2 (1867)	40°	K080730HD
38 1/4 (971)	40°	K050375HD	106 3/8 (2701)	40°	K061058HD	73 3/4 (1874)	40°	K080733HD
38 3/4 (983)	40°	K050380HD	108 3/4 (2761)	40°	K061080HD	74 3/8 (1889)	40°	K080738HD
42 5/8 (1084)	40°	K050420HD	114 1/2 (2910)	40°	K061140HD	74 5/8 (1896)	40°	K080740HD
<b>13/16" (20 mm) Top Width</b>			<b>15/16" (24 mm) Top Width</b>					
34 3/4 (881)	40°	K060340HD	64 5/8 (1642)	40°	K070640HD	80 1/8 (2037)	40°	K080785HD
39 3/4 (1008)	40°	K060390HD	67 3/4 (1722)	40°	K070673HD	81 1/8 (2061)	40°	K080806HD
40 3/4 (1034)	40°	K060400HD	71 1/8 (1807)	40°	K070705HD	81 5/8 (2073)	40°	K080810HD
41 1/2 (1054)	40°	K060408HD	74 1/8 (1883)	40°	K070735HD	82 1/8 (2086)	40°	K080816HD
42 1/8 (1069)	40°	K060415HD	83 1/8 (2112)	40°	K070825HD	82 3/8 (2091)	40°	K080817HD
43 1/8 (1095)	40°	K060425HD	106 1/4 (2699)	40°	K071056HD	82 3/4 (2101)	40°	K080820HD
44 1/8 (1122)	40°	K060435HD	125 3/8 (3183)	40°	K071247HD	83 1/8 (2112)	40°	K080825HD
46 (1170)	40°	K060455HD				83 3/4 (2127)	40°	K080830HD
46 3/8 (1179)	40°	K060458HD				84 3/8 (2144)	40°	K080839HD
47 5/8 (1211)	40°	K060470HD				84 3/4 (2154)	40°	K080842HD
48 1/4 (1227)	40°	K060478HD				85 3/8 (2175)	40°	K080850HD
48 5/8 (1237)	40°	K060480HD				86 1/8 (2187)	40°	K080855HD
48 7/8 (1241)	40°	K060483HD				86 3/8 (2195)	40°	K080859HD
49 1/2 (1258)	40°	K060490HD				89 1/8 (2263)	40°	K080885HD
50 1/8 (1274)	40°	K060495HD				89 7/8 (2282)	40°	K080893HD
50 3/4 (1288)	40°	K060500HD				90 7/8 (2308)	40°	K080903HD
51 1/2 (1309)	40°	K060509HD				92 1/8 (2340)	40°	K080915HD
52 1/8 (1325)	40°	K060516HD				92 3/4 (2355)	40°	K080922HD
52 7/8 (1342)	40°	K060523HD				93 1/8 (2367)	40°	K080926HD
53 3/8 (1355)	40°	K060525HD				93 7/8 (2384)	40°	K080934HD
53 1/2 (1359)	40°	K060529HD				94 1/2 (2400)	40°	K080939HD
54 1/2 (1385)	40°	K060539HD				95 (2412)	40°	K080944HD
55 1/4 (1404)	40°	K060547HD				95 3/4 (2432)	40°	K080952HD
56 (1423)	40°	K060555HD				96 1/4 (2444)	40°	K080956HD
56 1/4 (1429)	40°	K060557HD				97 1/2 (2475)	40°	K080968HD
56 1/2 (1436)	40°	K060559HD				99 1/8 (2519)	40°	K080986HD
56 5/8 (1439)	40°	K060560HD				99 5/8 (2531)	40°	K080991HD
57 3/8 (1459)	40°	K060568HD				100 5/8 (2555)	40°	K081000HD
57 1/2 (1462)	40°	K060569HD				101 1/8 (2568)	40°	K081005HD
58 (1473)	40°	K060575HD				102 5/8 (2605)	40°	K081020HD
58 3/8 (1483)	40°	K060578HD				104 (2642)	40°	K081035HD
59 1/4 (1504)	40°	K060586HD				105 (2652)	40°	K081044HD
60 3/8 (1534)	40°	K060598HD				106 1/8 (2694)	40°	K081055HD
61 1/8 (1553)	40°	K060605HD				108 (2745)	40°	K081074HD
62 1/8 (1577)	40°	K060615HD				108 1/2 (2756)	40°	K081079HD
64 1/8 (1627)	40°	K060635HD				109 3/8 (2778)	40°	K081088HD
64 3/8 (1634)	40°	K060637HD				109 3/4 (2788)	40°	K081092HD
65 7/8 (1674)	40°	K060653HD				110 3/4 (2814)	40°	K081102HD
66 3/8 (1687)	40°	K060658HD				113 (2869)	40°	K081124HD
66 3/4 (1696)	40°	K060660HD				116 1/4 (2953)	40°	K081153HD
67 1/2 (1716)	40°	K060670HD				118 1/4 (3005)	40°	K081177HD
67 3/4 (1722)	40°	K060672HD				120 1/8 (3050)	40°	K081196HD
68 (1728)	40°	K060675HD				121 7/8 (3096)	40°	K081213HD
69 1/8 (1756)	40°	K060685HD				122 3/4 (3117)	40°	K081223HD
72 (1830)	40°	K060716HD				127 1/8 (3228)	40°	K081265HD
74 1/8 (1881)	40°	K060735HD				133 3/4 (3396)	40°	K081331HD
75 3/8 (1914)	40°	K060747HD				136 1/2 (3468)	40°	K081359HD
80 1/8 (2034)	40°	K060795HD				138 1/4 (3513)	40°	K081377HD
81 1/8 (2061)	40°	K060806HD						
83 3/4 (2127)	40°	K060832HD						

(mm) Millimeters



## FleetRunner® Micro-V® Belts Listed by Width and Length

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>1 7/32" (31 mm) Top Width</b>			<b>1 3/8" (35 mm) Top Width</b>			<b>1 21/32" (42 mm) Top Width</b>		
			- Continued			- Continued		
61 1/2 (1562) .....	40°	K090609HD	64 5/8 (1642) .....	40°	K100640HD	72 5/8 (1845) .....	40°	K120720HD
<b>1 3/8" (35 mm) Top Width</b>			65 1/2 (1664) .....	40°	K100649HD	74 3/8 (1889) .....	40°	K120738HD
44 1/4 (1124) .....	40°	K100437HD	66 (1678) .....	40°	K100655HD	82 (2083) .....	40°	K120815HD
47 (1195) .....	40°	K100465HD	66 3/8 (1687) .....	40°	K100658HD	84 3/4 (2154) .....	40°	K120842HD
50 1/8 (1274) .....	40°	K100495HD	66 3/4 (1694) .....	40°	K100661HD	86 7/8 (2208) .....	40°	K120864HD
50 3/4 (1288) .....	40°	K100502HD	67 1/8 (1704) .....	40°	K100665HD	90 5/8 (2301) .....	40°	K120901HD
51 1/2 (1309) .....	40°	K100510HD	67 1/2 (1716) .....	40°	K100670HD	91 3/4 (2329) .....	40°	K120911HD
54 1/2 (1385) .....	40°	K100540HD	68 (1728) .....	40°	K100675HD	97 (2463) .....	40°	K120964HD
56 (1423) .....	40°	K100554HD	68 1/4 (1734) .....	40°	K100677HD	98 1/8 (2492) .....	40°	K120975HD
57 (1448) .....	40°	K100564HD	44 1/4 (1758) .....	40°	K100686HD	99 1/8 (2516) .....	40°	K120985HD
57 1/2 (1462) .....	40°	K100570HD	71 1/2 (1816) .....	40°	K100710HD	100 5/8 (2556) .....	40°	K121000HD
58 3/8 (1482) .....	40°	K100578HD	72 3/8 (1840) .....	40°	K100719HD	104 1/2 (2654) .....	40°	K121039HD
58 1/2 (1487) .....	40°	K100579HD	73 5/8 (1871) .....	40°	K100731HD	105 1/2 (2680) .....	40°	K121049HD
58 3/4 (1492) .....	40°	K100582HD	77 3/4 (1976) .....	40°	K100771HD	<b>1 15/16" (49 mm) Top Width</b>		
60 1/2 (1538) .....	40°	K100600HD	79 1/2 (2019) .....	40°	K100789HD	43 1/2 (1106) .....	40°	K140429HD
61 1/4 (1557) .....	40°	K100607HD	88 1/2 (2247) .....	40°	K100879HD	56 (1422) .....	40°	K140555HD
61 5/8 (1564) .....	40°	K100610HD	<b>1 21/32" (42 mm) Top Width</b>			66 3/4 (1696) .....	40°	K140662HD
62 (1576) .....	40°	K100615HD	61 1/8 (1553) .....	40°	K120606HD	70 1/2 (1789) .....	40°	K140700HD
63 3/4 (1619) .....	40°	K100618HD	61 3/4 (1569) .....	40°	K120610HD			
63 5/8 (1616) .....	40°	K100630HD						

# High Performance Micro-V® Belts

## Listed by Number

Showing Gates Belt Numbers with Corresponding  
Nominal Outside Lengths, Top Widths and Angles

Gates Belt No.	Length Inches (mm)	Top Width Inches (mm)	Color	Gates Belt No.	Length Inches (mm)	Top Width Inches (mm)	Color
K030250RB	25 3/4 (654)	13/32 (11)	BLUE	K050321RB	32 3/4 (831)	21/32 (17)	BLUE
K030295RB	30 1/8 (765)	13/32 (11)	BLUE	K050336RB	34 3/8 (872)	21/32 (17)	BLUE
K030300RB	30 3/4 (781)	13/32 (11)	BLUE	K050344RB	35 (889)	21/32 (17)	BLUE
K030334RB	34 (864)	13/32 (11)	BLUE	K050345RB	35 1/4 (894)	21/32 (17)	BLUE
K040274RB	27 7/8 (709)	9/16 (14)	BLUE	K050350RB	35 5/8 (905)	11/16 (17)	BLUE
K040300RB	30 3/4 (781)	9/16 (14)	BLUE	K050380RB	38 3/4 (983)	21/32 (17)	BLUE
K040305RB	31 1/4 (792)	9/16 (14)	BLUE	K050390RB	39 3/4 (1008)	21/32 (17)	BLUE
K040310RB	31 5/8 (804)	9/16 (14)	BLUE	K050400RB	40 5/8 (1030)	11/16 (17)	BLUE
K040315RB	32 1/4 (818)	9/16 (14)	BLUE	K050415RB	42 (1068)	11/16 (17)	BLUE
K040322RB	32 7/8 (836)	9/16 (14)	BLUE	K050420RB	42 5/8 (1084)	11/16 (17)	BLUE
K040325RB	33 1/4 (844)	9/16 (14)	BLUE	K050425RB	43 1/8 (1094)	11/16 (17)	BLUE
K040329RB	33 3/8 (849)	9/16 (14)	BLUE	K050435RB	44 1/8 (1122)	21/32 (17)	BLUE
K040330RB	33 5/8 (855)	9/16 (14)	BLUE	K050507RB	51 1/8 (1298)	11/16 (17)	BLUE
K040332RB	33 3/4 (858)	9/16 (14)	BLUE	K050516RB	52 1/8 (1325)	11/16 (17)	BLUE
K040335RB	34 (864)	9/16 (14)	BLUE	K050887RB	89 1/8 (2265)	11/16 (17)	BLUE
K040340RB	34 5/8 (881)	9/16 (14)	BLUE	K060338RB	34 3/8 (873)	13/16 (20)	BLUE
K040345RB	35 (889)	9/16 (14)	BLUE	K060388RB	39 3/8 (999)	13/16 (20)	BLUE
K040347RB	35 1/4 (897)	9/16 (14)	BLUE	K060465RB	47 (1195)	13/16 (20)	BLUE
K040353RB	35 7/8 (911)	9/16 (14)	BLUE	K060605RB	61 1/8 (1553)	13/16 (20)	BLUE
K040355RB	36 1/8 (917)	9/16 (14)	BLUE	K060642RB	64 3/4 (1646)	13/16 (20)	BLUE
K040360RB	36 5/8 (932)	9/16 (14)	BLUE	K060705RB	71 1/8 (1806)	13/16 (20)	BLUE
K040365RB	37 1/8 (942)	9/16 (14)	BLUE	K060739RB	74 1/2 (1893)	13/16 (20)	BLUE
K040370RB	37 1/2 (954)	9/16 (14)	BLUE	K060744RB	75 (1904)	13/16 (20)	BLUE
K040372RB	38 (964)	9/16 (14)	BLUE	K060763RB	76 7/8 (1951)	13/16 (20)	BLUE
K040384RB	39 (990)	9/16 (14)	BLUE	K060790RB	79 1/2 (2018)	13/16 (20)	BLUE
K040385RB	39 1/8 (993)	9/16 (14)	BLUE	K060825RB	83 1/8 (2112)	13/16 (20)	BLUE
K040390RB	39 5/8 (1008)	9/16 (14)	BLUE	K060827RB	83 1/4 (2115)	13/16 (20)	BLUE
K040398RB	40 3/8 (1027)	9/16 (14)	BLUE	K060837RB	84 1/4 (2141)	13/16 (20)	BLUE
K040400RB	40 5/8 (1033)	9/16 (14)	BLUE	K060935RB	94 (2387)	13/16 (20)	BLUE
K040405RB	41 1/4 (1046)	9/16 (14)	BLUE	K060975RB	98 1/8 (2492)	13/16 (20)	BLUE
K040410RB	41 5/8 (1060)	9/16 (14)	BLUE	K061015RB	102 1/8 (2593)	13/16 (20)	BLUE
K040420RB	42 5/8 (1085)	9/16 (14)	BLUE	K070653RB	65 7/8 (1675)	15/16 (24)	BLUE
K040440RB	44 3/4 (1135)	9/16 (14)	BLUE	K070680RB	68 5/8 (1743)	15/16 (24)	BLUE
K040476RB	48 1/8 (1223)	9/16 (14)	BLUE	K070763RB	76 7/8 (1951)	15/16 (24)	BLUE
K040517RB	52 1/8 (1325)	9/16 (14)	BLUE	K070896RB	90 1/8 (2289)	15/16 (24)	BLUE
K040551RB	55 5/8 (1414)	9/16 (14)	BLUE				

# High Performance Micro-V® Belts

## Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Angles  
with Corresponding Gates Belt Numbers

Length Inches (mm)	Color	Gates Belt No.	Length Inches (mm)	Color	Gates Belt No.	Length Inches (mm)	Color	Gates Belt No.
<b>13/32" (11 mm) Top Width</b>			<b>9/16" (14 mm) Top Width</b>			<b>11/16" (17 mm) Top Width</b>		
25 3/4 (654) .....	BLUE	K030250RB	- Continued			- Continued		
30 1/8 (765) .....	BLUE	K030295RB	40 3/8 (1027) .....	BLUE	K040398RB	89 1/8 (2265) .....	BLUE	K050887RB
30 3/4 (781) .....	BLUE	K030300RB	40 5/8 (1033) .....	BLUE	K040400RB	<b>13/16" (20 mm) Top Width</b>		
34 (864) .....	BLUE	K030334RB	41 1/4 (1046) .....	BLUE	K040405RB	34 3/8 (873) .....	BLUE	K060338RB
<b>9/16" (14 mm) Top Width</b>			41 5/8 (1060) .....	BLUE	K040410RB	39 3/8 (999) .....	BLUE	K060388RB
27 7/8 (709) .....	BLUE	K040274RB	42 5/8 (1085) .....	BLUE	K040420RB	47 (1195) .....	BLUE	K060465RB
30 3/4 (781) .....	BLUE	K040300RB	44 3/4 (1135) .....	BLUE	K040440RB	61 1/8 (1553) .....	BLUE	K060605RB
31 1/4 (792) .....	BLUE	K040305RB	48 1/8 (1223) .....	BLUE	K040476RB	64 3/4 (1646) .....	BLUE	K060642RB
31 5/8 (804) .....	BLUE	K040310RB	52 1/8 (1325) .....	BLUE	K040517RB	71 1/8 (1806) .....	BLUE	K060705RB
32 1/4 (818) .....	BLUE	K040315RB	55 5/8 (1414) .....	BLUE	K040551RB	74 1/2 (1893) .....	BLUE	K060739RB
32 7/8 (836) .....	BLUE	K040322RB	<b>21/32" (17 mm) Top Width</b>			75 (1904) .....	BLUE	K060744RB
33 1/4 (844) .....	BLUE	K040325RB	32 3/4 (831) .....	BLUE	K050321RB	76 7/8 (1951) .....	BLUE	K060763RB
33 3/4 (858) .....	BLUE	K040332RB	34 3/8 (872) .....	BLUE	K050336RB	79 1/2 (2018) .....	BLUE	K060790RB
33 3/8 (849) .....	BLUE	K040329RB	35 (889) .....	BLUE	K050344RB	83 1/8 (2112) .....	BLUE	K060825RB
33 5/8 (855) .....	BLUE	K040330RB	35 1/4 (894) .....	BLUE	K050345RB	83 1/4 (2116) .....	BLUE	K060827RB
34 (864) .....	BLUE	K040335RB	38 3/4 (983) .....	BLUE	K050380RB	84 1/4 (2141) .....	BLUE	K060837RB
34 5/8 (881) .....	BLUE	K040340RB	39 3/4 (1008) .....	BLUE	K050390RB	94 (2387) .....	BLUE	K060935RB
35 (889) .....	BLUE	K040345RB	44 1/8 (1122) .....	BLUE	K050435RB	98 1/8 (2492) .....	BLUE	K060975RB
35 1/4 (897) .....	BLUE	K040347RB	<b>11/16" (17 mm) Top Width</b>			102 1/8 (2593) .....	BLUE	K061015RB
35 7/8 (911) .....	BLUE	K040353RB	35 5/8 (905) .....	BLUE	K050350RB	<b>15/16" (24 mm) Top Width</b>		
36 1/8 (917) .....	BLUE	K040355RB	40 5/8 (1030) .....	BLUE	K050400RB	65 7/8 (1675) .....	BLUE	K070653RB
36 5/8 (932) .....	BLUE	K040360RB	42 (1068) .....	BLUE	K050415RB	68 5/8 (1743) .....	BLUE	K070680RB
37 1/8 (942) .....	BLUE	K040365RB	42 5/8 (1084) .....	BLUE	K050420RB	76 7/8 (1951) .....	BLUE	K070763RB
37 1/2 (954) .....	BLUE	K040370RB	43 1/8 (1094) .....	BLUE	K050425RB	90 1/8 (2289) .....	BLUE	K070896RB
38 (964) .....	BLUE	K040372RB	51 1/8 (1298) .....	BLUE	K050507RB			
39 (990) .....	BLUE	K040384RB	52 1/8 (1325) .....	BLUE	K050516RB			
39 1/8 (993) .....	BLUE	K040385RB						
39 5/8 (1008) .....	BLUE	K040390RB						

(mm) Millimeters

# Special Belts Listed by Number

Showing Our Belt Numbers with Corresponding  
Nominal Outside Lengths, Top Widths and Angles

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle
811.....	★22 1/2 (570)	1 1/8 (28)		5740.....	54 (1370)	1/2 (12.5/13)	36°
813.....	★26 3/4 (680)	1 1/8 (28)		5741.....	36 1/2 (925)	1/2 (12.5/13)	36°
814.....	★31 1/2 (800)	1 1/8 (28)		5742.....	44 3/4 (1135)	1/2 (12.5/13)	36°
822.....	★36 (915)	1 (25)		5743.....	43 7/8 (1115)	1/2 (12.5/13)	36°
5500.....	56 1/4 (1430)	13/16 (20)	38°	5744.....	53 3/8 (1355)	1/2 (12.5/13)	36°
5501.....	71 (1805)	13/16 (20)	38°	6183.....	★15 1/2 (395)	5/16 (8)	
5502.....	64 3/4 (1645)	13/16 (20)	38°	6224.....	▼48 3/8 (1229)	1/2 (13)	42°
5503.....	52 (1320)	13/16 (20)	38°	6234.....	↔71 1/2 (1815)	1/2 (12.5/13)	36°
5504.....	65 (1650)	13/16 (20)	38°	6354 (180 TEETH).....	↔56 3/4 (1440)	25/32 (20)	
5506.....	132 (3355)	21/32 (16)	40°	6370.....	31 7/8 (810)	1/2 (12.5/13)	37°
5508.....	59 (1500)	3/8 (9.5/10)	39°	6372.....	38 3/4 (985)	1/2 (12.5/13)	40°
5509.....	81 (2055)	3/8 (9.5/10)	40°	6375.....	↔74 3/8 (1890)	1/2 (12.5/13)	36°
5510.....	▼35 1/8 (890)	1/2 (12.5/13)	38°	6376.....	36 3/4 (935)	1/2 (12.5/13)	40°
5511.....	54 (1370)	13/16 (20)	38°	6377.....	79 3/4 (2025)	1/2 (12.5/13)	40°
5512.....	67 1/8 (1705)	13/16 (20)	38°	6378.....	103 1/4 (2625)	1/2 (12.5/13)	40°
5513.....	55 (1395)	13/16 (20)	38°	6379.....	108 1/8 (2745)	1/2 (12.5/13)	40°
5515.....	81 7/8 (2080)	21/32 (16.5)	38°	6380.....	25 3/8 (645)	3/8 (9.5/10)	37°
5516.....	↔58 1/2 (1485)	1/2 (12.5/13)	36°	6384 (153 TEETH).....	↔48 1/4 (1225)	1 (25)	
5517.....	93 5/8 (2430)	1/2 (12.5/13)	40°	6385 (140 TEETH).....	↔44 1/8 (1120)	1 (25)	
5518.....	▼93 1/8 (2365)	1/2 (12.5/13)	38°	6386 (130 TEETH).....	↔41 (1040)	1 (25)	
5519.....	▼31 5/8 (805)	1/2 (12.5/13)	38°	6387.....	127 1/8 (3230)	1/2 (13)	40°
5520.....	53 (1345)	13/16 (20)	40°	6389.....	49 1/8 (1245)	1/4 (6)	42°
5521.....	50 (1270)	13/16 (20)	40°	6390.....	34 3/8 (873)	3/8 (9.5/10)	38°
5522.....	60 1/2 (1535)	13/16 (20)	40°	6391.....	32 1/2 (825)	1/4 (6)	42°
5523.....	164 (4165)	21/32 (16.5)	40°	6392.....	32 (815)	1/4 (6)	42°
5524.....	115 1/2 (2935)	21/32 (16.5)	40°	6398.....	117 1/8 (2975)	1/2 (12.5/13)	40°
5525.....	118 (2995)	21/32 (16.5)	40°	6413 (65 TEETH).....	↔24 3/8 (620)	3/8 (9.5/10)	
5526.....	142 (3605)	21/32 (16.5)	40°	6414 (61 TEETH).....	↔22 7/8 (580)	3/8 (9.5/10)	
5527.....	↔53 3/4 (1364)	1/2 (12.5/13)	36°	6421 (68 TEETH).....	↔25 1/2 (650)	5/16 (8)	
5528.....	58 (1475)	1/2 (12.5/13)	38°	6548.....	83 1/8 (2110)	1/2 (12.5/13)	39°
5529.....	▼42 7/8 (1090)	21/32 (16.5)	38°	6550.....	120 1/4 (3055)	1/2 (12.5/13)	40°
5530.....	▼67 1/8 (1705)	1/2 (12.5/13)	38°	6556.....	24 3/4 (630)	3/8 (9)	38°
5531.....	▼75 1/2 (1920)	21/32 (16.5)	38°	6560.....	126 1/8 (3205)	1/2 (13)	40°
5533.....	51 7/8 (1320)	21/32 (16.5)	40°	6565.....	107 1/4 (2725)	1/2 (13)	39°
5534.....	69 (1753)	21/32 (16)	38°	6572.....	▼62 7/8 (1590)	1 1/8 (31)	38°
5535.....	155 (3935)	21/32 (16.5)	40°	6574.....	64 1/4 (1630)	1/2 (13)	40°
5536.....	34 1/8 (865)	1/2 (12.5/13)	37°	6575.....	54 1/4 (1377)	1/2 (13)	38°
5537.....	86 7/8 (2205)	21/32 (16.5)	40°	6578.....	69 1/4 (1760)	21/32 (17)	38°
5538.....	113 1/2 (2880)	21/32 (16.5)	40°	6582.....	90 5/8 (2350)	1/2 (13)	40°
5539.....	▼76 7/8 (1955)	1 1/4 (35)	42°	6583.....	34 1/2 (875)	1/2 (12.5/13)	40°
5700.....	68 1/4 (1735)	1/2 (12.5/13)	38°	6589.....	29 3/4 (755)	3/8 (9.5/10)	37°
5701.....	110 1/2 (2805)	1/2 (12.5/13)	40°	6593.....	86 (2185)	1/2 (12.5/13)	39°
5707 (167 TEETH).....	↔19 3/4 (500)	19/32 (15)		6596.....	44 (1120)	7/16 (11)	36°
5716 (220 TEETH).....	↔69 9/32 (1760)	25/32 (19.8)		6597.....	57 (1450)	7/16 (11)	36°
5718.....	44 5/8 (1135)	1 1/4 (32)	40°	6599.....	▼86 5/8 (2200)	1 15/32 (37)	38°
5723.....	58 3/8 (1485)	1/2 (12.5/13)	36°	6601.....	▼53 (1346)	1 1/8 (29)	38°
5724.....	54 7/8 (1395)	1/2 (12.5/13)	36°	6604.....	157 (3988)	7/8 (22)	40°
5725.....	48 7/8 (1230)	7/16 (11)	36°	6697.....	35 1/2 (900)	3/16 (5)	60°
5726.....	57 3/8 (1455)	1/2 (12.5/13)	36°	6698.....	48 1/32 (1220)	9/32 (7)	60°
5731.....	35 1/2 (900)	3/8 (9.5/10)	36°	BSX680.....	▼68 3/8 (1735)	1/2 (12.5/13)	36°
5732.....	35 3/4 (910)	3/8 (9.5/10)	36°	BSX690.....	▼69 3/8 (1760)	1/2 (12.5/13)	36°
5734.....	45 1/4 (1150)	1/2 (12.5/13)	36°	BSX700.....	▼70 3/8 (1790)	1/2 (12.5/13)	36°
5735.....	37 7/8 (960)	1/2 (12.5/13)	36°	BSX710.....	▼71 3/8 (1815)	1/2 (12.5/13)	36°
5736.....	39 (990)	1/2 (12.5/13)	36°	BSX720.....	▼72 3/8 (1840)	1/2 (12.5/13)	36°
5737.....	48 (1220)	1/2 (12.5/13)	36°	BSX770.....	▼77 3/8 (1965)	1/2 (12.5/13)	36°
5738.....	49 3/8 (1255)	1/2 (12.5/13)	36°				

(mm) Millimeters.  
↔ Double-V Belt.

★ Flat Belt. Length Given Is Inside Circumference.  
↔ Timing Belt. Length Given is Pitch Length.

▼ Indicates Notched Belt.

# Special Belts

## Listed by Width and Length

**Showing Nominal Belt Top Widths, Outside Lengths and Angles  
with Our Corresponding Belt Numbers**

Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.	Length Inches (mm)	Angle	Our Belt No.
<b>3/16" (5 mm) Top Width</b>			<b>1/2" (12.5/13 mm) Top Width</b>			<b>25/32" (19.8 mm) Top Width</b>		
35 1/2 (900)	60°	6697	- Continued			69 9/32 (1760)		↔5716 (220 TEETH)
<b>1/4" (6 mm) Top Width</b>			58 (1475)	38°	5528	<b>25/32" (20 mm) Top Width</b>		
32 (815)	42°	6392	58 3/8 (1485)	36°	5723	<b>13/16" (20 mm) Top Width</b>		
32 1/2 (825)	42°	6391	58 1/2 (1485)	36°	↔5516	50 (1270)	40°	5521
49 1/8 (1250)	42°	6389	67 1/8 (1705)	38°	▼5530	52 (1320)	38°	5503
<b>9/32" (7 mm) Top Width</b>			68 1/4 (1735)	38°	5700	53 (1345)	40°	5520
48 1/32 (1220)	60°	6698	68 3/8 (1735)	36°	▼BSX680	54 (1370)	38°	5511
<b>5/16" (8 mm) Top Width</b>			69 3/8 (1760)	36°	▼BSX690	55 (1395)	38°	5513
15 1/2 (395)	38°	★6183	70 3/8 (1790)	36°	▼BSX700	56 1/4 (1430)	38°	5500
25 1/2 (650)		↔6421 (68 TEETH)	71 3/8 (1815)	36°	▼BSX710	60 1/2 (1535)	40°	5522
<b>3/8" (9 mm) Top Width</b>			71 1/2 (1815)	36°	↔6234	63 (1600)	38°	5507
24 3/4 (630)	38°	6556	72 3/8 (1840)	36°	▼BSX720	64 3/4 (1645)	38°	5502
<b>3/8" (9.5/10 mm) Top Width</b>			74 3/8 (1890)	36°	↔6375	65 (1650)	38°	5504
22 7/8 (580)		↔6414 (61 TEETH)	77 3/8 (1965)	36°	▼BSX770	67 1/8 (1705)	38°	5512
24 3/8 (620)		↔6413 (65 TEETH)	79 3/4 (2025)	40°	6377	71 (1805)	38°	5501
25 3/8 (645)	37°	6380	83 1/8 (2110)	39°	6548	<b>7/8" (22 mm) Top Width</b>		
29 3/4 (755)	37°	6589	86 (2185)	39°	6593	157 (3988)		6604
34 3/8 (873)	38°	6390	93 1/8 (2365)	38°	▼5518	<b>1" (25 mm) Top Width</b>		
35 1/2 (900)	36°	5731	93 5/8 (2430)	40°	5517	36 (915)		★822
35 3/4 (910)	36°	5732	103 1/4 (2625)	40°	6378	41 (1040)		↔6386 (130 TEETH)
59 (1500)	39°	5508	108 1/8 (2745)	40°	6379	44 1/8 (1120)		↔6385 (140 TEETH)
81 (2055)	40°	5509	110 1/2 (2805)	40°	5701	48 1/4 (1225)		↔6384 (153 TEETH)
<b>7/16" (11 mm) Top Width</b>			117 1/8 (2975)	40°	6398	<b>1 1/8" (28 mm) Top Width</b>		
44 (1120)	36°	6596	120 1/4 (3055)	40°	6550	22 1/2 (570)		★811
48 7/8 (1230)	36°	5725	<b>1/2" (13 mm) Top Width</b>			26 3/4 (680)		★813
57 (1450)	36°	6597	48 3/8 (1229)	42°	▼6224	31 1/2 (800)		★814
<b>1/2" (12.5/13 mm) Top Width</b>			54 1/4 (1377)	38°	6575	53 (1346)		▼6601
31 5/8 (805)	38°	▼5519	64 1/4 (1630)	40°	6574	<b>1 1/8" (31 mm) Top Width</b>		
31 7/8 (810)	37°	6370	90 5/8 (2350)	40°	6582	62 7/8 (1590)	38°	▼6572
34 1/8 (865)	37°	5536	107 1/4 (2725)	39°	6565	<b>1 1/4" (32 mm) Top Width</b>		
34 1/2 (875)	40°	6583	126 1/8 (3205)	40°	6560	44 5/8 (1135)	40°	5718
35 1/8 (890)	38°	▼5510	127 1/8 (3230)	40°	6387	<b>1 1/4" (35 mm) Top Width</b>		
36 1/2 (925)	36°	5741	<b>19/32" (15 mm) Top Width</b>			76 7/8 (1955)	42°	▼5539
36 3/4 (935)	40°	6376	19 3/4 (500)		↔5707 (167 TEETH)	<b>1 15/32" (37 mm) Top Width</b>		
37 7/8 (960)	36°	5735	<b>21/32" (16 mm) Top Width</b>			86 5/8 (2200)	38°	▼6599
38 3/4 (985)	40°	6372	68 7/8 (1750)	40°	5534			
39 (990)	36°	5736	132 (3355)	40°	5506			
43 7/8 (1115)	36°	5743	<b>21/32" (16.5 mm) Top Width</b>					
43 3/4 (1135)	36°	5742	42 7/8 (1090)	38°	▼5529			
45 1/4 (1150)	36°	5734	51 7/8 (1320)	40°	5533			
48 (1220)	36°	5737	69 (1753)	38°	5534			
49 3/8 (1255)	36°	5738	69 1/4 (1760)	38°	6578			
53 3/8 (1355)	36°	5744	75 1/2 (1920)	38°	▼5531			
53 3/4 (1364)	36°	↔5527	81 7/8 (2080)	38°	5515			
54 (1370)	36°	5740	86 7/8 (2205)	40°	5537			
54 7/8 (1395)	36°	5724	113 1/2 (2880)	40°	5538			
57 3/8 (1455)	36°	5726	115 1/2 (2935)	40°	5524			
			118 (2995)	40°	5525			
			142 (3605)	40°	5526			
			155 (3935)	40°	5535			
			164 (4165)	40°	5523			

(mm) Millimeters.  
↔ Double-V Belt.

★ Flat Belt. Length Given Is Inside Circumference.  
↔ Timing Belt. Length Given is Pitch Length.

▼ Indicates Notched Belt.

# POWERLINK® Belts

## Listed by Number

Showing Our Belt Numbers with Corresponding  
Nominal Outside Lengths and Top Widths

IMPORTANT: The top width shown is the width obtained by placing a steel tape across the top of the belt. The outside length is determined by placing a steel tape around the outside of the belt.

Belt No.	Length Inches (mm)	Top Width Inches (mm)	Belt No.	Length Inches (mm)	Top Width Inches (mm)
PL20110.....	25 1/4 (641)	19/32 (15.5)	PL30084.....	37 1/4 (947)	1 9/32 (33)
PL20205.....	30 3/4 (780)	21/32 (16.5)	PL30085.....	37 (940)	1 5/16 (33)
PL20302.....	29 3/4 (757)	21/32 (17)	PL30086.....	37 (941)	1 1/4 (32)
PL20303.....	31 3/8 (798)	21/32 (17)	PL30087.....	38 5/8 (980)	1 5/16 (33)
PL20304.....	32 7/8 (835)	21/32 (17)	PL30088.....	40 1/2 (1029)	1 9/32 (33)
PL20403.....	28 1/2 (724)	11/16 (17.5)	PL30089.....	36 7/8 (935)	1 7/16 (36)
PL20501.....	31 3/4 (805)	23/32 (18)	PL30090.....	52 1/8 (1323)	1 13/32 (36)
PL20503.....	26 1/8 (663)	23/32 (18)	PL30091.....	36 3/4 (932)	1 7/16 (37)
PL20504.....	29 1/2 (748)	23/32 (18)	PL30110.....	★ 25 1/4 (641)	19/32 (15.5)
PL20601.....	28 7/8 (732)	23/32 (18.5)	PL30205.....	★ 30 3/4 (780)	21/32 (16.5)
PL20602.....	30 3/4 (781)	23/32 (18.5)	PL30302.....	★ 29 3/4 (757)	21/32 (17)
PL20705.....	32 7/8 (835)	25/32 (20)	PL30303.....	★ 31 3/8 (798)	21/32 (17)
PL20707.....	29 1/4 (743)	25/32 (20)	PL30304.....	★ 32 7/8 (835)	21/32 (17)
PL20708.....	33 1/8 (842)	25/32 (20)	PL30360.....	35 1/4 (894)	11/16 (17)
PL30068.....	42 1/4 (1072)	1 1/16 (27)	PL30361.....	26 5/8 (676)	11/16 (17.5)
PL30069.....	33 3/8 (848)	1 1/8 (28.5)	PL30362.....	28 3/8 (719)	11/16 (17.5)
PL30070.....	33 5/8 (853)	1 3/16 (30)	PL30363.....	35 1/4 (894)	11/16 (18)
PL30071.....	40 7/8 (1038)	1 3/16 (30)	PL30501.....	★ 31 3/4 (805)	23/32 (18)
PL30072.....	40 7/8 (1038)	1 3/16 (30)	PL30504.....	★ 29 1/2 (748)	23/32 (18)
PL30073.....	33 1/4 (843)	1 3/16 (30)	PL30564.....	26 7/8 (681)	11/16 (18)
PL30074.....	43 7/8 (1115)	1 3/16 (30)	PL30565.....	29 7/8 (757)	23/32 (18)
PL30075.....	41 1/4 (1046)	1 3/16 (30)	PL30601.....	★ 28 7/8 (732)	23/32 (18.5)
PL30076.....	42 1/4 (1072)	1 3/16 (30)	PL30701.....	★ 32 1/4 (818)	23/32 (19)
PL30077.....	43 3/8 (1102)	1 3/16 (30)	PL30705.....	★ 32 7/8 (835)	25/32 (20)
PL30078.....	43 3/4 (1110)	1 3/16 (30)	PL30707.....	★ 29 1/4 (743)	25/32 (20)
PL30079.....	34 3/8 (886)	1 3/16 (30)	PL30708.....	★ 33 1/8 (842)	25/32 (20)
PL30080.....	37 1/8 (942)	1 1/4 (32)	PL30766.....	36 7/8 (937)	25/32 (20)
PL30081.....	39 1/4 (996)	1 1/4 (32)	PL30801.....	★ 32 3/4 (833)	29/32 (22.5)
PL30082.....	41 5/8 (1058)	1 1/4 (32)	PL30904.....	★ 35 1/4 (894)	29/32 (23)
PL30083.....	57 1/4 (1453)	1 1/4 (32)	PL30967.....	41 3/8 (1052)	31/32 (24)

# POWERLINK® Belts

## Listed by Width and Length

Showing Nominal Top Widths and Outside Lengths  
with Our Corresponding Belt Numbers

Length Inches (mm)	Belt No.	Length Inches (mm)	Belt No.	Length Inches (mm)	Belt No.
<b>19/32" (15.5 mm) Top Width</b>		<b>23/32" (18.5 mm) Top Width</b>		<b>1 3/16" (30 mm) Top Width</b>	
25 1/4 (641) .....	PL20110	28 7/8 (732) .....	PL20601	33 1/4 (843) .....	PL30073
25 1/4 (641) .....	★PL30110	28 7/8 (732) .....	★PL30601	33 5/8 (853) .....	PL30070
<b>21/32" (16.5 mm) Top Width</b>		<b>23/32" (19 mm) Top Width</b>		34 3/8 (886) .....	PL30079
30 3/4 (780) .....	PL20205	30 3/4 (781) .....	PL20602	40 7/8 (1038) .....	PL30071
30 3/4 (780) .....	★PL30205	<b>25/32" (20 mm) Top Width</b>		40 7/8 (1038) .....	PL30072
<b>21/32" (17 mm) Top Width</b>		32 1/4 (818) .....	★PL30701	41 1/4 (1046) .....	PL30075
29 3/4 (757) .....	PL20302	<b>29/32" (22.5 mm) Top Width</b>		42 1/4 (1072) .....	PL30076
29 3/4 (757) .....	★PL30302	29 1/4 (743) .....	PL20707	43 3/8 (1102) .....	PL30077
31 3/8 (798) .....	PL20303	29 1/4 (743) .....	★PL30707	43 3/4 (1110) .....	PL30078
31 3/8 (798) .....	★PL30303	32 7/8 (835) .....	PL20705	43 7/8 (1115) .....	PL30074
32 7/8 (835) .....	PL20304	32 7/8 (835) .....	★PL30705	<b>1 1/4" (32 mm) Top Width</b>	
32 7/8 (835) .....	★PL30304	33 1/8 (842) .....	PL20708	37 (941) .....	PL30086
<b>11/16" (17 mm) Top Width</b>		33 1/8 (842) .....	★PL30708	37 1/8 (942) .....	PL30080
29 3/4 (757) .....	PL20302	36 7/8 (937) .....	PL30766	39 1/4 (996) .....	PL30081
29 3/4 (757) .....	★PL30302	<b>29/32" (23 mm) Top Width</b>		41 5/8 (1058) .....	PL30082
31 3/8 (798) .....	PL20303	32 3/4 (833) .....	★PL30801	57 1/4 (1453) .....	PL30083
31 3/8 (798) .....	★PL30303	<b>29/32" (23 mm) Top Width</b>		<b>1 9/32" (33 mm) Top Width</b>	
32 7/8 (835) .....	PL20304	35 1/4 (894) .....	★PL30904	37 1/4 (947) .....	PL30084
32 7/8 (835) .....	★PL30304	<b>31/32" (24 mm) Top Width</b>		40 1/2 (1029) .....	PL30088
<b>11/16" (17.5 mm) Top Width</b>		41 3/8 (1052) .....	PL30967	<b>1 5/16" (33 mm) Top Width</b>	
35 1/4 (894) .....	PL30360	<b>1 1/16" (27 mm) Top Width</b>		37 (940) .....	PL30085
<b>11/16" (17.5 mm) Top Width</b>		42 1/4 (1072) .....	PL30068	38 5/8 (980) .....	PL30087
26 5/8 (676) .....	PL30361	<b>1 1/8" (28.5 mm) Top Width</b>		<b>1 13/32" (36 mm) Top Width</b>	
28 3/8 (719) .....	PL30362	33 3/8 (848) .....	PL30069	52 1/8 (1323) .....	PL30090
28 1/2 (724) .....	PL20403	<b>1 7/16" (36 mm) Top Width</b>		<b>1 7/16" (36 mm) Top Width</b>	
<b>23/32" (18 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>		36 7/8 (935) .....	PL30089
26 1/8 (663) .....	PL20503	<b>1 7/16" (37 mm) Top Width</b>		36 3/4 (932) .....	PL30091
26 7/8 (681) .....	PL30564	<b>1 7/16" (37 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>	
29 1/2 (748) .....	PL20504	<b>1 7/16" (37 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>	
29 1/2 (748) .....	★PL30504	<b>1 7/16" (37 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>	
29 7/8 (757) .....	PL30565	<b>1 7/16" (37 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>	
31 3/4 (805) .....	PL20501	<b>1 7/16" (37 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>	
31 3/4 (805) .....	★PL30501	<b>1 7/16" (37 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>	
35 1/4 (894) .....	PL30363	<b>1 7/16" (37 mm) Top Width</b>		<b>1 7/16" (37 mm) Top Width</b>	

# Snowmobile & Recreational Vehicle Belt Numbers

## Showing Belt Numbers and Dimensions

IMPORTANT: The top width shown is the width obtained by placing a steel tape across the top of the belt. The outside length is determined by placing a steel tape around the outside of the belt. These methods have been used because they are the ones most commonly used by dealers and jobbers when measuring a belt.

Our Belt No.	Top Width (mm)	Length Inches (mm)	Our Belt No.	Top Width (mm)	Length Inches (mm)	Our Belt No.	Top Width (mm)	Length Inches (mm)
12AT3330	1 1/8 (28.5)	33 3/8 (848)	38T4725	1 3/8 (35)	47 3/8 (1203)	44HP4740	1 7/16 (37)	47 1/2 (1206)
19AT3430	1 3/16 (30)	34 3/8 (886)	38T4730	1 3/8 (35)	47 3/8 (1203)	44HP4824	1 7/16 (37)	48 1/4 (1225)
19AT4090	1 3/16 (30)	40 7/8 (1038)	38T4750	1 11/32 (34)	47 5/8 (1210)	44HP4900	1 7/16 (37)	49 (1245)
19AT4091E	1 3/16 (30)	40 7/8 (1038)	38X4320	1 11/32 (34)	43 1/4 (1098)	44HP5018	1 7/16 (37)	50 3/8 (1277)
19T4300	1 3/16 (30)	43 (1092)	38X4340	1 3/8 (35)	43 5/8 (1110)	44T4640	1 13/32 (36)	46 1/2 (1181)
19T4312	1 3/16 (30)	43 (1092)	38X4350	1 3/8 (35)	43 5/8 (1108)	44X4640	1 13/32 (36)	46 1/2 (1181)
19T4440	1 3/16 (30)	44 1/2 (1130)	38X4351	1 3/8 (35)	43 5/8 (1108)	44X4740	1 7/16 (36)	47 3/8 (1203)
25AT3650	1 1/4 (32)	37 (941)	38X4355	1 3/8 (35)	43 5/8 (1108)	44X4810	1 13/32 (36)	48 1/8 (1223)
25AT4395	1 1/4 (32)	41 5/8 (1058)	38X4360	1 3/8 (35)	43 1/2 (1105)	44XM4640	1 13/32 (36)	46 1/2 (1181)
25HP4320	1 1/4 (32)	43 1/4 (1098)	38X4400	1 3/8 (35)	44 (1117)	44XM4740	1 7/16 (36)	47 3/8 (1203)
25T4320	1 7/32 (31)	43 1/4 (1098)	38X4401	1 11/32 (34)	44 (1117)	44XM4810	1 13/32 (36)	48 1/8 (1223)
25T4325	1 1/4 (32)	43 1/4 (1098)	38X4420	1 3/8 (35)	44 1/4 (1124)	45HP4358	1 7/16 (37)	43 7/8 (1115)
25T4420	1 1/4 (32)	44 1/4 (1124)	38X4421	1 3/8 (35)	43 5/8 (1110)	46HP4440	1 15/32 (37)	44 1/4 (1123)
25T4510	1 1/4 (32)	45 1/8 (1146)	38X4600	1 3/8 (35)	45 7/8 (1167)	46HP4540	1 15/32 (37)	45 1/4 (1148)
25X4320	1 7/32 (31)	43 1/4 (1098)	38X4640	1 3/8 (35)	46 1/2 (1181)	47HP4407	1 15/32 (37)	48 3/8 (1228)
27AT5720	1 1/4 (32)	57 1/4 (1453)	38X4725	1 3/8 (35)	47 3/8 (1203)	47HP4416	1 7/16 (37)	44 1/4 (1124)
31HP4400	1 5/16 (33)	44 1/4 (1125)	38X4730	1 3/8 (35)	47 3/8 (1203)	47HP4457	1 15/32 (37)	44 7/8 (1140)
32T4400	1 5/16 (33)	44 (1117)	38X4740	1 11/32 (34)	47 3/8 (1203)	47HP4462	1 7/16 (37)	45 (1142)
32X4400	1 5/16 (33)	44 (1117)	38X4750	1 11/32 (34)	47 5/8 (1210)	47HP4711	1 15/32 (37)	47 1/8 (1198)
38HP4316	1 3/8 (35)	43 1/2 (1103)	38X5140	1 3/8 (35)	51 3/8 (1306)	50X4395	1 1/2 (38)	43 5/8 (1110)
38HP4332	1 3/8 (35)	43 1/4 (1098)	38X5210	1 3/8 (35)	52 1/8 (1324)	50X4713	1 1/2 (38)	47 3/8 (1203)
38HP4340	1 3/8 (35)	43 3/4 (1113)	38XM4340	1 3/8 (35)	43 5/8 (1110)	5710	1 3/16 (30)	35 3/8 (900)
38HP4353	1 3/8 (35)	44 (1118)	38XM4420	1 3/8 (35)	44 1/4 (1124)	6007	1 3/16 (30)	52 (1320)
38HP4400	1 3/8 (35)	44 1/4 (1123)	38XM4730	1 3/8 (35)	47 3/8 (1203)	6012	29/32 (23)	33 3/8 (848)
38HP4416	1 3/8 (35)	44 1/8 (1120)	38XM4740	1 11/32 (34)	47 3/8 (1203)	6013	29/32 (23)	36 3/4 (933)
38HP4432	1 3/8 (35)	44 1/2 (1130)	38XM4750	1 11/32 (34)	47 5/8 (1210)	6021	1 3/16 (30)	41 3/4 (1059)
38HP4548	1 3/8 (35)	45 7/8 (1166)	38XM5140	1 3/8 (35)	51 3/8 (1306)	6044	1 3/16 (30)	44 1/8 (1120)
38HP4628	1 3/8 (35)	46 5/8 (1184)	40HP4352	1 7/16 (37)	43 7/8 (1113)	6046	1 3/16 (30)	43 1/8 (1095)
38HP4716	1 3/8 (35)	47 3/8 (1205)	40HP4748	1 3/8 (35)	47 5/8 (1209)	6061	5/8 (16)	27 1/4 (691)
38HP4748	1 3/8 (35)	47 5/8 (1209)	40HP5157	1 13/32 (36)	52 (1322)	6083	1 3/16 (30)	43 1/2 (1105)
38HP5120	1 13/32 (36)	51 1/4 (1303)	42T4900	1 13/32 (36)	48 7/8 (1243)	6092	1 1/4 (32)	45 1/2 (1156)
38HP5232	1 3/8 (35)	52 5/8 (1338)	42X4900	1 13/32 (36)	48 7/8 (1243)	6096	1 1/4 (32)	46 5/8 (1186)
38T4320	1 11/32 (34)	43 1/4 (1098)	43X4320	1 7/16 (36)	43 3/8 (1102)	6098	1 3/16 (30)	40 3/8 (1026)
38T4350	1 3/8 (35)	43 5/8 (1108)	43X4400	1 7/16 (36)	44 1/8 (1120)	6304	1 1/4 (32)	47 (1194)
38T4351	1 3/8 (35)	43 5/8 (1108)	43X4616	1 7/16 (36)	46 1/4 (1175)	6310	15/16 (24)	41 3/8 (1052)
38T4400	1 3/8 (35)	44 (1117)	44HP4340	1 7/16 (37)	43 1/2 (1108)	6312	1 1/4 (32)	36 7/8 (937)
38T4401	1 11/32 (34)	44 (1117)	44HP4353	1 13/32 (36)	44 (1118)	6314	1 3/16 (30)	45 (1143)
38T4420	1 3/8 (35)	44 1/4 (1124)	44HP4616	1 7/16 (37)	46 1/8 (1171)	6316	1 3/16 (30)	56 1/8 (1425)
38T4640	1 3/8 (35)	46 1/2 (1181)	44HP4640	1 7/16 (37)	46 1/2 (1180)			



# Snowmobile & Recreational Vehicle Belt Dimensions

**Showing Nominal Belt Top Widths and Outside Lengths  
with Our Corresponding Belt Number**

IMPORTANT: The top width shown is the width obtained by placing a steel tape across the top of the belt. The outside length is determined by placing a steel tape around the outside of the belt.

Length In Inches	Our Belt No.	Length In Inches	Our Belt No.	Length In Inches	Our Belt No.	Length In Inches	Our Belt No.	Length In Inches	Our Belt No.
<b>5/8" (16 mm) Top Width</b>		<b>1 3/16" (30 mm) Top Width - Cont.</b>		<b>1 11/32" (34 mm) Top Width - Cont.</b>		<b>1 3/8" (35 mm) Top Width - Cont.</b>		<b>1 7/16" (36 mm) Top Width - Cont.</b>	
27 1/4 (691).....	6061	56 1/8 (1425).....	6316	44 (1117).....	38T4401	46 5/8 (1184).....	38HP4628	46 1/4 (1175).....	43X4616
<b>29/32" (23 mm) Top Width</b>		<b>1 7/32" (31 mm) Top Width</b>		44 (1117).....	38X4401	46 1/2 (1181).....	38T4640	47 3/8 (1203).....	44X4740
33 3/8 (848).....	6012	43 1/4 (1098).....	25T4320	47 3/8 (1203).....	38X4740	46 1/2 (1181).....	38X4640	47 3/8 (1203).....	44XM4740
36 3/4 (933).....	6013	43 1/4 (1098).....	25X4320	47 3/8 (1203).....	38XM4740	47 3/8 (1203).....	38T4725	<b>1 7/16" (37 mm) Top Width</b>	
<b>15/16" (24 mm) Top Width</b>		<b>1 1/4" (32 mm) Top Width</b>		47 5/8 (1210).....	38T4750	47 3/8 (1203).....	38X4725	43 1/2 (1108).....	44HP4340
41 3/8 (1052).....	6310	36 7/8 (937).....	6312	47 5/8 (1210).....	38X4750	47 3/8 (1203).....	38T4730	43 7/8 (1113).....	40HP4352
<b>1 1/8" (28.5 mm) Top Width</b>		37 (941).....	25AT3650	47 5/8 (1210).....	38XM4750	47 3/8 (1203).....	38X4730	43 7/8 (1115).....	45HP4358
33 3/8 (848).....	12AT3330	41 5/8 (1058).....	25AT4395	43 1/4 (1098).....	38HP4332	47 3/8 (1203).....	38XM4730	44 1/4 (1124).....	47HP4416
<b>1 3/16" (30 mm) Top Width</b>		43 1/4 (1098).....	25T4325	43 1/2 (1103).....	38HP4316	47 3/8 (1203).....	38HP4748	45 (1142).....	47HP4462
34 3/8 (886).....	19AT3430	43 1/4 (1098).....	25HP4320	43 1/2 (1105).....	38X4360	47 5/8 (1209).....	40HP4748	46 1/8 (1171).....	44HP4616
35 3/8 (900).....	5710	44 1/4 (1124).....	25T4420	43 5/8 (1108).....	38T4350	47 5/8 (1209).....	38X5140	46 1/2 (1180).....	44HP4640
40 3/8 (1026).....	6098	45 1/8 (1146).....	25T4510	43 5/8 (1108).....	38X4350	51 3/8 (1306).....	38X5140	47 1/2 (1206).....	44HP4740
40 7/8 (1038).....	19AT4090	45 1/2 (1156).....	6092	43 5/8 (1108).....	38T4351	52 1/8 (1324).....	38HP5210	48 1/4 (1225).....	44HP4824
40 7/8 (1038).....	19AT4091E	46 5/8 (1186).....	6096	43 5/8 (1108).....	38X4351	52 5/8 (1338).....	38HP5232	49 (1245).....	44HP4900
41 3/4 (1059).....	6021	47 (1194).....	6304	43 5/8 (1108).....	38X4355	<b>1 13/32" (36 mm) Top Width</b>		50 3/8 (1277).....	44HP5018
43 (1092).....	19T4300	57 1/4 (1453).....	27AT5720	43 5/8 (1110).....	38X4340	44 (1118).....	44HP4353	<b>1 15/32" (37 mm) Top Width</b>	
43 (1092).....	19T4312	<b>1 5/16" (33 mm) Top Width</b>		43 5/8 (1110).....	38XM4340	46 1/2 (1181).....	44T4640	44 1/4 (1123).....	46HP4440
43 1/8 (1095).....	6046	44 (1117).....	32T4400	43 5/8 (1110).....	38X4421	46 1/2 (1181).....	44X4640	44 7/8 (1140).....	47HP4457
43 1/2 (1105).....	6083	44 (1117).....	32X4400	43 3/4 (1113).....	38HP4340	46 1/2 (1181).....	44XM4640	45 1/4 (1148).....	46HP4540
44 1/8 (1120).....	6044	44 (1117).....	31HP4400	44 (1117).....	38T4400	48 1/8 (1223).....	44X4810	47 1/8 (1198).....	47HP4711
44 1/2 (1130).....	19T4440	44 (1117).....	32X4400	44 (1117).....	38X4400	48 1/8 (1223).....	44XM4810	48 3/8 (1228).....	47HP4407
45 (1143).....	6314	44 (1118).....	32T4400	44 (1118).....	38HP4353	48 7/8 (1243).....	42T4900	<b>1 1/2" (38 mm) Top Width</b>	
52 (1320).....	6007	44 (1118).....	32X4400	44 1/8 (1120).....	38HP4416	48 7/8 (1243).....	42X4900	43 5/8 (1110).....	50X4395
		44 1/4 (1124).....	31HP4400	44 1/8 (1120).....	38HP4400	51 1/4 (1303).....	38HP5120	47 3/8 (1203).....	50X4713
		44 1/4 (1124).....	31HP4400	44 1/4 (1123).....	38HP4400	52 (1322).....	40HP5157		
		44 1/4 (1124).....	31HP4400	44 1/4 (1124).....	38T4420	<b>1 7/16" (36 mm) Top Width</b>			
		44 1/4 (1124).....	31HP4400	44 1/4 (1124).....	38X4420	43 3/8 (1102).....	43X4320		
		44 1/4 (1124).....	31HP4400	44 1/4 (1124).....	38XM4420	44 1/8 (1120).....	43X4400		
		44 1/2 (1130).....	31HP4400	44 1/2 (1123).....	38HP4400	44 1/8 (1120).....	43X4400		
		44 1/2 (1130).....	31HP4400	44 1/2 (1130).....	38HP4432				
		45 7/8 (1166).....	38T4420	45 7/8 (1166).....	38HP4548				
		45 7/8 (1167).....	38X4320	45 7/8 (1167).....	38X4600				
		45 7/8 (1167).....	38X4320	45 7/8 (1167).....	38X4600				

# BladeRunner™ Belts

## Listed by Number

Showing Belt Numbers with Corresponding  
Nominal Outside Lengths, Top Widths and Belt Types

Our Belt No.	Length Inches	Top Width Inches	Type	Our Belt No.	Length Inches	Top Width Inches	Type
6400BR	86 1/2	9/16	Wrapped	6472BR	44 1/4	21/32	Cogged
6401BR	89 3/4	9/16	Wrapped	6473BR	22 1/4	1/2	Raw Edge
6402BR	74 3/4	21/32	Wrapped	6474BR	89 1/2	1/2	Wrapped
6403BR	69 3/4	21/32	Wrapped	6475BR	47 1/2	1/2	Wrapped
6404BR	79 1/8	17/32	Wrapped	6476BR	87 3/4	1/2	Wrapped
6405BR	44	21/32	Wrapped	6477BR	99 1/2	1/2	Wrapped
6406BR	60 3/4	21/32	Wrapped	6478BR	70 1/2	9/16	Wrapped
6407BR	91 1/8	17/32	Wrapped	6479BR	89 3/4	21/32	Wrapped
6408BR	78 3/4	21/32	Wrapped	6480BR	101 7/8	21/32	Wrapped
6409BR	122 1/4	1/2	Double V	6481BR	120 1/8	1/2	Wrapped
6410BR	35 7/8	3/8	Raw Edge	6482BR	68 1/4	21/32	Wrapped
6411BR	30 1/2	3/8	Wrapped	6483BR	57 1/2	9/16	Wrapped
6412BR	84 7/8	9/16	Wrapped	6484BR	126 1/2	1/2	Wrapped
6413BR	32 1/2	7/8	Ind. 60°M Sect	6485BR	133 3/8	21/32	Wrapped
6414BR	78 1/2	1/2	Wrapped	6486BR	127 5/8	1/2	Wrapped
6415BR	82 1/2	1/2	Wrapped	6487BR	49 1/2	21/32	Cogged
6416BR	100 3/4	21/32	Wrapped	6488BR	69 3/4	21/32	Wrapped
6417BR	76 1/2	1/2	Wrapped	6489BR	93 3/4	21/32	Wrapped
6418BR	88 3/4	9/16	Wrapped	6490BR	90 1/2	1/2	Wrapped
6419BR	55 1/8	7/8	Wrapped	6491BR	53 1/2	1/2	Wrapped
6420BR	96 3/4	17/32	Wrapped	6492BR	109 5/8	21/32	Wrapped
6421BR	85 3/4	21/32	Wrapped	6493BR	31 3/4	3/8	Wrapped
6422BR	46 3/4	1/2	Wrapped	6494BR	35 1/2	21/32	Wrapped
6423BR	45 1/2	21/32	Cogged	6495BR	56 3/4	1/2	Wrapped
6424BR	74 1/2	1/2	Wrapped	6496BR	91 3/4	21/32	Wrapped
6425BR	41	1/2	Wrapped	6497BR	83 3/4	21/32	Wrapped
6426BR	33	3/8	Wrapped	6498BR	53 3/4	1/2	Wrapped
6427BR	87 3/4	21/32	Wrapped	6499BR	52 3/4	1/2	Wrapped
6428BR	105 5/8	1/2	Wrapped	6500BR	40 3/4	3/8	Wrapped
6429BR	44 5/8	21/32	Cogged	6501BR	74 1/2	1/2	Wrapped
6430BR	50 1/2	1/2	Wrapped	6502BR	67 3/4	21/32	Wrapped
6431BR	89 3/4	1/2	Wrapped	6503BR	86 1/2	9/16	Wrapped
6432BR	95 1/4	1/2	Wrapped	6504BR	84 1/2	1/2	Wrapped
6433BR	36 1/2	3/8	Cogged	6505BR	90 3/4	1/2	Wrapped
6434BR	82 3/4	17/32	Wrapped	6506BR	81 3/4	21/32	Wrapped
6435BR	26 1/2	3/8	Cogged	6507BR	75 5/8	21/32	Wrapped
6436BR	55 1/2	1 1/4	Banded	6508BR	80 3/4	1/2	Wrapped
6437BR	44 1/8	1 1/4	Banded	6509BR	40 1/2	3/8	Wrapped
6438BR	97 1/2	1/2	Wrapped	6510BR	54 3/4	21/32	Wrapped
6439BR	47 1/2	21/32	Wrapped	6511BR	38 1/2	21/32	Wrapped
6440BR	52 1/4	1 1/4	Banded	6512BR	76 3/4	21/32	Wrapped
6441BR	44 3/8	21/32	Cogged	6513BR	81 1/2	1/2	Wrapped
6442BR	50	1 1/4	Banded	6514BR	41 1/4	21/32	Wrapped
6443BR	83 3/4	1/2	Wrapped	6515BR	81 1/2	21/32	Raw Edge
6444BR	83 3/4	1/2	Wrapped	6516BR	83 1/2	21/32	Raw Edge
6445BR	79 3/4	1/2	Wrapped	6517BR	35 1/2	1/2	Wrapped
6446BR	52 1/2	11/16	Wrapped	6518BR	85 3/4	1/2	Wrapped
6447BR	52 1/2	21/32	Wrapped	6519BR	78 1/2	1/2	Wrapped
6448BR	67 3/4	1/2	Wrapped	6520BR	71 3/4	21/32	Wrapped
6449BR	55 1/2	1/2	Wrapped	6521BR	93 1/2	1/2	Wrapped
6450BR	88 3/4	1/2	Wrapped	6522BR	79 3/4	1/2	Wrapped
6451BR	62 3/4	1/2	Wrapped	6523BR	80 3/4	1/2	Wrapped
6452BR	95 1/2	1/2	Wrapped	6524BR	91 1/2	1/2	Wrapped
6453BR	30 3/4	1/2	Wrapped	6525BR	71 3/4	1/2	Wrapped
6454BR	82 3/4	21/32	Wrapped	6526BR	88 3/4	1/2	Wrapped
6455BR	70 3/8	1/2	Double V	6527BR	68 3/4	21/32	Wrapped
6456BR	107 1/2	1/2	Double V	6528BR	36 1/2	1/2	Raw Edge
6457BR	92 3/4	1/2	Wrapped	6529BR	46 1/8	1/2	Raw Edge
6458BR	78 7/8	17/32	Wrapped	6530BR	63 5/8	1/2	Raw Edge
6459BR	88 3/4	1/2	Wrapped	6531BR	88 3/4	21/32	Wrapped
6460BR	32 3/4	3/8	Wrapped	6532BR	87 1/2	1/2	Wrapped
6461BR	95 3/4	1/2	Wrapped	6533BR	98 1/2	1/2	Wrapped
6462BR	84 3/4	1/2	Wrapped	6534BR	24 3/4	3/8	Wrapped
6463BR	88 7/8	17/32	Wrapped	6535BR	69 3/4	21/32	Raw Edge
6464BR	64 3/4	21/32	Wrapped	6536BR	85 3/4	21/32	Wrapped
6465BR	85 3/4	21/32	Wrapped	6537BR	86 3/4	21/32	Wrapped
6466BR	45	1 1/4	Banded	6538BR	32 3/4	1 1/8	Banded
6467BR	83 3/4	21/32	Wrapped	6539BR	42 1/8	1 1/4	Banded
6468BR	31 3/4	3/8	Wrapped	6540BR	22 3/4	1/2	Raw Edge
6469BR	31 1/2	3/8	Wrapped	6542BR	65 3/4	19/32	Cogged
6470BR	50 3/4	1 1/4	Banded	6543BR	58 1/2	3/4	Ribbed
6471BR	73 1/4	1/2	Double V	6544BR	24 1/4	1/2	Cogged

## BladeRunner™ Belts Listed by Number

Our Belt No.	Length Inches	Top Width Inches	Type	Our Belt No.	Length Inches	Top Width Inches	Type
6545BR	37 3/4	1/2	Wrapped	6592BR	81 3/4	21/32	Wrapped
6546BR	24 3/4	1/2	Raw Edge	6593BR	56 9/32	1 7/32	Banded
6547BR	52 3/8	21/32	Cogged	6594BR	87 1/2	17/32	Wrapped
6548BR	43 1/8	21/32	Cogged	6595BR	32 1/2	3/8	Cogged
6549BR	46 1/8	21/32	Cogged	6596BR	136 5/8	21/32	Wrapped
6550BR	44 1/2	21/32	Cogged	6597BR	153 5/8	21/32	Wrapped
6551BR	82 3/4	1/2	Wrapped	6598BR	158 1/4	21/32	Wrapped
6552BR	52 1/4	1/2	Raw Edge	6599BR	142 1/4	21/32	Wrapped
6553BR	50 3/4	1/2	Raw Edge	6600BR	98 3/4	17/32	Wrapped
6554BR	35 3/4	21/32	Wrapped	6601BR	83 1/2	1/2	Wrapped
6555BR	77 1/2	21/32	Wrapped	6603BR	76 3/4	1/2	Wrapped
6556BR	41 1/2	21/32	Wrapped	6604BR	117 5/8	1/2	Wrapped
6557BR	38 1/4	3/8	Wrapped	6605BR	45 1/2	21/32	Wrapped
6558BR	81 3/4	1/2	Wrapped	6606BR	90 1/2	21/32	Wrapped
6559BR	65 3/4	1/2	Wrapped	6607BR	88 3/4	21/32	Wrapped
6560BR	85 3/4	21/32	Wrapped	6608BR	20 1/2	3/8	Wrapped
6561BR	83 3/4	21/32	Wrapped	6609BR	28 3/16	3/8	Raw Edge
6562BR	37 3/4	1/2	Wrapped	6610BR	29 1/2	3/8	Raw Edge
6563BR	50 3/4	21/32	Wrapped	6611BR	31 1/2	1/2	Raw Edge
6564BR	55 3/4	21/32	Wrapped	6612BR	31 5/8	3/8	Raw Edge
6565BR	38 3/4	1/2	Wrapped	6613BR	30	3/8	Raw Edge
6566BR	140 1/4	21/32	Wrapped	6614BR	89 1/4	21/32	Wrapped
6567BR	146 1/4	21/32	Wrapped	6615BR	112 3/4	21/32	Wrapped
6568BR	129	21/32	Wrapped	6616BR	142 1/8	21/32	Wrapped
6569BR	169 3/8	21/32	Wrapped	6617BR	36 7/8	21/32	Wrapped
6570BR	146 5/8	1/2	Double V	6618BR	32 1/2	21/32	Wrapped
6571BR	103 3/4	1/2	Double V	6619BR	36 1/4	3/8	Wrapped
6572BR	78 3/4	1/2	Wrapped	6620BR	59 3/4	1/2	Wrapped
6573BR	82 3/4	21/32	Wrapped	6621BR	33 3/8	1/2	Wrapped
6574BR	121 1/4	21/32	Wrapped	6622BR	135 3/4	21/32	Double V
6575BR	97 3/4	21/32	Wrapped	6623BR	30 5/8	1/2	Wrapped
6576BR	51 3/4	21/32	Wrapped	6624BR	31 1/8	1/2	Raw Edge
6577BR	134 3/8	1/2	Wrapped	6625BR	83	1 1/4	Banded
6578BR	83 7/8	1/2	Wrapped	6626BR	162 1/4	1/2	Wrapped
6579BR	107 1/4	1/2	Double V	6627BR	87 7/8	1/2	Wrapped
6580BR	57 1/8	11/16	Ribbed	6628BR	124	1/2	Raw Edge
6581BR	61	1/2	Raw Edge	6629BR	80 3/4	1/2	Double V
6582BR	91 1/8	1/2	Raw Edge	6630BR	69 7/8	21/32	Wrapped
6583BR	51 1/8	1/2	Raw Edge	6637BR	79 1/4	17/32	Wrapped
6584BR	104 1/4	21/32	Raw Edge	6638BR	96 3/4	17/32	Wrapped
6585BR	45 3/8	21/32	Raw Edge	6639BR	52 1/4	17/32	Wrapped
6586BR	50 1/8	1 1/4	Banded	6640BR	80 1/4	17/32	Wrapped
6587BR	27 5/8	3/8	Raw Edge	6641BR	88 1/4	17/32	Wrapped
6588BR	34 1/4	3/8	Raw Edge	6642BR	99 1/4	17/32	Wrapped
6589BR	123 5/8	21/32	Wrapped	6643BR	90 3/4	17/32	Wrapped
6590BR	54	21/32	Raw Edge	6644BR	76 3/4	21/32	Wrapped
6591BR	87 3/4	21/32	Wrapped				

# BladeRunner™ Belts

## Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Belt Type with Our Corresponding Belt Numbers

Length Inches	Type	Our Belt No.	Length Inches	Type	Our Belt No.	Length Inches	Type	Our Belt No.
<b>3/8" Top Width</b>			<b>1/2" Top Width - Continued</b>			<b>17/32" Top Width - Continued</b>		
20 1/2.....	Wrapped	6608BR	78 1/2.....	Wrapped	6414BR	91 1/8.....	Wrapped	6407BR
24 3/4.....	Wrapped	6534BR	78 1/2.....	Wrapped	6519BR	96 3/4.....	Wrapped	6420BR
26 1/2.....	Cogged	6435BR	78 3/4.....	Wrapped	6572BR	96 3/4.....	Wrapped	6638BR
27 5/8.....	Raw Edge	6587BR	79 3/4.....	Wrapped	6445BR	98 3/4.....	Wrapped	6600BR
28 3/16.....	Raw Edge	6609BR	79 3/4.....	Wrapped	6522BR	99 1/4.....	Wrapped	6642BR
29 1/2.....	Raw Edge	6610BR	80 3/4.....	Wrapped	6508BR	<b>9/16" Top Width</b>		
30.....	Raw Edge	6613BR	80 3/4.....	Double V	6629BR	57 1/2.....	Wrapped	6483BR
30 1/2.....	Raw Edge	6411BR	80 3/4.....	Wrapped	6523BR	70 1/2.....	Wrapped	6478BR
31 1/2.....	Wrapped	6469BR	81 1/2.....	Wrapped	6513BR	84 7/8.....	Wrapped	6412BR
31 5/8.....	Raw Edge	6612BR	81 3/4.....	Wrapped	6558BR	86 1/2.....	Wrapped	6400BR
31 3/4.....	Wrapped	6468BR	82 1/2.....	Wrapped	6415BR	86 1/2.....	Wrapped	6503BR
31 3/4.....	Wrapped	6493BR	82 3/4.....	Wrapped	6551BR	88 3/4.....	Wrapped	6418BR
32 1/2.....	Cogged	6595BR	83 1/2.....	Wrapped	6601BR	89 3/4.....	Wrapped	6401BR
32 3/4.....	Wrapped	6460BR	83 3/4.....	Wrapped	6443BR	<b>19/32" Top Width</b>		
33.....	Wrapped	6426BR	83 3/4.....	Wrapped	6444BR	65 3/4.....	Cogged	6542BR
34 1/4.....	Raw Edge	6588BR	83 7/8.....	Wrapped	6578BR	<b>21/32" Top Width</b>		
36 1/4.....	Wrapped	6619BR	84 1/2.....	Wrapped	6504BR	32 1/2.....	Wrapped	6618BR
35 7/8.....	Raw Edge	6410BR	84 3/4.....	Wrapped	6462BR	35 1/2.....	Wrapped	6494BR
36 1/2.....	Wrapped	6433BR	85 3/4.....	Wrapped	6518BR	35 3/4.....	Wrapped	6554BR
38 1/4.....	Wrapped	6557BR	85 3/4.....	Wrapped	6532BR	36 7/8.....	Wrapped	6617BR
40 1/2.....	Wrapped	6509BR	87 1/2.....	Wrapped	6476BR	38 1/2.....	Wrapped	6511BR
40 3/4.....	Wrapped	6500BR	87 7/8.....	Wrapped	6627BR	39 3/4.....	Raw Edge	6535BR
<b>1/2" Top Width</b>			88 3/4.....	Wrapped	6450BR	41 1/4.....	Wrapped	6514BR
22 1/4.....	Raw Edge	6473BR	88 3/4.....	Wrapped	6459BR	41 1/2.....	Wrapped	6556BR
22 3/4.....	Raw Edge	6540BR	88 3/4.....	Wrapped	6526BR	43 1/8.....	Cogged	6548BR
24 1/4.....	Cogged	6544BR	89 1/2.....	Wrapped	6474BR	44.....	Wrapped	6405BR
24 3/4.....	Raw Edge	6546BR	89 3/4.....	Wrapped	6431BR	44 1/4.....	Cogged	6472BR
30 5/8.....	Wrapped	6623BR	90 1/2.....	Wrapped	6490BR	44 3/8.....	Cogged	6441BR
31 1/8.....	Raw Edge	6624BR	90 3/4.....	Wrapped	6505BR	44 1/2.....	Cogged	6550BR
30 3/4.....	Wrapped	6453BR	91 1/8.....	Raw Edge	6582BR	44 5/8.....	Cogged	6429BR
31 1/2.....	Raw Edge	6611BR	91 1/2.....	Wrapped	6524BR	45 3/8.....	Raw Edge	6585BR
33 3/8.....	Wrapped	6621BR	92 3/4.....	Wrapped	6457BR	45 1/2.....	Cogged	6423BR
35 1/2.....	Wrapped	6517BR	93 1/2.....	Wrapped	6521BR	45 1/2.....	Wrapped	6605BR
36 1/2.....	Raw Edge	6528BR	95 1/2.....	Wrapped	6452BR	46 1/8.....	Cogged	6549BR
37 3/4.....	Wrapped	6545BR	95 1/4.....	Wrapped	6432BR	47 1/2.....	Wrapped	6439BR
37 3/4.....	Wrapped	6562BR	95 3/4.....	Wrapped	6461BR	49.....	Cogged	6487BR
38 3/4.....	Wrapped	6565BR	97 1/2.....	Wrapped	6438BR	50 3/4.....	Wrapped	6563BR
41.....	Wrapped	6425BR	98 1/2.....	Wrapped	6533BR	51 3/4.....	Wrapped	6576BR
46 1/8.....	Raw Edge	6529BR	99 1/2.....	Wrapped	6477BR	52 3/8.....	Cogged	6547BR
46 3/4.....	Wrapped	6422BR	103 3/4.....	Double V	6571BR	52 1/2.....	Wrapped	6447BR
47 1/2.....	Wrapped	6475BR	105 5/8.....	Wrapped	6428BR	54.....	Raw Edge	6590BR
50 1/2.....	Wrapped	6430BR	107 1/4.....	Double V	6579BR	54 3/4.....	Wrapped	6510BR
50 3/4.....	Raw Edge	6553BR	107 1/2.....	Double V	6456BR	55 3/4.....	Wrapped	6564BR
51 1/8.....	Raw Edge	6583BR	117 5/8.....	Wrapped	6604BR	60 3/4.....	Wrapped	6406BR
52 1/4.....	Raw Edge	6552BR	120 1/8.....	Wrapped	6481BR	64 3/4.....	Wrapped	6464BR
52 3/4.....	Wrapped	6499BR	122 1/4.....	Double V	6409BR	67 3/4.....	Wrapped	6502BR
53 1/2.....	Wrapped	6491BR	124.....	Raw Edge	6628BR	68 1/4.....	Wrapped	6482BR
53 3/4.....	Wrapped	6498BR	126 1/2.....	Wrapped	6484BR	68 3/4.....	Wrapped	6527BR
55 1/2.....	Wrapped	6449BR	127 5/8.....	Wrapped	6486BR	69 3/4.....	Wrapped	6403BR
56 3/4.....	Wrapped	6495BR	134 3/8.....	Wrapped	6577BR	69 3/4.....	Wrapped	6488BR
59 3/4.....	Wrapped	6620BR	146 5/8.....	Double V	6570BR	69 7/8.....	Wrapped	6630BR
61.....	Raw Edge	6581BR	162 1/4.....	Wrapped	6626BR	71 3/4.....	Wrapped	6520BR
62 3/4.....	Wrapped	6451BR	<b>17/32" Top Width</b>			74 3/4.....	Wrapped	6402BR
63 5/8.....	Raw Edge	6530BR	52 1/4.....	Wrapped	6639BR	75 5/8.....	Wrapped	6507BR
65 3/4.....	Wrapped	6559BR	78 7/8.....	Wrapped	6458BR	76 3/4.....	Wrapped	6512BR
67 3/4.....	Wrapped	6448BR	79 1/8.....	Wrapped	6404BR	76 3/4.....	Wrapped	6644BR
70 3/8.....	Double V	6455BR	79 1/4.....	Wrapped	6637BR	77 1/2.....	Wrapped	6555BR
71 3/4.....	Wrapped	6525BR	80 1/4.....	Wrapped	6640BR	78 3/4.....	Wrapped	6408BR
73 1/4.....	Double V	6471BR	82 3/4.....	Wrapped	6434BR	81 1/2.....	Raw Edge	6515BR
74 1/2.....	Wrapped	6424BR	87 1/2.....	Wrapped	6594BR	81 3/4.....	Wrapped	6506BR
74 1/2.....	Wrapped	6501BR	88 1/4.....	Wrapped	6641BR	81 3/4.....	Wrapped	6592BR
76 1/2.....	Wrapped	6417BR	88 7/8.....	Wrapped	6463BR			
76 3/4.....	Wrapped	6603BR	90 3/4.....	Wrapped	6643BR			

## BladeRunner™ Belts Listed by Width and Length

Length Inches	Type	Our Belt No.	Length Inches	Type	Our Belt No.	Length Inches	Type	Our Belt No.
<b>21/32" Top Width - Continued</b>			<b>21/32" Top Width - Continued</b>			<b>3/4" Top Width</b>		
82 3/4.....	Wrapped	<b>6454BR</b>	101 7/8.....	Wrapped	<b>6480BR</b>	58 1/2.....	Ribbed	<b>6543BR</b>
82 3/4.....	Wrapped	<b>6573BR</b>	104 1/4.....	Raw Edge	<b>6584BR</b>	<b>7/8" Top Width</b>		
83 1/2.....	Raw Edge	<b>6516BR</b>	109 5/8.....	Wrapped	<b>6492BR</b>	55 1/8.....	Wrapped	<b>6419BR</b>
83 3/4.....	Raw Edge	<b>6419BR</b>	112 3/4.....	Wrapped	<b>6615BR</b>	<b>1 1/8" Top Width</b>		
83 3/4.....	Wrapped	<b>6467BR</b>	121 1/4.....	Wrapped	<b>6574BR</b>	32 3/4.....	Banded	<b>6538BR</b>
83 3/4.....	Wrapped	<b>6497BR</b>	123 5/8.....	Wrapped	<b>6589BR</b>	<b>1 7/32" Top Width</b>		
83 3/4.....	Wrapped	<b>6561BR</b>	129.....	Wrapped	<b>6568BR</b>	56 9/32.....	Banded	<b>6593BR</b>
85 3/4.....	Wrapped	<b>6421BR</b>	133 3/8.....	Wrapped	<b>6485BR</b>	<b>1 1/4" Top Width</b>		
85 3/4.....	Wrapped	<b>6465BR</b>	135 3/4.....	Double V	<b>6622BR</b>	42 1/8.....	Banded	<b>6539BR</b>
85 3/4.....	Wrapped	<b>6536BR</b>	136 5/8.....	Wrapped	<b>6596BR</b>	44 1/8.....	Banded	<b>6437BR</b>
85 3/4.....	Wrapped	<b>6560BR</b>	140 1/4.....	Wrapped	<b>6566BR</b>	45.....	Banded	<b>6466BR</b>
86 3/4.....	Wrapped	<b>6537BR</b>	142 1/8.....	Wrapped	<b>6616BR</b>	50.....	Banded	<b>6442BR</b>
87 3/4.....	Wrapped	<b>6427BR</b>	142 1/4.....	Wrapped	<b>6599BR</b>	50 1/8.....	Banded	<b>6586BR</b>
87 3/4.....	Wrapped	<b>6591BR</b>	146 1/4.....	Wrapped	<b>6567BR</b>	50 3/4.....	Banded	<b>6470BR</b>
88 3/4.....	Wrapped	<b>6531BR</b>	153 5/8.....	Wrapped	<b>6597BR</b>	52 1/4.....	Banded	<b>6440BR</b>
88 3/4.....	Wrapped	<b>6607BR</b>	158 1/4.....	Wrapped	<b>6598BR</b>	55 1/2.....	Banded	<b>6436BR</b>
89 1/4.....	Wrapped	<b>6614BR</b>	169 3/8.....	Wrapped	<b>6569BR</b>	83.....	Banded	<b>6625BR</b>
89 3/4.....	Wrapped	<b>6479BR</b>	<b>11/16" Top Width</b>			<b>7 M Top Width</b>		
89 3/4.....	Wrapped	<b>6606BR</b>	52 1/2.....	Wrapped	<b>6446BR</b>	32 1/2.....	Ind. 60° M Se	<b>6413BR</b>
91 3/4.....	Wrapped	<b>6496BR</b>	57 1/8.....	Ribbed	<b>6580BR</b>			
93 3/4.....	Wrapped	<b>6489BR</b>						
97 3/4.....	Wrapped	<b>6575BR</b>						
100 3/4.....	Wrapped	<b>6416BR</b>						

# Truflex® and PoweRated® Belt Dimensions

## Showing Nominal Belt Top Widths and Outside Lengths with Our Corresponding Belt Numbers

Both Truflex® and PoweRated® belts are listed for your convenience. Standard series Truflex® V-Belts are available in four different sizes: the "0000" series, "1000" series, "2000" series and "3000" series V-Belts. The second and third digits in a standard series belt number indicates the outside circumference of the belt, in inches and the fourth digit indicates additional tenths of an inch of belt length, if any.

IMPORTANT: The top width shown is the width obtained by placing a steel tape across the top of the belt. The outside length is determined by placing a steel tape around the outside of the belt. These methods have been used because they are the ones most commonly used by Dealers and Jobbers when measuring a belt.

Length In Inches	Truflex® Belt No.	PoweRated® Belt No.	Length In Inches	Truflex® Belt No.	PoweRated® Belt No.	Length In Inches	Truflex® Belt No.	PoweRated® Belt No.
<b>1/4" Top Width</b>			<b>3/8" Top Width - Continued</b>			<b>1/2" Top Width - Continued</b>		
10 .....	0100		35 .....	1350	6735	26 .....	2260	6826
11 .....	0110		36 .....	1360	6736	27 .....	2270	6827
12 .....	0120		37 .....	1370	6737	27 1/2 .....	2275	
13 .....	0130		38 .....	1380	6738	28 .....	2280	6828
14 .....	0140		39 .....	1390	6739	28 1/2 .....	2285	
15 .....	0150		40 .....	1400	6740	29 .....	2290	6829
16 .....	0160		41 .....	1410	6741	29 1/2 .....	2295	
17 .....	0170		41 1/2 .....	1415		30 .....	2300	6830
18 .....	0180		42 .....	1420	6742	30 1/2 .....	2305	
19 .....	0190		43 .....	1430	6743	31 .....	2310	6831
20 .....	0200		44 .....	1440	6744	31 3/4 .....	2318	
21 .....	0210		45 .....	1450	6745	32 .....	2320	6832
23 .....	0230		46 .....	1460	6746	32 3/4 .....	2328	
24 .....	0240		47 .....	1470	6747	33 .....	2330	6833
25 .....	0250		48 .....	1480	6748	33 1/4 .....	2333	
26 .....	0260		49 .....	1490	6749	33 3/4 .....	2338	
27 .....	0270		50 .....	1500	6750	34 .....	2340	6834
28 .....	0280		51 .....	1510	6751	34 1/2 .....	2346	
29 .....	0290		52 .....	1520	6752	35 .....	2350	6835
31 .....	0310		53 .....	1530	6753	36 .....	2360	6836
34 .....	0340		54 .....	1540	6754	37 .....	2370	6837
35 .....	0350		55 .....	1550	6755	38 .....	2380	6838
36 .....	0360		56 .....	1560	6756	39 .....	2390	6839
38 .....	0380		57 .....	1570	6757	40 .....	2400	6840
46 .....	0460		58 .....	1580	6758	40 1/2 .....	2405	
<b>3/8" Top Width</b>			59 .....	1590	6759	41 .....	2410	6841
11 .....	1110		60 .....	1600	6760	42 .....	2420	6842
12 .....	1120		61 .....	1610	6761	43 .....	2430	6843
13 .....	1130		62 .....	1620	6762	44 .....	2440	6844
14 .....	1140		63 .....	1630	6763	45 .....	2450	6845
15 .....	1150		64 .....	1640	6764	46 .....	2460	6846
16 .....	1160	6716	65 .....	1650	6765	47 .....	2470	6847
17 .....	1170	6717	66 .....	1660	6766	47 1/2 .....	2475	
18 .....	1180	6718	67 .....	1670		48 .....	2480	6848
19 .....	1190	6719	67 1/2 .....	1675		49 .....	2490	6849
20 .....	1200	6720	68 .....	1680		50 .....	2500	6850
21 .....	1210	6721	69 .....	1690		51 .....	2510	6851
22 .....	1220	6722	70 .....	1700		52 .....	2520	6852
23 .....	1230	6723	71 .....	1710		53 .....	2530	6853
24 .....	1240	6724	73 .....	1730		54 .....	2540	6854
24 1/2 .....	1245		74 .....	1740	6774	55 .....	2550	6855
25 .....	1250	6725	<b>1/2" Top Width</b>			56 .....	2560	6856
25 1/2 .....	1255		15 .....	2150		57 .....	2570	6857
26 .....	1260	6726	16 .....	2160		58 .....	2580	6858
26 1/2 .....	1265		17 .....	2170	6817	59 .....	2590	6859
27 .....	1270	6727	18 .....	2180	6818	60 .....	2600	6860
27 1/2 .....	1275		18 3/4 .....	2188		61 .....	2610	6861
28 .....	1280	6728	19 .....	2190	6819	62 .....	2620	6862
28 1/2 .....	1285		20 .....	2200	6820	63 .....	2630	6863
29 .....	1290	6729	21 .....	2210	6821	64 .....	2640	6864
29 1/4 .....	1293		21 1/2 .....	2215		65 .....	2650	6865
30 .....	1300	6730	22 .....	2220	6822	66 .....	2660	6866
31 .....	1310	6731	23 .....	2230	6823	67 .....	2670	6867
32 .....	1320	6732	23 1/2 .....	2235		68 .....	2680	6868
33 .....	1330	6733	24 .....	2240	6824	69 .....	2690	6869
34 .....	1340	6734	25 .....	2250	6825	70 .....	2700	6870
34 1/2 .....	1345		25 1/2 .....	2255		71 .....	2710	6871
						72 .....	2720	6872
						73 .....	2730	6873

## Truflex® and PoweRated® Belt Dimensions

Length In Inches	Truflex® Belt No.	PoweRated® Belt No.	Length In Inches	Truflex® Belt No.	PoweRated® Belt No.	Length In Inches	Truflex® Belt No.	PoweRated® Belt No.
<b>1/2" Top Width - Continued</b>			<b>21/32" Top Width - Continued</b>			<b>21/32" Top Width - Continued</b>		
74 .....	2740	6874	27 .....	3270	6927	64 .....	3640	6964
75 .....	2750	6875	28 .....	3280	6928	65 .....	3650	6965
76 .....	2760	6876	29 .....	3290	6929	66 .....	3660	6966
77 .....	2770	6877	30 .....	3300	6930	67 .....	3670	6967
78 .....	2780	6878	31 .....	3310	6931	68 .....	3680	6968
79 .....	2790	6879	32 .....	3320	6932	69 .....	3690	6969
80 .....	2800	6880	33 .....	3330	6933	70 .....	3700	6970
81 .....	2810	6881	34 .....	3340	6934	71 .....	3710	6971
82 .....	2820	6882	35 .....	3350	6935	72 .....	3720	6972
83 .....	2830	6883	35 1/2 .....	3355		73 .....	3730	6973
84 .....	2840	6884	36 .....	3360	6936	74 .....	3740	6974
85 .....	2850	6885	37 .....	3370	6937	75 .....	3750	6975
86 .....	2860	6886	38 .....	3380	6938	76 .....	3760	6976
87 .....	2870	6887	39 .....	3390	6939	77 .....	3770	6977
88 .....	2880	6888	40 .....	3400	6940	78 .....	3780	6978
89 .....	2890	6889	41 .....	3410	6941	79 .....	3790	6979
90 .....	2900	6890	42 .....	3420	6942	80 .....	3800	6980
91 .....	2910	6891	43 .....	3430	6943	81 .....	3810	6981
92 .....	2920	6892	44 .....	3440	6944	82 .....	3820	6982
93 .....	2930	6893	45 .....	3450	6945	83 .....	3830	6983
94 .....	2940	6894	46 .....	3460	6946	84 .....	3840	6984
95 .....	2950	6895	47 .....	3470	6947	85 .....	3850	6985
96 .....	2960	6896	48 .....	3480	6948	86 .....	3860	6986
97 .....	2970	6897	49 .....	3490	6949	87 .....	3870	6987
98 .....	2980	6898	50 .....	3500	6950	88 .....	3880	6988
99 .....	2990	6899	51 .....	3510	6951	89 .....	3890	6989
100 .....	2999	68100	52 .....	3520	6952	90 .....	3900	6990
105 .....		68105	53 .....	3530	6953	91 .....	3910	6991
107 .....		68107	54 .....	3540	6954	92 .....	3920	6992
117 .....		68117	55 .....	3550	6955	93 .....	3930	6993
<b>21/32" Top Width</b>			56 .....	3560	6956	94 .....	3940	6994
23 .....	3230	6923	57 .....	3570	6957	95 .....	3950	6995
24 .....	3240	6924	58 .....	3580	6958	96 .....	3960	6996
25 .....	3250	6925	59 .....	3590	6959	97 .....	3970	6997
26 .....	3260	6926	60 .....	3600	6960	98 .....	3980	6998
26 1/2 .....	3265		61 .....	3610	6961	99 .....	3990	6999
			62 .....	3620	6962	100 .....	3999	69100
			63 .....	3630	6963			

# BladeRunner™ AG Belts

## Listed by Number

Showing Our Belt Numbers with Corresponding  
Nominal Outside Lengths, Top Widths, Angles & Sections

Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Section/Strands	Our Belt No.	Length Inches (mm)	Top Width Inches (mm)	Angle	Section/Strands
AG0100208	110 3/8 (2803)	1/2 (13)	40°	A	AG0225245	105 (2667)	3 (76)	40°	B 4 Strands
AG0101160	84 1/8 (2136)	21/32 (17)	40°	B	AG0225253	108 7/8 (2765)	3 (76)	40°	B 4 Strands
AG0101221	116 1/8 (2949)	21/32 (17)	40°	B	AG0225257	111 1/8 (2822)	3 (76)	40°	B 4 Strands
AG0101321	169 1/8 (4295)	21/32 (17)	40°	B	AG0225266	116 1/8 (2950)	3 (76)	40°	B 4 Strands
AG0101334	176 3/8 (4481)	21/32 (17)	40°	B	AG0227242	101 3/8 (2575)	2 (51)	40°	C 2 Strands
AG0101454	239 5/8 (6086)	21/32 (17)	40°	B	AG0227365	166 3/8 (4225)	2 (51)	40°	C 2 Strands
AG0102183	95 1/8 (2415)	7/8 (22)	40°	C	AG0227408	189 (4800)	2 (51)	40°	C 2 Strands
AG0102216	112 1/2 (2858)	7/8 (22)	40°	C	AG0244253	90 (2286)	3 (76)	40°	C 3 Strands
AG0102338	177 3/4 (4514)	7/8 (22)	40°	C	AG0244357	145 1/2 (3696)	3 (76)	40°	C 3 Strands
AG0102351	184 5/8 (4691)	7/8 (22)	40°	C	AG0251265	▼91 1/8 (2316)	3 (76)	36°	HQ
AG0102415	217 7/8 (5535)	7/8 (22)	40°	C	AG0256275	▼90 1/4 (2293)	2 1/2 (64)	34°	HC63
AG0123173	69 3/4 (1771)	1 1/2 (38)	40°	B 2 Strands	AG0278347	106 (2692)	1 1/2 (38)	40°	E
AG0123198	82 3/4 (2102)	1 1/2 (38)	40°	B 2 Strands	AG0283263	▼56 1/4 (1429)	3/8 (10)	38°	Z
AG0124187	75 3/4 (1924)	2 1/4 (57)	40°	B 3 Strands	AG0302200	104 1/8 (2645)	7/8 (22)	40°	C
AG0124202	83 3/4 (2127)	2 1/4 (57)	40°	B 3 Strands	AG0302313	164 (4167)	7/8 (22)	40°	C
AG0124207	86 3/4 (2203)	2 1/4 (57)	40°	B 3 Strands	AG0303365	▼190 5/8 (4843)	5/8 (17)	39°	MD
AG0124245	106 3/4 (2711)	2 1/4 (57)	40°	B 3 Strands	AG0305315	164 1/2 (4178)	7/8 (22)	40°	CC
AG0124258	113 (2870)	2 1/4 (57)	40°	B 3 Strands	AG0310153	▼71 5/8 (1818)	1 1/4 (32)	36°	HJ
AG0124277	123 3/4 (3143)	2 1/4 (57)	40°	B 3 Strands	AG0323231	99 3/4 (2533)	1 1/2 (38)	40°	B 2 Strands
AG0124356	165 3/4 (4210)	2 1/4 (57)	40°	B 3 Strands	AG0323281	125 5/8 (3192)	1 1/2 (38)	40°	B 2 Strands
AG0125209	86 3/4 (2203)	3 (76)	40°	B 4 Strands	AG0323472	227 1/4 (5772)	1 1/2 (38)	40°	B 2 Strands
AG0142224	77 1/2 (1969)	3 11/16 (94)	32°	L 20 Ribs	AG0325214	88 3/4 (2254)	3 (76)	40°	B 4 Strands
AG0202168	86 7/8 (2208)	7/8 (22)	40°	C	AG0325248	106 1/4 (2700)	3 (76)	40°	B 4 Strands
AG0202178	92 3/8 (2347)	7/8 (22)	40°	C	AG0325290	128 1/2 (3264)	3 (76)	40°	B 4 Strands
AG0202261	136 (3455)	7/8 (22)	40°	C	AG0357350	▼128 1/2 (3264)	2 7/16 (62)	39°	5VX 4 Strands
AG0202332	174 1/4 (4426)	7/8 (22)	40°	C	AG0357428	▼170 (4318)	2 7/16 (62)	39°	5VX 4 Strands
AG0202355	186 3/8 (4733)	7/8 (22)	40°	C	AG0502165	85 5/8 (2174)	7/8 (22)	40°	C
AG0202361	189 1/8 (4803)	7/8 (22)	40°	C	AG0701422	222 5/8 (5654)	21/32 (17)	40°	B
AG0202404	212 1/4 (5390)	7/8 (22)	40°	C	AG0702289	151 3/8 (3845)	7/8 (22)	40°	C
AG0202493	259 (6580)	7/8 (22)	40°	C	AG0702292	152 7/8 (3883)	7/8 (22)	40°	C
AG0202528	277 1/2 (7047)	7/8 (22)	40°	C	AG0703331	172 1/2 (4380)	1 1/4 (32)	40°	D
AG0202595	314 1/4 (7983)	7/8 (22)	40°	C	AG0705388	203 1/8 (5160)	7/8 (22)	36°	CC
AG0202610	322 7/8 (8200)	7/8 (22)	40°	C	AG0705492	257 3/8 (6538)	7/8 (22)	36°	CC
AG0203132	67 (1702)	1 1/4 (32)	40°	D	AG0723221	②94 1/8 (2390)	1 1/2 (38)	40°	B 2 Strands
AG0203169	②86 1/2 (2197)	1 1/4 (32)	40°	D	AG0723228	97 5/8 (2480)	1 1/2 (38)	40°	B 2 Strands
AG0203187	95 7/8 (2436)	1 1/4 (32)	40°	D	AG0724321	146 (3708)	2 1/4 (57)	40°	B 3 Strands
AG0203206	②106 (2692)	1 1/4 (32)	40°	D	AG0724325	148 1/8 (3762)	2 1/4 (57)	40°	B 3 Strands
AG0203240	124 (3150)	1 1/4 (32)	40°	D	AG0727300	133 (3379)	2 (51)	40°	C 2 Strands
AG0203258	133 1/2 (3391)	1 1/4 (32)	40°	D	AG0744331	133 (3379)	3 (76)	40°	C 3 Strands
AG0203273	②142 1/8 (3609)	1 1/4 (32)	40°	D	AG0744354	143 1/2 (3645)	3 (76)	40°	C 3 Strands
AG0203295	▼154 (3910)	5/8 (17)	39°	MD	AG0744363	149 (3786)	3 (76)	40°	C 3 Strands
AG0203300	156 (3962)	1 1/4 (32)	40°	D	AG0744366	150 1/4 (3815)	3 (76)	40°	C 3 Strands
AG0203328	170 3/4 (4337)	1 1/4 (32)	40°	D	AG0744379	157 1/8 (3990)	3 (76)	40°	C 3 Strands
AG0203351	183 1/4 (4655)	1 1/4 (32)	40°	D	AG0812262	▼129 1/2 (3289)	1 3/4 (44)	36°	HL
AG0203363	188 3/4 (4795)	1 1/4 (32)	40°	D	AG0812275	▼136 1/2 (3467)	1 3/4 (44)	36°	HL
AG0203366	191 (4851)	1 1/4 (32)	40°	D	AG1401412	217 3/8 (5520)	21/32 (17)	40°	B
AG0210144	▼67 1/8 (1705)	1 1/4 (32)	36°	HJ	AG1402158	③81 7/8 (2080)	7/8 (22)	40°	C
AG0210149	▼69 3/4 (1770)	1 1/4 (32)	36°	HJ	AG1402217	113 (2869)	7/8 (22)	40°	C
AG0210220	▼107 5/8 (2734)	1 1/4 (32)	36°	HJ	AG1402336	179 3/8 (4557)	7/8 (22)	40°	C
AG0211218	▼106 1/2 (2704)	1 1/2 (38)	36°	HK	AG1402609	320 (8129)	7/8 (22)	40°	C
AG0211236	▼116 3/8 (2955)	1 1/2 (38)	36°	HK	AG1403222	115 1/8 (2924)	1 1/4 (32)	40°	D
AG0211250	▼123 7/8 (3148)	1 1/2 (38)	36°	HK	AG1403324	168 5/8 (4282)	1 1/4 (32)	40°	D
AG0211317	▼160 1/4 (4070)	1 1/2 (38)	36°	HK	AG1410203	▼98 3/4 (2507)	1 1/4 (32)	36°	HJ
AG0211323	▼164 5/8 (4181)	1 1/2 (38)	36°	HK	AG1413195	▼92 1/4 (2343)	2 (51)	36°	HM
AG0211357	▼181 1/2 (4610)	1 1/2 (38)	36°	HK	AG1523244	108 3/4 (2762)	1 1/2 (38)	40°	B 2 Strands
AG0212325	▼163 3/8 (4149)	1 3/4 (44)	36°	HL	AG1602195	101 3/8 (2574)	7/8 (22)	40°	C
AG0212364	▼184 7/8 (4697)	1 3/4 (44)	36°	HL	AG1900095	50 1/8 (1274)	1/2 (13)	40°	A
AG0213197	▼93 3/8 (2371)	2 (51)	36°	HM	AG1900136	72 3/8 (1839)	1/2 (13)	40°	A
AG0213224	▼108 1/8 (2746)	2 (51)	36°	HM	AG1902120	61 1/8 (1554)	7/8 (22)	40°	C
AG0215195	▼90 1/2 (2299)	2 1/2 (64)	36°	HO	AG1902376	198 (5028)	7/8 (22)	40°	C
AG0223139	50 5/8 (1286)	1 1/2 (38)	40°	B 2 Strands	AG1903244	126 5/8 (3215)	1 1/4 (32)	40°	D
AG0223148	55 5/8 (1414)	1 1/2 (38)	40°	B 2 Strands	AG1912195	▼91 5/8 (2327)	1 3/4 (44)	36°	HL
AG0224234	100 (2540)	2 1/4 (57)	40°	B 3 Strands	AG2002190	④98 3/4 (2509)	7/8 (22)	40°	C
AG0224243	105 (2667)	2 1/4 (57)	40°	B 3 Strands	AG2501308	163 1/8 (4143)	21/32 (17)	40°	B
AG0225236	100 3/4 (2559)	3 (76)	40°	B 4 Strands	AG2601106	55 1/8 (1400)	21/32 (17)	40°	B

② Set of Two Matching Belts.  
③ Set of Three Matching Belts.  
④ Set of Four Matching Belts.

(mm) Millimeters.  
▼ Notched Belt.



# BladeRunner™ AG Belts

## Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths, Angles & Sections with Our Corresponding Belt Numbers

Length Inches (mm)	Angle	Section/Strands	Our Belt No.	Length Inches (mm)	Angle	Section/Strands	Our Belt No.
<b>3/8" (10mm) Top Width</b>				<b>1 1/4" (32mm) Top Width - Continued</b>			
56 1/4 (1429) .....	38°	Z	▼AG0283263	106 (2692) .....	40°	D	ⓈAG0203206
<b>1/2" (13mm) Top Width</b>				107 5/8 (2734) .....	36°	HJ	▼AG0210220
50 1/8 (1274) .....	40°	A	AG1900095	115 1/8 (2924) .....	40°	D	AG1403222
72 3/8 (1839) .....	40°	A	AG1900136	124 (3150) .....	40°	D	AG0203240
110 3/8 (2803) .....	40°	A	AG0100208	126 5/8 (3215) .....	40°	D	AG1903244
<b>5/8" (17mm) Top Width</b>				133 1/2 (3391) .....	40°	D	AG0203258
154 (3910) .....	39°	MD	▼AG0203295	142 1/8 (3609) .....	40°	D	ⓈAG0203273
190 5/8 (4843) .....	39°	MD	▼AG0303365	156 (3962) .....	40°	D	AG0203300
<b>21/32" (17mm) Top Width</b>				168 5/8 (4282) .....	40°	D	AG1403324
55 1/8 (1400) .....	40°	B	AG2601106	170 3/4 (4337) .....	40°	D	AG0203328
84 1/8 (2136) .....	40°	B	AG0101160	172 1/2 (4380) .....	40°	D	AG0703331
116 1/8 (2949) .....	40°	B	AG0101221	183 1/4 (4655) .....	40°	D	AG0203351
163 1/8 (4143) .....	40°	B	AG2501308	188 3/4 (4795) .....	40°	D	AG0203363
169 1/8 (4295) .....	40°	B	AG0101321	191 (4851) .....	40°	D	AG0203366
176 3/8 (4481) .....	40°	B	AG0101334	<b>1 1/2" (38mm) Top Width</b>			
217 3/8 (5520) .....	40°	B	AG1401412	50 5/8 (1286) .....	40°	B 2 Strands	AG0223139
222 5/8 (5654) .....	40°	B	AG0701422	55 5/8 (1414) .....	40°	B 2 Strands	AG0223148
239 5/8 (6086) .....	40°	B	AG0101454	69 3/4 (1771) .....	40°	B 2 Strands	AG0123173
<b>7/8" (22mm) Top Width</b>				82 3/4 (2102) .....	40°	B 2 Strands	AG0123198
61 1/8 (1554) .....	40°	C	AG1902120	94 1/8 (2390) .....	40°	B 2 Strands	ⓈAG0723221
81 7/8 (2080) .....	40°	C	ⓈAG1402158	97 5/8 (2480) .....	40°	B 2 Strands	AG0723228
85 5/8 (2174) .....	40°	C	AG0502165	99 3/4 (2533) .....	40°	B 2 Strands	AG0323231
86 7/8 (2208) .....	40°	C	AG0202168	106 (2692) .....	40°	E	AG0278347
92 3/8 (2347) .....	40°	C	AG0202178	106 1/2 (2704) .....	36°	HK	▼AG0211218
95 1/8 (2415) .....	40°	C	AG0102183	108 3/4 (2762) .....	40°	B 2 Strands	AG1523244
98 3/4 (2509) .....	40°	C	ⓈAG2002190	116 3/8 (2955) .....	36°	HK	▼AG0211236
101 3/8 (2574) .....	40°	C	AG1602195	123 7/8 (3148) .....	36°	HK	▼AG0211250
104 1/8 (2645) .....	40°	C	AG0302200	125 5/8 (3192) .....	40°	B 2 Strands	AG0323281
112 1/2 (2858) .....	40°	C	AG0102216	160 1/4 (4070) .....	36°	HK	▼AG0211317
113 (2869) .....	40°	C	AG1402217	164 5/8 (4181) .....	36°	HK	▼AG0211323
136 (3455) .....	40°	C	AG0202261	181 1/2 (4610) .....	36°	HK	▼AG0211357
151 3/8 (3845) .....	40°	C	AG0702289	227 1/4 (5772) .....	40°	B 2 Strands	AG0323472
152 7/8 (3883) .....	40°	C	AG0702292	<b>1 3/4" (44mm) Top Width</b>			
164 (4167) .....	40°	C	AG0302313	91 5/8 (2327) .....	36°	HL	▼AG1912195
164 1/2 (4178) .....	40°	CC	AG0305315	129 1/2 (3289) .....	36°	HL	▼AG0812262
174 1/4 (4426) .....	40°	C	AG0202332	136 1/2 (3467) .....	36°	HL	▼AG0812275
177 3/4 (4514) .....	40°	C	AG0102338	163 3/8 (4149) .....	36°	HL	▼AG0212325
179 3/8 (4557) .....	40°	C	AG1402336	184 7/8 (4697) .....	36°	HL	▼AG0212364
184 5/8 (4691) .....	40°	C	AG0102351	<b>2" (51mm) Top Width</b>			
186 3/8 (4733) .....	40°	C	AG0202355	92 1/4 (2343) .....	36°	HM	▼AG1413195
189 1/8 (4803) .....	40°	C	AG0202361	93 3/8 (2371) .....	36°	HM	▼AG0213197
198 (5028) .....	40°	C	AG1902376	101 3/8 (2575) .....	40°	C 2 Strands	AG0227242
203 1/8 (5160) .....	40°	CC	AG0705388	108 1/8 (2746) .....	36°	HM	▼AG0213224
212 1/4 (5390) .....	40°	C	AG0202404	133 (3379) .....	40°	C 2 Strands	AG0727300
217 7/8 (5535) .....	40°	C	AG0102415	166 3/8 (4225) .....	40°	C 2 Strands	AG0227365
257 3/8 (6538) .....	40°	CC	AG0705492	189 (4800) .....	40°	C 2 Strands	AG0227408
259 (6580) .....	40°	C	AG0202493	<b>2 1/4" (57mm) Top Width</b>			
277 1/2 (7047) .....	40°	C	AG0202528	75 3/4 (1924) .....	40°	B 3 Strands	AG0124187
314 1/4 (7983) .....	40°	C	AG0202595	83 3/4 (2127) .....	40°	B 3 Strands	AG0124202
320 (8129) .....	40°	C	AG1402609	86 3/4 (2203) .....	40°	B 3 Strands	AG0124207
322 7/8 (8200) .....	40°	C	AG0202610	100 (2540) .....	40°	B 3 Strands	AG0224234
<b>1 1/4" (32mm) Top Width</b>				105 (2667) .....	40°	B 3 Strands	AG0224243
67 (1702) .....	40°	D	AG0203132	106 3/4 (2711) .....	40°	B 3 Strands	AG0124245
67 1/8 (1705) .....	36°	HJ	▼AG0210144	113 (2870) .....	40°	B 3 Strands	AG0124258
69 3/4 (1770) .....	36°	HJ	▼AG0210149	123 3/4 (3143) .....	40°	B 3 Strands	AG0124277
71 5/8 (1818) .....	36°	HJ	▼AG0310153	146 (3708) .....	40°	B 3 Strands	AG0724321
86 1/2 (2197) .....	40°	D	ⓈAG0203169	148 1/8 (3762) .....	40°	B 3 Strands	AG0724325
95 7/8 (2436) .....	40°	D	AG0203187	165 3/4 (4210) .....	40°	B 3 Strands	AG0124356
98 3/4 (2507) .....	36°	HJ	▼AG1410203				

Ⓢ Set of Two Matching Belts.  
 Ⓣ Set of Three Matching Belts.  
 Ⓞ Set of Four Matching Belts.

(mm) Millimeters.  
 ▼ Notched Belt.

# BladeRunner™ AG Belts Listed by Width and Length

Length Inches (mm)	Angle	Section/Strands	Our Belt No.	Length Inches (mm)	Angle	Section/Strands	Our Belt No.
<b>2 7/16" (62mm) Top Width</b>				<b>3" (76mm) Top Width - Continued</b>			
128 1/2 (3264) .....	39°	5VX 4 Strands	▼AG0357350	106 1/4 (2700) .....	40°	B 4 Strands	AG0325248
170 (4318) .....	39°	5VX 4 Strands	▼AG0357428	108 7/8 (2765) .....	40°	B 4 Strands	AG0225253
<b>2 1/2" (64mm) Top Width</b>				111 1/8 (2822) .....	40°	B 4 Strands	AG0225257
90 1/4 (2293) .....	34°	HC63	▼AG0256275	116 1/8 (2950) .....	40°	B 4 Strands	AG0225266
90 1/2 (2299) .....	36°	HO	▼AG0215195	128 1/2 (3264) .....	40°	B 4 Strands	AG0325290
<b>3" (76mm) Top Width</b>				133 (3379) .....	40°	C 3 Strands	AG0744331
86 3/4 (2203) .....	40°	B 4 Strands	AG0125209	143 1/2 (3645) .....	40°	C 3 Strands	AG0744354
88 3/4 (2254) .....	40°	B 4 Strands	AG0325214	145 1/2 (3696) .....	40°	C 3 Strands	AG0244357
90 (2286) .....	40°	C 3 Strands	AG0244253	149 (3786) .....	40°	C 3 Strands	AG0744363
91 1/8 (2316) .....	36°	HQ	▼AG0251265	150 1/4 (3815) .....	40°	C 3 Strands	AG0744366
100 3/4 (2559) .....	40°	B 4 Strands	AG0225236	157 1/8 (3990) .....	40°	C 3 Strands	AG0744379
105 (2667) .....	40°	B 4 Strands	AG0225245	<b>3 11/16" (94mm) Top Width</b>			
				77 1/2 (1969) .....	32°	L 20 Ribs	AG0142224

② Set of Two Matching Belts.  
 ③ Set of Three Matching Belts.  
 ④ Set of Four Matching Belts.

(mm) Millimeters.  
 ▼ Notched Belt.


# Hi-Power® II Belts Listed by Number

## Showing Hi-Power® II Belts with Corresponding Top Widths and Outside Lengths

PLEASE NOTE: V-Belt drives which use the belt as a clutch requires special consideration because the heat generated by belt slip (during engagement and disengagement) on some clutching applications can cause the V-Belt tensile materials in the belts listed below to shrink in length. The shrinkage may cause a belt, which is already engaged and driving, to not de-clutch, or a de-clutched belt may engage itself and start driving the machine unexpectedly. Depending on the machine and circumstances, either situation could prove dangerous to the machine operator or bystanders.

Belts especially designed to minimize or eliminate heat shrinkage may be required.

IMPORTANT: The outside length is determined by placing a steel tape around the outside of the belt. This method should be used because it is the one most commonly used by Dealers and Jobbers when measuring a belt.




Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches
<b>A Section</b>		<b>A Section - Cont.</b>		<b>A Section - Cont.</b>		<b>B Section - Cont.</b>		<b>B Section - Cont.</b>	
A24 .....	26	A61 .....	63	A98 .....	100	B47 .....	50	B85 .....	88
A25 .....	27	A62 .....	64	A99 .....	101	B48 .....	51	B86 .....	89
A26 .....	28	A63 .....	65	A100 .....	102	B49 .....	52	B87 .....	90
A27 .....	29	A64 .....	66	A103 .....	105	B50 .....	53	B88 .....	91
A28 .....	30	Ap64 (Aramid) .....	66	A105 .....	107	B51 .....	54	B89 .....	92
A29 .....	31	A65 .....	67	A110 .....	112	B52 .....	55	B90 .....	93
A29.8 .....	31.8	A66 .....	68	A112 .....	114	B53 .....	56	B91 .....	94
A30 .....	32	A67 .....	69	A115 .....	117	B54 .....	57	B92 .....	95
A31 .....	33	A68 .....	70	A120 .....	122	B55 .....	58	B93 .....	96
A32 .....	34	A69 .....	71	A124 .....	126	B56 .....	59	B94 .....	97
A33 .....	35	A70 .....	72	A128 .....	130	B57 .....	60	B95 .....	98
A34 .....	36	A71 .....	73	A133 .....	135	B58 .....	61	Bp95 (Aramid) .....	98
A35 .....	37	A72 .....	74	A136 .....	138	B59 .....	62	B96 .....	99
A36 .....	38	A73 .....	75	A144 .....	146	B60 .....	63	B97 .....	100
A37 .....	39	A74 .....	76	A158 .....	160	B61 .....	64	B98 .....	101
A38 .....	40	A75 .....	77	A173 .....	175	B62 .....	65	B99 .....	102
A39 .....	41	A76 .....	78	A180 .....	182	B63 .....	66	B100 .....	103
A40 .....	42	A77 .....	79	<b>B Section</b>		B64 .....	67	Bp100 (Aramid) .....	103
A41 .....	43	A78 .....	80	B28 .....	31	B65 .....	68	B101 .....	104
A42 .....	44	A79 .....	81	B29 .....	32	B66 .....	69	B102 .....	105
A43 .....	45	A80 .....	82	B30 .....	33	B67 .....	70	B103 .....	106
A44 .....	46	A81 .....	83	B31 .....	34	B68 .....	71	B104 .....	107
A45 .....	47	A82 .....	84	B33 .....	35	B69 .....	72	B105 .....	108
A46 .....	48	A83 .....	85	B33 .....	36	B70 .....	73	B106 .....	109
A47 .....	49	A84 .....	86	B34 .....	37	B71 .....	74	B108 .....	111
A48 .....	50	A85 .....	87	B35 .....	38	B72 .....	75	Bp108 (Aramid) .....	111
A49 .....	51	A86 .....	88	B36 .....	39	B73 .....	76	B110 .....	113
A50 .....	52	A87 .....	89	B37 .....	40	B74 .....	77	B112 .....	115
A51 .....	53	A88 .....	90	B38 .....	41	B75 .....	78	B114 .....	117
A52 .....	54	A89 .....	91	B39 .....	42	B76 .....	79	B115 .....	118
A53 .....	55	A90 .....	92	B40 .....	43	B77 .....	80	B116 .....	119
A54 .....	56	A91 .....	93	B41 .....	44	B78 .....	81	B118 .....	121
A55 .....	57	A92 .....	94	B42 .....	45	B79 .....	82	B120 .....	123
A56 .....	58	A93 .....	95	B43 .....	46	B80 .....	83	B122 .....	125
A57 .....	59	A94 .....	96	B44 .....	47	B81 .....	84	B124 .....	127
A58 .....	60	A95 .....	97	B45 .....	48	B82 .....	85	B126 .....	129
A59 .....	61	A96 .....	98	B46 .....	49	B83 .....	86	B128 .....	131
A60 .....	62	A97 .....	99			B84 .....	87	B130 .....	133

## Hi-Power® II Belts Listed by Number

Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches
<b>B Section - Cont.</b>		<b>C Section</b>		<b>C Section - Cont.</b>		<b>C Section - Cont.</b>		<b>D Section - Cont.</b>	
B133 .....	136	C48 .....	52	C99 .....	103	C185 .....	189	D255 .....	258
B136 .....	139	C50 .....	54	C100 .....	104	C190 .....	194	D270 .....	273
B138 .....	141	C51 .....	55	C101 .....	105	C195 .....	199	D285 .....	288
B140 .....	143	C53 .....	57	C103 .....	107	C210 .....	214	D300 .....	303
B142 .....	145	C54 .....	58	C105 .....	109	C225 .....	227	D315 .....	318
B144 .....	147	C55 .....	59	Cp105 (Aramid) .....	109	C240 .....	242	D330 .....	333
B146 .....	149	C57 .....	61	C106 .....	110	C255 .....	257	D345 .....	348
B148 .....	151	C60 .....	64	C107 .....	111	C270 .....	272	D360 .....	363
B150 .....	153	C62 .....	66	C108 .....	112	C285 .....	287	D390 .....	393
B152 .....	155	C63 .....	67	C109 .....	113	C300 .....	302	D420 .....	423
B154 .....	157	C65 .....	69	C110 .....	114	C315 .....	317	D450 .....	453
B158 .....	161	C67 .....	71	C111 .....	115	C330 .....	332	D480 .....	483
B162 .....	165	C68 .....	72	C112 .....	116	C345 .....	347	D540 .....	543
B166 .....	169	C70 .....	74	C115 .....	119	C360 .....	362	D600 .....	603
B168 .....	171	C71 .....	75	C116 .....	120	C390 .....	392	D660 .....	663
B173 .....	176	C72 .....	76	C120 .....	124	C420 .....	422		
B180 .....	183	C73 .....	77	C122 .....	126				
B188 .....	191	C75 .....	79	C124 .....	128	<b>D Section</b>		<b>E Section</b>	
B190 .....	193	C76 .....	80	C126 .....	130	D100 .....	105	E180 .....	187
B192 .....	195	C78 .....	82	C128 .....	132	D105 .....	110	E195 .....	202
B195 .....	198	C80 .....	84	C130 .....	134	D112 .....	117	E210 .....	217
B199 .....	202	C81 .....	85	C136 .....	140	D120 .....	125	E240 .....	244
B205 .....	208	C83 .....	87	C140 .....	144	D128 .....	133	E270 .....	274
B210 .....	213	C84 .....	88	C144 .....	148	D136 .....	141	E300 .....	304
B225 .....	226	C85 .....	89	C148 .....	152	D144 .....	149	E330 .....	334
B230 .....	231	C86 .....	90	C150 .....	154	D158 .....	163	E360 .....	364
B240 .....	241	C87 .....	91	C152 .....	156	D162 .....	167	E390 .....	394
B255 .....	256	C90 .....	94	C156 .....	160	D173 .....	178	E420 .....	424
B270 .....	271	C92 .....	96	C158 .....	162	D180 .....	185	E480 .....	484
B285 .....	286	C93 .....	97	C162 .....	166	D195 .....	200	E540 .....	544
B300 .....	301	C95 .....	99	C170 .....	174	D210 .....	215	E600 .....	604
B315 .....	316	C96 .....	100	C173 .....	177	D225 .....	228	E660 .....	664
		C97 .....	101	C180 .....	184	D240 .....	243		


# Hi-Power® II PowerBand® Belts Listed by Number - Size

## Key to Size Numbering System



The part number is constructed by placing the number of strands required followed by a slash in front of the size.

In the example above 2/ is the number of strands, A48 is the belt size.



Our Belt No.	Nominal Outside Length (inches)	Our Belt No.	Nominal Outside Length (inches)	Our Belt No.	Nominal Outside Length (inches)
<b>A Section Belts</b>		<b>B Section Belts - Continued</b>		<b>B Section Belts - Continued</b>	
2/A48.....	50	2/B80.....	83	2/B99.....	102
3/A55.....	57	3/B81.....	84	2/B148.....	151
3/A85.....	87	2/B85.....	88	2/B162.....	165
<b>B Section Belts</b>		2/B86.....	89	<b>C Section Belts</b>	
2/B61.....	64	2/B90.....	93	2/C90.....	94
2/B64.....	67	2/B92.....	95		
2/B68.....	71	2/B93.....	96		
2/B75.....	78	2/B95.....	98		

# Super HC® Belts Listed by Number

Showing Super HC® & Super HC® Molded Notch Belts  
With Corresponding Top Widths and Outside Lengths


IMPORTANT: The outside length is determined by placing a steel tape around the outside of the belt. This method should be used because it is the one most commonly used by Dealers and Jobbers when measuring a belt.



Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches
<b>3V/3VX</b>		<b>3V/3VX - Cont.</b>		<b>5V/5VX - Cont.</b>		<b>5V/5VX - Cont.</b>		<b>5V/5VX - Cont.</b>	
3V250.....	25	3VX355.....	35 1/2	5V900.....	90	5VX600.....	60	5VX1700.....	170
3V265.....	26 1/2	3VX375.....	37 1/2	5V950.....	95	5VX610.....	61	5VX1800.....	180
3V280.....	28	3VX400.....	40	5V1000.....	100	5VX630.....	63	5VX1900.....	190
3V300.....	30	3VX425.....	42 1/2	5V1060.....	106	5VX650.....	65	5VX2000.....	200
3V315.....	31 1/2	3VX450.....	45	5V1120.....	112	5VX660.....	66	<b>8V</b>	
3V335.....	33 1/2	3VX475.....	47 1/2	5V1180.....	118	5VX670.....	67	8V1000.....	100
3V355.....	35 1/2	3VX500.....	50	5V1250.....	125	5VX680.....	68	8V1060.....	106
3V375.....	37 1/2	3VX530.....	53	5V1320.....	132	5VX690.....	69	8V1120.....	112
3V400.....	40	3VX560.....	56	5V1400.....	140	5VX710.....	71	8V1180.....	118
3V425.....	42 1/2	3VX600.....	60	5V1500.....	150	5VX730.....	73	8V1250.....	125
3V450.....	45	3VX630.....	63	5V1600.....	160	5VX740.....	74	8V1320.....	132
3V475.....	47 1/2	3VX670.....	67	5V1700.....	170	5VX750.....	75	8V1400.....	140
3V500.....	50	3VX710.....	71	5V1800.....	180	5VX780.....	78	8V1500.....	150
3V530.....	53	3VX750.....	75	5V1900.....	190	5VX800.....	80	8V1600.....	160
3V560.....	56	3VX800.....	80	5V2000.....	200	5VX810.....	81	8V1700.....	170
3V600.....	60	3VX850.....	85	5V2120.....	212	5VX830.....	83	8V1800.....	180
3V630.....	63	3VX900.....	90	5V2240.....	224	5VX840.....	84	8V1900.....	190
3V670.....	67	3VX950.....	95	5V2360.....	236	5VX850.....	85	8V2000.....	200
3V710.....	71	3VX1000.....	100	5V2500.....	250	5VX860.....	86	8V2120.....	212
3V750.....	75	3VX1060.....	106	5V2650.....	265	5VX880.....	88	8V2240.....	224
3V800.....	80	3VX1120.....	112	5V2800.....	280	5VX900.....	90	8V2360.....	236
3V850.....	85	3VX1180.....	118	5V3000.....	300	5VX930.....	93	8V2500.....	250
3V900.....	90	3VX1250.....	125	5V3150.....	315	5VX950.....	95	8V2650.....	265
3V950.....	95	3VX1320.....	132	5V3350.....	335	5VX960.....	96	8V2800.....	280
3V1000.....	100	3VX1400.....	140	5V3550.....	355	5VX1000.....	100	8V3000.....	300
3V1060.....	106	<b>5V/5VX</b>		5VX450.....	45	5VX1030.....	103	8V3150.....	315
3V1120.....	112	5V500.....	50	5VX470.....	47	5VX1060.....	106	8V3350.....	335
3V1180.....	118	5V530.....	53	5VX490.....	49	5VX1080.....	108	8V3550.....	355
3V1250.....	125	5V560.....	56	5VX500.....	50	5VX1120.....	112	8V3750.....	375
3V1320.....	132	5V600.....	60	5VX510.....	51	5VX1150.....	115	8V4000.....	400
3V1400.....	140	5V630.....	63	5VX530.....	53	5VX1180.....	118	8V4250.....	425
3VX250.....	25	5V670.....	67	5VX540.....	54	5VX1230.....	123	8V4500.....	450
3VX265.....	26 1/2	5V710.....	71	5VX550.....	55	5VX1250.....	125	8V4750.....	475
3VX280.....	28	5V750.....	75	5VX560.....	56	5VX1320.....	132	8V5000.....	500
3VX300.....	30	5V800.....	80	5VX570.....	57	5VX1400.....	140	8V5600.....	560
3VX315.....	31 1/2	5V850.....	85	5VX580.....	58	5VX1500.....	150		
3VX335.....	33 1/2			5VX590.....	59	5VX1600.....	160		

# Super HC® PowerBand® Belts Listed by Number - Size

## Key to Size Numbering System



Our Belt No.	Nominal Outside Length (inches)	Our Belt No.	Nominal Outside Length (inches)	Our Belt No.	Nominal Outside Length (inches)		
<b>3V / 3VX Section Belts</b>		<b>5V / 5VX Section Belts</b>		<b>5V / 5VX Section Belts</b>			
2/3V600 .....	60	2/5V950 .....	95	- Continued			
2/3VX375 .....	37 1/2	2/5V975 .....	97 1/2				
2/3VX475 .....	47 1/2	2/5VX560 .....	56				
2/3VX500 .....	50	2/5VX600 .....	60				
2/3VX630 .....	63	2/5VX670 .....	67				
3/3VX500 .....	50	2/5VX686 .....	69 1/4				
3/3VX560 .....	56	2/5VX710 .....	71				
4/3VX425 .....	42 1/2	2/5VX800 .....	80				
		2/5VX850 .....	85				
						2/5VX930 .....	93
						2/5VX950 .....	95
						2/5VX1000 .....	100
				2/5VX1042 .....	105 1/4		
				2/5VX1075 .....	108 1/8		
				2/5VX1400 .....	140		

# Tri-Power® Belts Listed by Number

## Showing Tri-Power® Belts with Corresponding Top Widths and Outside Lengths

PLEASE NOTE: V-Belt drives which use the belt as a clutch requires special consideration because the heat generated by belt slip (during engagement and disengagement) on some clutching applications can cause the V-Belt tensile materials in the belts listed below to shrink in length. The shrinkage may cause a belt, which is already engaged and driving, to not de-clutch, or a de-clutched belt may engage itself and start driving the machine unexpectedly. Depending on the machine and circumstances, either situation could prove dangerous to the machine operator or bystanders.

Belts especially designed to minimize or eliminate heat shrinkage may be required.

IMPORTANT: The outside length is determined by placing a steel tape around the outside of the belt. This method should be used because it is the one most commonly used by Dealers and Jobbers when measuring a belt.



Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches
<b>AX SECTION</b>		<b>AX SECTION - Cont.</b>		<b>AX SECTION - Cont.</b>		<b>BX SECTION - Cont.</b>		<b>BX SECTION - Cont.</b>	
AX22.....	24	AX62.....	64	AX128.....	130	BX64.....	67	BX108.....	111
AX23.....	25	AX63.....	65	AX144.....	146	BX65.....	68	BX112.....	115
AX24.....	26	AX64.....	66	AX173.....	175	BX66.....	69	BX113.....	116
AX26.....	28	AX65.....	67	<b>BX SECTION</b>		BX67.....	70	BX115.....	118
AX27.....	29	AX66.....	68	BX28.....	31	BX68.....	71	BX116.....	119
AX28.....	30	AX67.....	69	BX30.....	33	BX69.....	72	BX120.....	123
AX29.....	31	AX68.....	70	BX31.....	34	BX70.....	73	BX124.....	127
AX31.....	33	AX69.....	71	BX32.....	35	BX71.....	74	BX128.....	131
AX32.....	34	AX70.....	72	BX33.....	36	BX72.....	75	BX133.....	136
AX33.....	35	AX71.....	73	BX34.....	37	BX73.....	76	BX136.....	139
AX34.....	36	AX72.....	74	BX35.....	38	BX74.....	77	BX140.....	143
AX35.....	37	AX73.....	75	BX36.....	39	BX75.....	78	BX144.....	147
AX36.....	38	AX74.....	76	BX37.....	40	BX76.....	79	BX150.....	153
AX37.....	39	AX75.....	77	BX38.....	41	BX77.....	80	BX158.....	161
AX38.....	40	AX76.....	78	BX40.....	43	BX78.....	81	BX162.....	165
AX39.....	41	AX77.....	79	BX41.....	44	BX79.....	82	BX173.....	176
AX40.....	42	AX78.....	80	BX42.....	45	BX80.....	83	BX180.....	183
AX41.....	43	AX79.....	81	BX43.....	46	BX81.....	84	BX195.....	198
AX42.....	44	AX80.....	82	BX44.....	47	BX82.....	85	BX205.....	208
AX43.....	45	AX81.....	83	BX45.....	48	BX83.....	86	BX210.....	213
AX44.....	46	AX82.....	84	BX46.....	49	BX84.....	87	BX225.....	227
AX45.....	47	AX85.....	87	BX47.....	50	BX85.....	88	BX240.....	242
AX46.....	48	AX86.....	88	BX48.....	51	BX86.....	89	BX255.....	257
AX47.....	49	AX87.....	89	BX49.....	52	BX87.....	90	BX270.....	272
AX48.....	50	AX88.....	90	BX50.....	53	BX88.....	91	BX300.....	302
AX49.....	51	AX90.....	92	BX51.....	54	BX89.....	92	<b>CX SECTION</b>	
AX50.....	52	AX91.....	93	BX52.....	55	BX90.....	93	CX51.....	55
AX51.....	53	AX92.....	94	BX53.....	56	BX91.....	94	CX60.....	64
AX52.....	54	AX93.....	95	BX54.....	57	BX92.....	95	CX68.....	72
AX53.....	55	AX94.....	96	BX55.....	58	BX93.....	96	CX75.....	79
AX54.....	56	AX96.....	98	BX56.....	59	BX94.....	97	CX81.....	85
AX55.....	57	AX97.....	99	BX57.....	60	BX95.....	98	CX85.....	89
AX56.....	58	AX98.....	100	BX58.....	61	BX96.....	99	CX90.....	94
AX57.....	59	AX103.....	105	BX59.....	62	BX97.....	100	CX96.....	100
AX58.....	60	AX105.....	107	BX60.....	63	BX99.....	102	CX100.....	104
AX59.....	61	AX110.....	112	BX61.....	64	BX100.....	103	CX101.....	105
AX60.....	62	AX112.....	114	BX62.....	65	BX103.....	106	CX105.....	109
AX61.....	63	AX120.....	122	BX63.....	66	BX105.....	108		



## Tri-Power® Belts Listed by Number

Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches	Our Belt No.	Length In inches
<b>CX SECTION - Cont.</b>		<b>CX SECTION - Cont.</b>		<b>CX SECTION - Cont.</b>		<b>CX SECTION - Cont.</b>		<b>CX SECTION - Cont.</b>	
CX106.....	110	CX128.....	132	CX162.....	166	CX210.....	214		
CX109.....	113	CX133.....	137	CX173.....	177	CX225.....	229		
CX112.....	116	CX136.....	140	CX180.....	184	CX240.....	244		
CX115.....	119	CX144.....	148	CX187.....	191	CX255.....	259	CX330.....	334
CX120.....	124	CX150.....	154	CX190.....	194	CX270.....	274		
CX123.....	127	CX158.....	162	CX195.....	199	CX300.....	304	CX360.....	364

# Industrial Micro-V® Belts Listed by Number

Showing Micro-V® Belts With the Corresponding  
Top Widths, Nominal Lengths and Number of Ribs

Industrial Micro-V® Belts are identified by a three-part symbol consisting of:

1. Standard Length Designation
2. Cross Section
3. Number of Ribs

For example, the belt designation **780L12** represents:

- (1.) 78.0" in Length
- (2.) L Cross Section
- (3.) 12 Ribs Wide



J Section – including 4, 6, 10, 16 and 20 ribs  
L Section – including 6, 8, 10, 12, 14, 16, 18 and 20 ribs  
M Section – including 6, 8, 10, 12, 14, 16, 18 and 20 ribs

NOTE: Rib combinations noted are RMA standard configurations. Belts available in most multiples.

Size	Nominal Length (In.)	Max. No. of Ribs	Size	Nominal Length (In.)	Max. No. of Ribs	Size	Nominal Length (In.)	Max. No. of Ribs
<b>J SECTION</b>			<b>J SECTION - Continued</b>			<b>L SECTION - Continued</b>		
180J.....	18.0	30	870J.....	87.0	211	1310L.....	131.0	60
190J.....	19.0	30	920J.....	92.0	±10	1455L.....	145.5	60
200J.....	20.0	30	980J.....	98.0	±10	<b>M SECTION</b>		
220J.....	22.0	211	<b>L SECTION</b>			900M.....	90.0	30
230J.....	23.0	211	500L.....	50.0	105	940M.....	94.0	30
240J.....	24.0	211	540L.....	54.0	105	990M.....	99.0	30
260J.....	26.0	211	560L.....	56.0	105	1060M.....	106.0	30
280J.....	28.0	211	615L.....	61.5	105	1115M.....	111.5	30
290J.....	29.0	211	635L.....	63.5	105	1150M.....	115.0	30
300J.....	30.0	211	655L.....	65.5	105	1185M.....	118.5	30
320J.....	32.0	211	675L.....	67.5	105	1230M.....	123.0	30
330J.....	33.0	211	695L.....	69.5	105	1310M.....	131.0	30
340J.....	34.0	211	725L.....	72.5	105	1390M.....	139.0	30
360J.....	36.0	211	765L.....	76.5	105	1470M.....	147.0	30
380J.....	38.0	211	780L.....	78.0	105	1610M.....	161.0	30
400J.....	40.0	211	795L.....	79.5	105	1650M.....	165.0	30
410J.....	41.0	211	815L.....	81.5	105	1760M.....	176.0	30
420J.....	42.0	211	840L.....	84.0	105	1830M.....	183.0	30
430J.....	43.0	211	865L.....	86.5	105	1980M.....	198.0	30
440J.....	44.0	211	915L.....	91.5	60	2130M.....	213.0	30
460J.....	46.0	211	975L.....	97.5	60	2410M.....	241.0	30
480J.....	48.0	211	990L.....	99.0	60	2560M.....	256.0	30
490J.....	49.0	211	1065L.....	106.5	60	2710M.....	271.0	30
500J.....	50.0	211	1120L.....	112.0	60	2710M.....	271.0	30
520J.....	52.0	211	1150L.....	115.0	60	3010M.....	301.0	30
550J.....	55.0	211	1215L.....	121.5	60	3310M.....	331.0	30
580J.....	58.0	211	1230L.....	123.0	60	3610M.....	361.0	30
610J.....	61.0	211	1295L.....	129.5	60			
650J.....	65.0	211						
730J.....	73.0	211						

± Available Only Up To 10 Rib Configuration Due To Ground Rib Construction.

# Vulco-Flex® II Coolant Hose Listed by Number

Showing Vulco-Flex® II Coolant Hose Numbers  
with Corresponding Hose Inside Diameters and Lengths

Gates Hose No.	I.D. Inches (mm)	Length Inches (mm)	Gates Hose No.	I.D. Inches (mm)	Length Inches (mm)
25149	1 1/8 (29)	9 (230)	25384	1 3/8 (35)	25 (635)
25150	1 1/8 (29)	12 (305)	25409	1 3/8 (35), 1 1/2 (38)	26 (660)
25152	1 1/8 (29)	15 (381)	25428	1 3/8 (35), 1 5/8 (41)	17 (432)
25154	1 1/8 (29)	18 (457)	25472	1 1/2 (38)	8 (205)
25157	1 1/8 (29)	23 (584)	25473	1 1/2 (38)	10 1/2 (265)
25180	1 1/8 (29), 1 1/4 (32)	19 (483)	25474	1 1/2 (38)	12 (305)
25249	1 1/4 (32)	7 1/2 (190)	25476	1 1/2 (38)	14 (356)
25250	1 1/4 (32)	9 1/2 (240)	25477	1 1/2 (38)	15 1/2 (394)
25251	1 1/4 (32)	13 (330)	25478	1 1/2 (38)	17 (432)
25252	1 1/4 (32)	15 (381)	25480	1 1/2 (38)	20 (508)
25253	1 1/4 (32)	17 (432)	25482	1 1/2 (38)	22 (559)
25254	1 1/4 (32)	18 1/2 (470)	25484	1 1/2 (38)	25 (635)
25255	1 1/4 (32)	20 (508)	25487	1 1/2 (38)	30 (762)
25257	1 1/4 (32)	23 (584)	25490	1 1/2 (38)	35 (889)
25260	1 1/4 (32)	26 1/2 (673)	25499	1 1/2 (38)	48 (1219)
25262	1 1/4 (32)	30 (762)	25526	1 1/2 (38), 1 3/4 (44)	13 1/5 (335)
25265	1 1/4 (32)	35 (889)	25527	1 1/2 (38), 1 3/4 (44)	15 (381)
25269	1 1/4 (32)	41 (1041)	25528	1 1/2 (38), 1 3/4 (44)	16 1/2 (419)
25284	1 1/4 (32), 1 3/8 (35)	26 (660)	25530	1 1/2 (38), 1 3/4 (44)	20 (508)
25300	1 1/4 (32), 1 1/2 (38)	12 (305)	25532	1 1/2 (38), 1 3/4 (44)	22 (559)
25302	1 1/4 (32), 1 1/2 (38)	15 1/2 (394)	25535	1 1/2 (38), 1 3/4 (44)	27 (686)
25305	1 1/4 (32), 1 1/2 (38)	19 1/2 (495)	25582	1 1/2 (38), 2 (51)	22 (559)
25307	1 1/4 (32), 1 1/2 (38)	23 (584)	25804	▲ 1 1/2 (38)	19 3/4 (505)
25309	1 1/4 (32), 1 1/2 (38)	26 (660)	25806	▲ 1 1/2 (38)	23 1/8 (589)
25311	1 1/4 (32), 1 1/2 (38)	29 (737)	25808	▲ 1 1/2 (38)	25 5/8 (650)
25321	1 1/4 (32), 1 1/2 (38)	44 (1118)			

▲ 90° Molded Elbow on One End. Length is Centerline Length

(mm) Millimeters.

# Vulco-Flex® II Coolant Hose Listed by Size

Showing Inside Diameters and Lengths with  
Corresponding Vulco-Flex® II Coolant Hose Numbers

Length Inches (mm)	Gates Hose No.	Length Inches (mm)	Gates Hose No.	Length Inches (mm)	Gates Hose No.
<b>1 1/8" (29mm) I.D.</b>		<b>1 1/4" (32mm), 1 3/8" (35mm) I.D.</b>		<b>1 1/2" (38mm) I.D.</b>	
9 (230) .....	25149	26 (660) .....	25284	8 (205) .....	25472
12 (305) .....	25150	<b>1 1/4" (32mm), 1 1/2" (38mm) I.D.</b>		10 1/2 (265) .....	25473
15 (381) .....	25152	12 (305) .....		12 (305) .....	25474
18 (457) .....	25154	19 1/2 (495) .....	25300	14 (356) .....	25476
23 (584) .....	25157	15 1/2 (394) .....	25302	15 1/2 (394) .....	25477
<b>1 1/8" (29mm), 1 1/4" (32mm) I.D.</b>		23 (584) .....	25307	17 (432) .....	25478
19 (483) .....	25180	26 (660) .....	25309	19 3/4 (505) .....	▲25804
<b>1 1/4" (32mm) I.D.</b>		29 (737) .....	25311	20 (508) .....	25480
7 1/2 (190) .....	25249	44 (1118) .....	25321	22 (559) .....	25482
9 1/2 (240) .....	25250	<b>1 3/8" (35mm) I.D.</b>		23 1/8 (589) .....	▲25806
13 (330) .....	25251	25 (635) .....	25384	25 (635) .....	25484
15 (381) .....	25252	<b>1 3/8" (35mm), 1 1/2" (38mm) I.D.</b>		25 5/8 (650) .....	▲25808
17 (432) .....	25253	26 (660) .....	25409	30 (762) .....	25487
18 1/2 (470) .....	25254	<b>1 3/8" (35mm), 1 5/8" (41mm) I.D.</b>		35 (889) .....	25490
20 (508) .....	25255	17 (432) .....	25428	48 (1219) .....	25499
23 (584) .....	25257	<b>1 1/2" (38mm), 1 3/4" (44mm) I.D.</b>		13 1/5 (335) .....	25526
26 1/2 (673) .....	25260	<b>1 1/2" (38mm), 2" (51mm) I.D.</b>		15 (381) .....	25527
30 (762) .....	25262			16 1/2 (419) .....	25528
35 (889) .....	25265			20 (508) .....	25530
41 (1041) .....	25269			22 (559) .....	25532
				27 (686) .....	25535
				22 (559) .....	25582

# Green Stripe® Vulco-Flex® Coolant Hose Listed by Number

Showing Vulco-Flex® Coolant Hose Numbers  
with Corresponding Hose Inside Diameters and Lengths

Gates Hose No.	I.D. Inches (mm)	Length Inches (mm)	Gates Hose No.	I.D. Inches (mm)	Length Inches (mm)
26501.....	1 3/4 (44)	13 1/2 (343)	26523.....	2 1/4 (57)	19 (483)
26502.....	1 3/4 (44)	16 1/2 (419)	26524.....	2 1/4 (57)	24 (610)
26503.....	1 3/4 (44), 2 (51)	10 (254)	26525.....	2 1/4 (57)	27 (686)
26504.....	1 3/4 (44), 2 (51)	16 1/2 (419)	26526.....	2 1/4 (57), 2 1/2 (64)	18 (457)
26505.....	1 3/4 (44), 2 (51)	19 (483)	26527.....	2 1/4 (57), 2 1/2 (64)	21 (533)
26506.....	1 3/4 (44), 2 (51)	23 1/2 (597)	26528.....	2 1/4 (57), 2 1/2 (64)	25 (635)
26507.....	2 (51)	9 1/2 (241)	26529.....	2 1/2 (64)	11 (279)
26508.....	2 (51)	12 1/4 (311)	26530.....	2 1/2 (64)	14 (356)
26509.....	2 (51)	14 1/2 (368)	26531.....	2 1/2 (64)	16 (406)
26510.....	2 (51)	17 (432)	26532.....	2 1/2 (64)	24 (610)
26511.....	2 (51)	20 (508)	26533.....	2 1/2 (64)	28 (711)
26512.....	2 (51)	24 (610)	26534.....	2 3/4 (70)	7 (178)
26513.....	2 (51)	33 (838)	26535.....	2 3/4 (70)	14 (356)
26514.....	2 (51), 2 1/4 (57)	8 1/2 (216)	26536.....	2 3/4 (70)	18 (457)
26515.....	2 (51), 2 1/4 (57)	15 (381)	26537.....	2 3/4 (70)	32 (813)
26516.....	2 (51), 2 1/4 (57)	17 1/2 (445)	26538.....	3 (76)	37 (940)
26517.....	2 (51), 2 1/4 (57)	25 (635)	26601.....	1 3/4 (44)	6 (152)
26518.....	2 (51), 2 1/2 (64)	20 (508)	26602.....	1 3/4 (44)	8 1/2 (216)
26519.....	2 1/4 (57)	9 (229)	26603.....	1 3/4 (44)	11 (279)
26520.....	2 1/4 (57)	11 (279)	26611.....	1 3/4 (44)	19 (483)
26521.....	2 1/4 (57)	14 (356)	26612.....	1 3/4 (44)	23 1/2 (597)
26522.....	2 1/4 (57)	17 (432)			

# Green Stripe® Vulco-Flex® Coolant Hose Listed by Size

Showing Inside Diameters and Lengths with  
Corresponding Vulco-Flex® Coolant Hose Numbers

Length Inches (mm)	Gates Hose No.	Length Inches (mm)	Gates Hose No.	Length Inches (mm)	Gates Hose No.
<b>1 3/4" (44mm) I.D.</b>		<b>2" (51mm), 2 1/4" (57mm) I.D.</b>		<b>2 1/4" (57mm), 2 1/2" (64mm) I.D. - Continued</b>	
6 (152).....	26601	8 1/2 (216).....	26514	25 (635).....	26528
8 1/2 (216).....	26602	15 (381).....	26515		
11 (279).....	26603	17 1/2 (445).....	26516		
13 1/2 (343).....	26501	25 (635).....	26517		
16 1/2 (419).....	26502	<b>2" (51mm), 2 1/2" (64mm) I.D.</b>		<b>2 1/2" (64mm) I.D.</b>	
19 (483).....	26611	20 (508).....	26518	11 (279).....	26529
23 1/2 (597).....	26612	<b>2 1/4" (57mm) I.D.</b>		14 (356).....	26530
<b>1 3/4" (44mm), 2" (51mm) I.D.</b>		9 (229).....	26519	16 (406).....	26531
10 (254).....	26503	11 (279).....	26520	24 (610).....	26532
16 1/2 (419).....	26504	14 (356).....	26521	28 (711).....	26533
19 (483).....	26505	17 (432).....	26522	<b>2 3/4" (70mm) I.D.</b>	
23 1/2 (597).....	26506	19 (483).....	26523	7 (178).....	26534
<b>2" (51mm) I.D.</b>		24 (610).....	26524	14 (356).....	26535
9 1/2 (241).....	26507	27 (686).....	26525	18 (457).....	26536
12 1/4 (311).....	26508	<b>2 1/4" (57mm), 2 1/2" (64mm) I.D.</b>		32 (813).....	26537
14 1/2 (368).....	26509	18 (457).....	26526	<b>3" (76mm) I.D.</b>	
17 (432).....	26510	21 (533).....	26527	37 (940).....	26538
20 (508).....	26511				
24 (610).....	26512				
33 (838).....	26513				