Technical Specifications	2002 Audi A6 2.7 T
ENGINE:	
Туре	Six-cylinder four-stroke, spark ignition, two light alloy cylinder heads, three inlets and two (sodium-cooled) exhaust valves,
	DOHC, twin turbochargers
Arrangement	Front mounted, longitudinal
Bore	3.19 in. <b>81.0 mm</b>
Stroke	3.40 in. 86.4 mm
Displacement	163 cu, in. 2671 cc
Compression ratio	9.3:1
Fuel requirement	Premium unleaded (91 AKI) recommended for maximum performance
Horsepower (SAE)	250 hp @ 5800 rpm
Max. Torque	258 lbs. ft. @ 1850 - 3600 rpm
ENGINE DESIGN:	
Cylinder block	Cast iron
Crankshaft	Forged steel, 4 main bearings
Cylinder head	Aluminum alloy
Valve train / intake	DOHC, belt driven, hydraulic lifters / variable intake valve timing and variable geometry composite intake manifold
Firing order	1 - 4 - 3 - 6 - 2 - 5
Cooling system	Water-cooled, thermostatically controlled radiator fan
Lubrication system	Gear pump, pressurized, full flow with oil cooler
Fuel injection /	Electronic sequential fuel injection, mapped-characteristic ignition with solid-state direct ignition, variable intake camshaft control, cylinder-
Ignition system	selective knock control, exhaust temperature control, coordinated engine-torque control, ME 7.0 Motronic® with electronic throttle control
Emission system	Two tubular exhaust manifolds with air-gap insulation, pre catalytic converters close to engine, two main catalytic converters underfloor,
21111001011 07010111	oxygen sensing for each cylinder bank with four heated oxygen sensors
ELECTRICAL SYSTEM:	CAYGOTT COTTONING TO COURT OF MAINT TOUT TOUR COURT SCHOOLS
Battery	12 volts 70 amp/hr
Alternator	14 volts 120 amp
DRIVETRAIN:	
Transmission	Five-speed manual with syncro reverse or five-speed automatic with Tiptronic®, Dynamic Shift Program,
	automatic shift lock and new 'Sport-mode' setting
Туре	quattro®
,,,,	Manual Automatic
Gear ratios: 1st	3.500 1 3,665 1
2nd	1.889 : 1 1.999 : 1
3rd	1.231;1 1.407;1
4th	0.987:1 3:1.000:1:
5th	0.806;,1 0.742;,1
6th	0.684 (1)
Reverse	3.455 1 4.096 1
Final Drive	4.111.1 3.5.11.11.6
Front Differential	Hypoid gear, electronically locking (EDL)
Center Differential	TORSEN® (TORque SENsing) differential providing automatic and variable front to rear power proportioning
Rear Differential	Hypoid gear, electronically locking (EDL)
STEERING:	ing pora gear, electronically rocking (EDE)
Туре	Rack and pinion, Servotronic® - vehicle speed variable power assist
Ratio	16.2:1
Turns (lock-to-lock)	2.81
	8000 0/410 0/410 0/400 0/4
Turning circle (curb-to-curb) SUSPENSION:	38.3 ft. 11.7 m
Front	Four link upper and lower central arms, stabilizer has self-asias about about 10
	Four link, upper and lower control arms, stabilizer bar, coil spring, shock absorbers (gas charged)
Rear (quattro®)	Double control arm (upper and lower), stabilizer bar, coil springs, shock absorbers (gas charged)
BRAKES:	Disposably split dual signific ADC/EDV hasha and AV
Service brake	Diagonally split dual circuits, ABS/EBV; brake servo. At front, ventilated discs with one piston and 2 break pads
Front class of the	(high performance 2-pad break), at rear, ventilated disc brakes
Front, size and type	12.6 in. 321 mm - Ventilated disc 321 x 30 mm /
Rear, size and type	10.1 in. 256 mm - Ventilated disc 256 x 22 mm
Parking brake	Mechanically actuated at the rear wheels

Technical Spe	cifications	(continued)						2	002 Audi A6 2.7 T
WHEELS:									
Size		16" 5-spoke (	design, cast alloy				and the Material Annual Confession of the Confes		
ļ		17" Stand-alone & Sport Package, BBS alloy wheel							
		17" Stand-ald	one, 5-spoke alloy w	heel					
TIRES:									
Size	ize P235/45 R17 performance (H8A)								
			all-season (H9P)				-		
BODY:									
Material		Fully galvaniz	ed (both sides) stee	el, alı	uminum front hood				
Corrosion prote	ction		ti-corrosion protection						
CAPACITIES:		1							
OAI 74011120.	· · · · · · · · · · · · · · · · · · ·	i							
Engine oil		6.3 qt.	6 liter						
Fuel tank		18.5 gal.	70 liter	~					
Cooling system		6.3 qt.	6 liter		AND THE STREET				
EXTERIOR DIMEN	SIONS:		7 11103	-					
EXTERIOR DIMER	010140.	Ou	ıattro®						WWW.
Wheelbase		108.7 in.	2760 mm		***************************************				
Track:	front / rear	60.9 in.	1546 mm	1	61.8 in. 156	9 mm .			
Overall length		192.0 in	4877 mm						
Overall width (w	ith mirrors)	76.1 in	1932 mm				,	MF	
Height (unloade		57.2 in.	1452 mm						
Ground clearan	•	4.2 in.	107 mm						······································
Curb weight	man. / auto.	3759 lbs.	1705 kg		3924 lbs. 178	30 kg			, <u> </u>
•	% front / rear		59 / 41	1	60 / 4				
INTERIOR DIMENS						-	3 A. L. L. 20, Franc. B. 201.		
Seating Capacit		5						·····	
EPA class	•	Mid-size				-			
Head room	front / rear	39.3 in.	998 mm	,	37.9 in. 96	3 mm			
w/sunroof	front / rear	37.5 in.	953 mm	1	37.8 in. 96	of mm			
Shoulder room	front / rear	56.2 in.	1427 mm	1	55.7 in. 141	5 mm			
Leg room	front / rear	41.3 in.	1049 mm	1	37.3 in. 94	8 mm			
Int. vol. (EPA)	front / rear	52.7 cu. ft		1	45.6 cu. ft.		(with sunroof)	50.4 cu. ft. /	45.5 cu.ft.
Luggage capac	ty (EPA)	15.4 cu. ft	•				-		
PERFORMANCE:									
			qu	attro	®				
			Manual		Automatic				,
0-50 mph (0-80	km/h)		4.7 sec.		4.9 sec.				
0-60 mph (0-10	0 km/h)		6.0 sec.		6.6 sec.				
1/4 mile			14.7 sec.		15:1 sec.				
Top speed		Top speed is	electronically limited	1 to 1	30 mph (209 km/h) foi	r North Amer	rica		
FUEL ECONOMY:		EPA Estimate	>						
			Manual		Automatic				
City			17.0 mpg		17.0 mpg				
Highway			24.0 mpg		24.0 mpg				
Combined			20.0 mpg		20.0 mpg				
FUEL ECONOMY:		CANADIAN E	stimate						
			Manual		Automatic				
City			13.7 l/100km		13.8 l/100km				
Highway			8.9 I/100km		8.9 I/100km				


# 2002 Audi A6 2.7 T Equipment



Αυδι

Legend x = Standard O = Optional P = Package	A6 2.7 T Sedan						
Technical							
• 2.7 liter, 250 hp, V6 DOHC bi-turbo engine with direct ignition, electronic turbo boost regulation and 5	x						
valves per cylinder, ME 7.0 Motronic® with electronic throttle control  • 6-speed manual transmission with synchronized reverse gear							
5-speed HP-24 automatic transmission with Tiptronic® and DSP (selects from over 200 shift programs to							
match driver needs), hill detection capability and new "Sport-mode" setting							
• quattro® IV - permanent all-wheel drive system with Torsen® torque sensing center differential	. X						
<ul> <li>Anti-lock brake system (ABS 5.3) with front and rear Electronic Differential Locks (EDL) and electronic rear brake pressure regulation</li> </ul>	×						
CFC-free (ChloroFlouroCarbon) air conditioning refrigerant	×						
Fully galvanized steel unibody construction with aluminum hood	x						
ESP 5.7 - Electronic Stabilization Program with break assist	×						
Wheels / Tires / Suspension / Steering							
• 5 spoke 7J x 16 inch cast alloy wheels with P215/55 R16 all-season tires	×						
• 17" cross-spoke wheels (stand-alone & sport package) with P235/45 R17 performance tires	P/O						
Sport suspension with:	Р						
- body lowered 20mm							
- shocks with 40% increased compression damping							
- 30% stiffer spring rate							
- thicker stabilizer bar							
Full size spare tire with alloy wheel     FNRCO bids are forced and forth broken	X						
<ul> <li>FNR60 high-performance, two-pad front brakes</li> <li>Four-link front suspension</li> </ul>	X X						
Double A-arm rear suspension	×						
Servotronic® - vehicle speed-sensitive power rack & pinion steering	x						
Leather covered 4-spoke steering wheel in matching dashboard color	x						
Tilt and telescopic (manual) adjustable steering column							
Multifunctional steering wheel with audio controls	P						
Exterior							
5 MPH (Federal standard) bumpers, painted in body color	x						
Bumper covers contoured to be flush with body surface and profile	x						
Protective side moldings, painted in body color	×						
Body color, flush door handles	x						
Bright trim around side windows and lower trunk lid	x						
Body color outside mirrors; left side flat, right side convex	×						
Heatable windshield washer nozzles	×						
Metallic and pearl effect paint at no extra charge  Aluminum deer sill string with "Audi" corint  Output  Description:	X X						
Aluminum door sill strips with "Audi" script     Nisible duel subsurt							
Visible dual exhaust     Rewordless slide/filt suproof with supshade							
Powerglass slide/tilt sunroof with sunshade     Nomenclature: - A6 on rear deck lid - left							
- 2.7 T on rear deck lid - right	X X						
- Four rings on center of rear deck lid & front grille							
- 80 mm quattro badge on:	×						
rear deck lid - right							
front grille - right							
dashboard belt line trim - right							

# 2002 Audi A6 2.7 T Equipment



Audi

Legend		A6 2.7					
x = Standard	O = Optional P = Package	Seda					
	Exterior Lighting						
Halogen headlights, 3	3-way lights, including integrated ellipsoid low beam	x					
	low and high beam headlights	Р					
	cated in lower front bumper (fog lights as daytime running lights for Canadian	×					
Two rear fog lights		х					
	ght washers, retractable, flush with bumper	x					
	vith amber lenses for turn signal	×					
Large white section in							
<ul> <li>"Puddle" lights in all fe</li> </ul>	i e e e e e e e e e e e e e e e e e e e	x					
	tor lights in front fenders with amber shine-through bulbs	x					
	Interior Lighting						
	and rear headliner with fade-in and fade-out feature, time delay and automatic switch	x					
on when key is withdr		^					
	g lights located in headliner	×					
<del>-</del>	nting in headliner for front center console illumination	×					
	r door release handles	X					
Front and rear footwe		X					
Illuminated glove box	, rear cargo area, lighter and ashtray	X					
	Comfort and Convenience						
Fully automatic dual a	cone climate control system with sun sensor and activated charcoal filter	x					
Power windows with:	One diffiate control system with dail serior and delivated challocal med	×					
	until either front door is opened)						
•	" and "one-touch up" for all four windows						
	" for all four windows (reverses window at force >100N)						
•	lock out switch for rear power windows						
	rol with coast, resume and speed-up features	x					
	olding outside mirrors and auto dimming inside mirrors	Р					
Electrical adjustable outside mirrors with defog features							
Electrical adjustable of	defogger with automatic timed shut off feature	X X					
=							
Electrical rear window							
Electrical rear window Power central locking	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of	×					
Electrical rear window Power central locking a single front door or	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of	x					
Electrical rear window Power central locking a single front door or - convenient close	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus:	×					
Power central locking a single front door or - convenient close - master switch lock	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus: feature for windows & sunroof (functions by holding key in lock position)	x					
Power central locking a single front door or convenient close master switch loc convenient open Radio frequency remo	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus: feature for windows & sunroof (functions by holding key in lock position) cated in driver's door for windows (functions by holding key in unlock position) ote locking system with selective unlock, remote trunk opening and panic function,						
Power central locking a single front door or convenient close master switch locking a convenient open.  Radio frequency remoter also activates	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus: feature for windows & sunroof (functions by holding key in lock position) cated in driver's door for windows (functions by holding key in unlock position) ote locking system with selective unlock, remote trunk opening and panic function, interior lights and alarm system	x x					
Power central locking a single front door or convenient close master switch locking a convenient open.  Radio frequency remoter also activates	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus: feature for windows & sunroof (functions by holding key in lock position) cated in driver's door for windows (functions by holding key in unlock position) ote locking system with selective unlock, remote trunk opening and panic function,						
Electrical rear window Power central locking a single front door or - convenient close - master switch loc - convenient open Radio frequency remote also activates Remote rear deck lid Illuminated vanity mir	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus: feature for windows & sunroof (functions by holding key in lock position) cated in driver's door for windows (functions by holding key in unlock position) be locking system with selective unlock, remote trunk opening and panic function, interior lights and alarm system release button located in driver's door with "soft touch" open rors in right and left front sunvisors	x					
Power central locking a single front door or - convenient close - master switch loc - convenient open Radio frequency remote also activates Remote rear deck lid	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus: feature for windows & sunroof (functions by holding key in lock position) cated in driver's door for windows (functions by holding key in unlock position) bute locking system with selective unlock, remote trunk opening and panic function, interior lights and alarm system release button located in driver's door with "soft touch" open	x x					
P Electrical rear window Power central locking a single front door or - convenient close - master switch loc - convenient open Radio frequency remore also activates Remote rear deck lid Illuminated vanity mir 4 assist handles in he Folding ignition key w	system (doors, deck lid and fuel door) with selective unlocking (enables unlocking of all doors), plus: feature for windows & sunroof (functions by holding key in lock position) cated in driver's door for windows (functions by holding key in unlock position) be locking system with selective unlock, remote trunk opening and panic function, interior lights and alarm system release button located in driver's door with "soft touch" open rors in right and left front sunvisors	x x x					

# 2002 Audi A6 2.7 T





ιδυΑ

Legend		A6 2.7 T				
-	O = Optional P = Package	Sedan				
	Seating					
12-way power front driver and	passenger seats with electric lumbar adjustment and lockable head	x				
<ul> <li>3 adjustable head restraints for</li> </ul>	· · · · · ·	×				
1/3, 2/3 split folding rear seat with lockable seat backs						
<ul> <li>Folding front center armrest w</li> </ul>		×				
• Sport front seats						
	<ul> <li>3-position memory for driver and passenger seat (drivers side memory controls seats, mirrors, steering</li> </ul>					
wheel position and climate cor		Р				
<ul> <li>Front and rear heated seats</li> </ul>		0				
	Interior					
		0				
• Leather seat upholstery with d	noor panel inserts	0				
Leather shift knob		X				
Full length center console with		X				
-	ont of shift selector / fold out cup holder					
- storage area under front o						
	er air vents and rear power outlet	v				
	lers (one in dash and one in center console)	X				
•	sole is not available with Audi Navigation System)	.,				
	t side of center dashboard console	X X				
Two retractable rear cup holders (located in rear center armrest)						
Owners manual wallet (storage area) below steering column						
Rear seat heater vents under front seats     Consider wood in level in instrument penal, center console, and deer penals.						
Genuine wood inlays in instrument panel, center console, and door panels						
Front and rear floor footwell mats						
Four tie-down eyelets with car	- '	X				
	rage compartment in luggage area	X X				
• Fold down rear center armrest						
<del>-</del>	and dimming / folding outside rearview mirrors	P				
Power rear window sunshade	with manual rear side window sunshades	0				
	Instrumentation and Electrical Equipment					
<ul> <li>Backlit instrument cluster with</li> </ul>	automatic brightness control with:	x				
- tachometer, electronic sp	eedometer, digital clock with date, fuel gauge					
	mperature gauge, voltmeter, white illumination with red pointers					
Digital odometer with service		x				
<ul> <li>Driver information display with</li> </ul>	n:	x				
• •	lay plus 5-function trip computer					
- radio/telephone display						
·	n with speed warning device					
- pictogram display for ope						
	m with blinking theft deterrent light and interior monitoring sensors with defeat					
switch in driver's side B-pillar		X				
	sweep area and 4-position interval rates	x				

# 2002 Audi A6 2.7 T Equipment



### Αυδι

Legend			A6 2.7 T				
x = Standard	O = Optional	P = Package	Sedan				
	Instrumentation and El	ectrical Equipment (Continued)					
<ul> <li>Symphony II 2-DIN AM/FM radio with cassette, 6-disc CD-player and:</li> <li>RBDS (Radio Broadcast Display System displays radio station call letters and other information)</li> <li>GALA (Graduated Audio Level Adjustment, varies volume based on vehicle speed)</li> </ul>							
	sound system with subwoofe		×				
	emium Sound System with su		0				
		gnition (delayed introduction)	0				
OnStar telematics has	ardware with 1 year service a	and phone preparation (delayed introduction)	0				
	CD changer (with mounting		x				
	ır window glass radio antenn		×				
Audi Navigation Sys			0				
		Safety					
Driver and front pass	senger next generation airba	g supplemental restraints	×				
Front seat-mounted			×				
Rear seat-mounted side airbags							
	Inflatable "SIDEGUARD" curtain airbags						
Front 3-point safety belts with automatic pretensioning and height adjustable upper mounts and belt force limiters							
	Three rear 3-point safety belts with automatic pretensioning						
• Front passenger and	Front passenger and rear safety belts with Convertible Locking Retractors (ELR and ALR modes)						
Rear child seat tether anchors							
Child-safety rear doc	Child-safety rear door locks						
Central locking system	em with safety unlock feature	e (unlocks doors and turns on interior lights if airbag	×				
Active reflectors in rear of all doors							
<ul> <li>Locking headrests for</li> </ul>	or front seats		x				
<ul> <li>Emergency warning</li> </ul>	triangle located in rear deck	lid	. x P				
Rear Parktronic™ Acoustic Parking System							
First Aid kit in rear center armrest							
<ul> <li>Trunk release handl</li> </ul>			×				
<ul> <li>Immobilizer III transp</li> </ul>	ponder system		X				

## 2002 Audi A6 2.7 T Option Program



Αυδι

Legend			A6 2.7 T
x = Included in package	O = Optional	- = Not available	Sedan
	Options		
	soo saassa meesaan semooney oo		
Premium Package			0
- Multi-function steering wheel w			×
- Xenon high intensity, low and	high beam headlights		×
- Rear Parktronic™			×
Convenience Package			0
- HomeLink®			×
- Auto dimming interior mirrors v	vith compass / Auto dimmin	g and folding exterior mirror	x
- Seat memory for driver and pa	ssenger seats		×
Sport Package			0
- Sport front seats			×
- Sport suspension (body lowere	ed 20mm; spring rate 30% s	stiffer; shock	×
absorber 40% more compress	ion damping; increased dia	meter stabilizer bar)	
- 17 inch cross-spoke alloy whe	els with 235/45 R17 perform	nance tires *	×
	Separate Option	5	
Audi Navigation System			0
Rear side airbags			. 0
Sunroof			0
Bose® 200 Watt Premium Soun-	d System with subwoofer		0
Front and rear heated seats			0
Leather			0
17 inch cross-spoke alloy wheel	s with 235/45 R17 performa	nce tires *	. 0
Power rear window sunshade w			0
OnStar telematics hardware with	1 year service and phone	preparation **	0
Motorola® digital/portable phone			0
* available in package or as sep	arate option, includes temp	orary square tire	
** delayed introduction			

#### Warranty Information for all models

#### United States / Canada

- 4-year/50,000 mile new vehicle limited warranty / 4-year/80,000 km new vehicle limited warranty
- 4-year/50,000 mile no-charge scheduled maintenance / 4-year/80,000 km no-charge scheduled maintenance
- 12-year limited warranty against corrosion perforation
- 24-hour Roadside Assistance for 4 years

"quattro" is a registered trademark of Audi AG

"multitronic" is a registered trademark of Audi AG

"Tiptronic" is a registered trademark of Dr. Ing. h. c. F. Porsche AG.

"Torsen" is a registered trademark of Zexel-Gleason USA, Inc.

"Servotronic" is a registered trademark of the AM General Corporation.

"Motorola" is a registered trademark of Motorola, Inc.

"HomeLink" is a registered trademark of Prince Corporation, Holland, Michigan.

"Bose" is a registered trademark of the Bose Corporation. Covered by patent rights issued and/or pending.

"Parktronic" is registered trademark of Audi AG

"FrontTrak" is a registered trademark of Audi AG

"OnStar" is a registered trademark of OnStar, Corp.



Retail Prices Audi of America, Inc. Effective: 1-September-01

# 2002 Audi A6 2.7T

Order Code	Model	Body Style	Transmission	Drivetrain		Suggested Retail		
4B2579 4B257Z	A6 2.7T A6 2.7T	Sedan Sedan	6-Speed Manual 5-Spd Automatic Tip.	quattro quattro		\$ 39,750 \$ 39,750		
					2.7T			
	Cloth Uphol	-			0	NC		
	Leatherette				0	NC 1,550		
N1H	Leather Uph	noistery			U	1,550		
D4D4	Pearlescent	White Paint			0	1,200	•	
PPD	Auto-dimr	ming Interior M ming and Elect	irror with Compass rically Folding Exterior Mirrors		0	730		
		Remote Tra						
	метогу т	or Front Seat I	Positions					
PCC	Leather U	uxury Package Ipholstery nroof (wlPowe	r, Tilt, Slide, "PreSelect")		0	1,800	·	
PPX	Rear Pari	gh Intensity Di	scharge Headlights (High & Lov Wheel	v Beams)	0	1,275		
PST	17" Perfo	spension	•		0	1,425		
PQP		Spoke Cast Alle s mini spare tir	oy Wheels, Performace Tires e)		0	675		
7Q9	Audi Naviga	ation System (I	ncludes Map CD's)		0	1,350		
3FE	Glass Sunn	oof (w/Power,	Tilt, Slide, "PreSelect")		0	1,000		
8RY	BOSE® Pre	emium Sound s	system		0	750		
4A4	Heated Fro	nt and Rear Se	eats		0	550		
3Y5	Power Rea	r & Manual Sid	e Sunshades		0	450	,	
4X4	Rear Side A	Airbags			0	350		
0LM 1QE		missions Requirading Region	uirements Emissions Req.		0	NC NC		

Key:O = OptionalNA = Not AvailableS = StandardNC = No Charge